

Combined Author Index

- H.I. Aaronson 535-546A
547-560A
561-580A
N. Aalberg 81-86B
F. Abe 2237-2246A
M.R. Aboutalebi 731-744B
D.P. Abraham 2849-2858A
2859-2872A
J.D. Achenbach 1123-1128A
F.A. Acosta 159-172B
B.L. Adams 1543-1552A
M. Agop 3021-3026A
M. Ahmed 1869-1876A
S. Ahuja 111-120B
E.C. Afantis 2479-2480A
B.J.M. Aikín 2719-2732A
G. Akdogan 13-24B
B. Alemán 437-446A
E. Allain 703-710B
711-718B
M.J. Allan 887-890B
S.M. Allen 1107-1112A
1441-1448A
J.E. Allison 1395-1406A
2947-2960A
2961-2972A
3081-3090A
3107-3118A
3143-3154A
3155-3162A
D.E. Alman 289-304A
589-600A
2759-2762A
J.M. Almanza 159-172B
A. Alonso 983-990A
M. Alonso 51-58B
A.T. Alpas 85-98A
R. Alqasbi 1025-1028A
C.J. Altstetter 845-850A
1079-1088A
2849-2858A
2859-2872A
A.H. Alyaser 25-40B
W. Ames 85-98A
S.J. Andersen 1931-1938A
J.P. Anderson 1535-1542A
K.R. Anderson 2197-2206A
B. Andersson 839-850B
U.R. Andrade 2881-2894A
W. Andree 529-536B
S.D. Antolovich 2651-2664A
H. Araki 1305-1306A
J. Aranzabal 1045-1060A
L. Arberg 965-970A
B.K. Arnold 357-370A
1785-1794A
S.M. Arnold 615-628A
R.J. Arenalut 897-902A
E. Arzi 1067-1078A
S. Asai 353-360B
K.H.G. Ashbee 1087-1092A
M.F. Ashby 3057-3063A
1101-1108B
R. Asthana 209-223A
477-492A
1307-1310A
2175-2184A
P.B. Aswath 1835-1846A
S.L. Atkins 3067-3080A
H. Ayub 1869-1876A
Y. Awakura 1175-1182B
E. Baake 529-536B
L. Backerud 965-970A
B. Bacroix 601-614A
R.L. Bagley 829-844A
A. Bakker 2873-2880A
S.A. Baldwin 1035-1048B
C.W. Bale 467-484B
A. Ballester 455-466B
M. Bambergner 401-406A
G. Banas 1507-1518A
V. Banhardt 1067-1078A
S. Banerjee 2707-2718A
H. Bao 1725-1734A
P.V. Barr 851-870B
M.F. Bartholomeusz 329-342A
3257-3264A
B. Basu 1069-1082B
R.G. Bautista 687-694B
695-702B
Y. Bayazitoglu 1209-1216B
C. Beckermann 111-120B
2373-2388A
D.J. Beemtsen 2481-2484A
M.S. Belegatis 259-266A
C.D. Bencher 2027-2034A
H.W. Bergmann 793-800A
I.M. Bernstein 407-416A
D.N. Beshers 2825-2832A
H.K.D.H. Bhadeshia 21-30A
1895-1903A
S.C. Bhaduri 611-624B
T.A. Bhaskaran 1367-1378A
M.S. Bhat 1049-1056B
1091-1092B
M.H. Biglari 765-776A
J.C. Billelo 1805-1814A
J.E. Bishop 2773-2784A
M.L. Blázquez 455-466B
D.K. Bose 647-648B
1083-1085B
D. Bouchard 467-484B
M. Bouchard 1904-1905A
R.R. Bowman 209-223A
477-492A
615-628A
897-902A
C.M. Brakman 765-776A
R.F. Brebrick 2597-2610A
A. Briceño 1123-1132B
1133-1138B
1139-1146B
P.R. Bridenbaugh 1021-1024A
413-416B
J.K. Brimacombe 25-40B
361-382B
1987-1992A
1993-2000A
719-730B
929-942B
943-958B
959-970B
1019-1028B
E.A. Brocchi 235-240B
J.-P. Bros 767-774B
J.A. Bustnes 547-552B
P.E. Byrne 871-886B
A.M. Cameron 911-918B
919-924B
I. Carcea 3021-3026A
S.H. Carpenter 2785-2790A
B. Carrupt 821-830B
J.E. Carsley 2479-2480A
W.A. Cassada 1235-1248A
A.H. Castillejos 159-172B
F. Castro 1045-1060A
E. Cerri 941-948A
G. Chai 965-970A
S.P. Chakraborty 647-648B
K.S. Chan 1407-1418A
D. Chandra 517-522B
523-528B
629-632A
C.H. Chang 2185-2186A
C.P. Chang 176-178B
H. Chang 143-158A
Y.C. Chang 851-858A
C.-G. Chao 1035-1044A
P.K. Chaudhury 1601-1602A
C.Z. Chen 1461-1470A
E.Y. Chen 3163-3176A
G.-H. Chen 1379-1388A
H.C. Chen 2511-2520A
J. S.-J. Chen 1199-1208B
K.-C. Chen 1035-1044A
L.-C. Chen 2317-2328A
L.H. Chen 1101-1106A
N. Chen 731-740A
Q. Chen 417-426A
S.-W. Chen 1007-1010A
T.C. Chen 2111-2122A
T.T. Chen 219-228B
Y.-J. Chen 2493-2502A
B.L. Cheng 1735-1740A
K.T. Chiang 3225-3248A
3249-3256A
S.-W. Cho 249-256B
J. Choi 801-816A
A.H. Chokshi 2881-2894A
R.T.C. Choo 971-980B
J.P. Chu 1507-1518A
W. Chu 1777-1784A
B.S. Chun 176-178B
S.C. Chung 1633-1640A
M.J. Cieslak 1673-1686A
V.S.T. Ciminelli 209-218B
677-686B
A.E. Clark 2797-2802A
B.V. Cockeram 777-792A
K.S. Coley 485-494B
H. Conrad 459-470A
D.P. Cook 1263-1270B
1271-1280B
L.S. Cook 2035-2040A
T.M. Cook 2389-2398A
A. Cores 51-58B
J.A. Cornie 1491-1498A
J.M. Corrieu 1273-1286A
F. Cortial 1273-1286A
S. Cotes 1957-1970A
T.H. Courtney 2399-2398A
2431-2438A
2437-2444A
87-94B
173-175B
1183-1190B
1191-1198B
A.W. Cramb 87-94B
G.S. Daehn 3091-3106A
M. Dahms 691-702A
C. Dai 651-653B
J.A. Dantzig 871-886B
A.K. Das 1147-1156B
S.A. David 2007-2026A
D.L. Davidson 2247-2256A
L.C. Davis 3081-3090A
M. De 1011-1013A
N.F. Dean 2141-2154A
O. de Bouvier 925-940A
H.C. de Groh III 111-120B
J.H.W. de Wit 2103-2110A
B. Debray 99-112A
T. DebRoy 149-158B
L. Delaey 3183-3190A
F. Delannay 2053-2062A
G.P. Demopoulos 1035-1048B
G. den Cuden 203-208A
E.W. Dewing 81-86B
G.K. Dey 2707-2718A
E.S. Diaz 3225-3248A
3249-3256A
W.H.R. Dickinson 887-890B
J.A. DiLello 1225-1242B
D.M. Dimiduk 1767-1776A
M. Djona 41-50B
703-710B
711-718B
B. Dogan 691-702A
C.P. Dogan 2759-2762A
E.J. Dolley 1167-1182A
A.L. Dons 525-534A
R.C. Donward 2481-2484A
S.L. Draper 2719-2732A
D.B. Dreisinger 5-12B
R.L. Dreshfield 2197-2206A
J.-M. Drezet 421-830B
W. Drury 2651-2664A
W. Duffy, Jr. 1735-1740A
C. Durnay 173-175B
D.C. Dunand 883-896A
2833-2848A
G.L. Dunlop 1705-1716A
1947-1956A
J.E. Dutrizac 219-228B
R.E. Dutton 2041-2052A
T.S. Dyer 603-610B
T.W. Eagar 383-398B
D.V. Edmonds 1617-1632A
J.J. Egan 1025-1028A
M.R. Eggleston 2733-2744A
D. El Allam 767-774B
J.I. Eldridge 2719-2732A
K.F. Elifshaw 3091-3106A
R. Elliott 471-476A
D. Ellis 2197-2206A
F. Elyin 3177-3182A
H.E. Elsayed-Ali 1507-1518A
M. Enomoto 535-546A
547-560A
561-580A
13-24B
59-66B
R.H. Eric 257-264B
V. Espejo 1757-1766A
E. Evangelista 189-208B
J.W. Evans 1243-1252B
1263-1270B
1271-1280B
1281-1288B
G. Fantozzi 1735-1740A
S.C. Farmer 343-356A
B. Farouk 1057-1068B
H. Fattori 915-924A
A. Feng 581-586B
587-594B
H.J. Feng 265-274B
J.W. Fergus 1289-1291B
R. Ferro 5-10A
M.E. Fine 1123-1128A
F.D. Fischer 267-278A
M.D. Fitzpatrick 673-690A
M.E. Fitzpatrick 3191-3198A
M.C. Flemings 1871-1884A
2141-2154A
2155-2160A
2991-3000A
A. Flores 159-172B
H.M. Flower 243-258A
J. Focf 447-458A
P.S. Follansbee 1483-1490A
R.W. Fonda 3277-3291A
J.S. Forrester 725-730A
C. Fossaert 21-30A
V. Fradkov 1061-1066A
A.D. Freed 829-844A
A. Frei 509-516B
J. Freim 2503-2510A
F.H. Froes 1379-1388A
1939-1946A
495-502B
M.G. Froberg 3183-3190A
L. Froyen 317-324B
R.J. Fruehan 563-568B
803-812B
813-820B
1086-1087B
1088-1090B
M.C. Fuerstenau 517-522B
523-528B
K. Fujii 1597-1599A
T. Furuhara 1971-1978A
M. Furukawa 581-588A
633-640A
I. Gaballah 41-50B
703-710B
711-718B
M. Gabbay 1735-1740A
W.F. Gale 949-956A
Ch.-A. Gandin 1543-1552A
P. Gangli 2399-2406A
R.P. Gangloff 1257-1272A
C. Garcia-Cordovilla 983-990A
S.V. Garimella 971-982A
D.R. Gaskell 1157-1164B
M. Gaune-Escard 767-774B
D.S. Gelles 2259-2268A
R.M. German 279-288A
653-660A
649-650B
2187-2189A
2415-2422A
2423-2430A
2484-2486A
2489-2480A
2751-2754A
J.C. Gibeling 3067-3080A
M. Giovannini 5-10A
J. Gjønnes 839-850B
S.C. Glade 2565-2570A
M. Glicksman 1061-1066A
J.B. Gnanamoorthy 1859-1868A
R. Gnanamoorthy 305-314A
R. Goetz 1767-1776A
A.M. Gokhale 1449-1456A
1741-1744A
2651-2664A
41-56A
J.I. Goldstein 1311-1312A
I.S. Golovin 1141-1152A
B. Gong 455-466B
F. González 915-924A
J.L. González-Carrasco
E. Goo 1029-1034A
S. Gowry 1904-1905A
E.J. Graesser 2791-2796A
G.T. Gray III 2545-2554A
2555-2564A
2665-2676A
N.B. Gray 887-890B
M. Gremaud 660-664B
F.A. Greulich 1471-1482A
P. Griesverson 401-404B
485-494B
E.J. Grimsey 229-234B
Ø. Grong 525-534A
J.R. Groza 2197-2206A
R.N. Grugel 496-499A
2699-2686A
J.E. Gruzieski 103-110B
999-1006A
2161-2174A
731-740A
J. Gu

| | | | | | | | |
|-----------------|------------|---------------------|------------|------------------|------------|--------------------|------------|
| M. Gu | 1595-1596A | S.C. Jeng | 1353-1366A | F.V. Lawrence | 1507-1518A | F.D.S. Marquis | 2493-2502A |
| N. Gu | 1979-1986A | D.J. Jensen | 1717-1724A | L. Lawson | 3163-3176A | T. Maruyama | 289-294A |
| H.R. Guan | 831-838B | | 2227-2236A | E.U. Lee | 1313-1316A | N. Masahashi | 305-314A |
| A.F. Guillermet | 1957-1970A | K.L. Jerina | 3265-3276A | F.T. Lee | 1553-1570A | K. Matsunaga | 647-652A |
| Q. Guo | 275-280A | W. Jiang | 1595-1596A | G.F. Lee | 2819-2824A | A. Matsunawa | 660-664B |
| S.R. Guo | 831-838B | N. Jin | 1757-1766A | H.M. Lee | 1633-1640A | A. Matuszeski | 3277-3291A |
| S.K. Gupta | 281-288B | Z. Jin | 417-426A | J. Lee | 2341-2348A | R. Matway | 563-568B |
| | 401-404B | G.P. Johari | 721-724A | J.-L. Lee | 1431-1440A | Z.A. Matysina | 179-181B |
| R.I.L. Guthrie | 537-546B | J.L. Johnson | 2484-2486A | S. Lee | 1093-1100A | D. Maurice | 2431-2436A |
| | 731-744B | J.J. Jonas | 99-112A | S.-C. Lee | 1431-1440A | | 2437-2444A |
| I. Gutiérrez | 437-446A | | 181-190A | S.-L. Lee | 1195-1206A | T. Mauricx | 21-30A |
| | 1045-1060A | | 1183-1194A | | 2937-2946A | | 447-458A |
| V. Guttmann | 915-924A | T.R. Jonas | 2399-2406A | Y. Lee | 2527-2544A | J. Mazumder | 1519-1534A |
| | 2103-2110A | D.I.G. Jones | 1491-1498A | Y.K. Lee | 1093-1100A | ABD E.-A. M. Mebed | 2617-2624A |
| | | J.W. Jones | 1167-1182A | Y. Leng | 315-328A | Z. Mei | 2063-2074A |
| G.M. Haarberg | 81-88B | | 1395-1406A | G. L'Esperance | 2625-2636A | M.G. Mendiratta | 1767-1776A |
| S.A. Hackney | 2479-2480A | | 2947-2960A | C.G. Levi | 2637-2650A | W.G. Meng | 329-342A |
| Y.D. Hahn | 113-132A | | 2961-2972A | | 859-872A | C. Mercer | 2275-2292A |
| J.P. Hajra | 495-502B | | 3107-3118A | A. Levy | 873-882A | M. Meshii | 1602-1605A |
| I.W. Hall | 2407-2414A | | 3211-3224A | J.J. Lewandowski | 2687-2706A | | 3163-3176A |
| K. Han | 1617-1632A | R.H. Jones | 2259-2268A | | 1767-1776A | E.A. Metzbowser | 1029-1034B |
| S.-C. Han | 3048-3049A | P.G. Jönsson | 383-398B | L.A. Lewis | 2911-2922A | M.A. Meyers | 2493-2502A |
| S.Z. Han | 1633-1640A | D. Joseph | 1083-1085B | | 911-918B | | 2511-2520A |
| K. Hanazaki | 241-248B | S.M. Joslin | 1087-1092A | | 919-924B | | 2881-2894A |
| B. Hannart | 2349-2358A | | | C. Li | 3177-3182A | | 3001-3010A |
| V. Hansen | 839-850B | Y. Kajikawa | 2155-2160A | D. Li | 641-646A | J.L. Mier | 3011-3020A |
| C. Hansson | 1321-1342A | H. Kajiyama | 1175-1182B | D.M. Li | 2873-2880A | | 455-466B |
| | 417-438B | S.V. Kamat | 1823-1834A | H. Li | 2259-2268A | W.W. Milligan | 2479-2480A |
| R. Haque | 400-401B | S.W. Kao | 143-158A | H.-L. Li | 2993-2990A | Y. Minamino | 1305-1306A |
| Y. Hara | 2923-2936A | | 2185-2186A | C.S. Liauo | 353-360B | B. Mishra | 121-134B |
| F.H. Hashmi | 1297-1304A | A. Karimi-Taheri | 1183-1194A | P.K. Liaw | 143-158A | A.K. Misra | 615-628A |
| K. Hasnain | 1869-1876A | M.E. Kassner | 941-948A | | 3225-3248A | E.J. Mittemeijer | 57-74A |
| K.B. Hathaway | 2977-2802A | | 1757-1766A | K.C. Liddell | 3249-3256A | | 765-776A |
| E.B. Hawbolt | 1987-1992A | H. Kawabata | 67-74B | | 687-694B | T. Miyazaki | 2617-2624A |
| | 1993-2000A | R. Kawabata | 654-655B | C.S. Lin | 695-702B | Y. Mizuhara | 305-314A |
| | 1019-1028B | | 783-788B | H.C. Lin | 1602-1605A | Y. Mizuno | 75-80B |
| J.A. Hawk | 589-600A | A. Kawasaki | 75-80B | J.-J. Lin | 851-858A | J.H. Moh | 2341-2348A |
| E. Hayer | 767-774B | K.-I. Kawamura | 289-294B | | 191-196A | T. Mohri | 11-20A |
| S. Heath | 2275-2292A | L.J. Kecskes | 2407-2414A | N.H. Lin | 197-202A | F.A. Mohamed | 493-496A |
| J.C. Heinrich | 1049-1056B | S.A. Kekare | 1835-1846A | R.Y. Lin | 2185-2186A | | 1601-1601A |
| | 1091-1092B | P.B. Kemp | 2187-2189A | S.T. Lin | 133-142A | P.S. Mohanty | 3119-3130A |
| D.E. Hershey | 749-768B | A.Q. Khan | 1297-1304A | Y.F. Lin | 1101-1106A | J.J. Moore | 103-110B |
| K. Higashi | 2521-2526A | H.S. Khataek | 1859-1868A | Y.-L. Lin | 1195-1206A | | 265-274B |
| M. Hillert | 2293-2310A | D.K. Kim | 3001-3010A | | 2937-2946A | J.C. Moosbrugger | 2687-2706A |
| Y. Hiracka | 801-816A | D.S. Kim | 2493-2502A | J.-L. Liow | 887-890B | M. Morinaga | 831-838B |
| N. Hirschima | 971-980B | J.-S. Kim | 1389-1394A | R.A. Lipsett | 3001-3010A | K. Morita | 557-562B |
| T. Hirato | 1175-1182B | H. Kimura | 553-556B | F.C. Liu | 1153-1168A | | 991-996B |
| J.P. Hirth | 2259-2268A | J.E. King | 949-956A | G. Liu | 159-166A | Z.-I. Morita | 1013-1018B |
| | 2269-2274A | | 3191-3198A | J. Liu | 471-476A | | 67-74B |
| J. Hjelen | 525-534A | V.K. Kinra | 2773-2784A | | 745-748B | | 241-248B |
| C.O. Hladý | 1019-1028B | H.-J. Klaar | 691-702A | S.H. Liu | 741-746A | J.G. Morris | 31-40A |
| Y.L. Ho | 133-142A | D. Klarstrom | 673-690A | T.F. Liu | 1353-1366A | J.W. Morris, Jr. | 2063-2074A |
| J.F. Hoburg | 1183-1190B | O.J. Kleppa | 275-280B | W.J. Liu | 1641-1658A | M.A. Morris | 1745-1756A |
| | 1191-1198B | A.O. Klukken | 525-534A | X. Liu | 229-234B | T.E. Morthland | 871-886B |
| M. Hojo | 647-652A | D.M. Knowles | 3191-3198A | Y. Liu | 1107-1112A | A. Mortensen | 2111-2154A |
| K. Hono | 2207-2218A | T. Kobayashi | 1141-1152A | | 1441-1448A | Y. Mou | 1591-1594A |
| J.A. Hopkins | 227-229A | Y. Kobayashi | 557-562B | | 1519-1534A | W. Mroz | 1271-1224B |
| Z. Horita | 581-588A | S. Kohara | 2484-2486A | | 2423-2430A | B.C. Muddle | 509-520A |
| | 633-640A | R. Kojima | 2983-2990A | J.D. Livingston | 2484-2486A | | 1659-1672A |
| T. Horiuchi | 11-20A | K. Koryvopoulos | 2131-2140A | | 1107-1112A | A. Mühlbauer | 529-536B |
| J.M. Howe | 1591-1594A | R. Kondelimmamhalli | 2111-2122A | J. Liorca | 1441-1448A | K. Mukai | 971-980B |
| | 2219-2226A | T. Kondoh | 241-249B | V.N. Lnyanoi | 3131-3142A | T. Mukai | 2521-2526A |
| L.C. Hsiung | 1895-1903A | Y.M. Koo | 629-632A | D.H. Loh | 179-181B | A.K. Mukherjee | 747-750A |
| F.-Y. Hsu | 691-702A | K. Kopecky | 259-266A | | 3225-3248A | A.K. Mukhopadhyay | 3045-3047A |
| Z. Hu | 601-614A | G.E. Korth | 2571-2578A | F.A. Lopez | 3249-3256A | D.K. Mukhopadhyay | 1939-1946A |
| Z.Q. Hu | 831-838B | T. Koseki | 2991-3000A | K. Lou | 51-58B | S. Mukhopadhyay | 2311-2316A |
| F. Hua | 2699-2686A | A.K. Koul | 905-910A | E. Louis | 2275-2292A | W.W. Mullins | 1917-1930A |
| C.-C. Huang | 1007-1010A | | 2973-2982A | P. Louis | 983-990A | K. Mundra | 149-158B |
| J.C. Huang | 143-158A | T. Koyama | 2617-2624A | | 1449-1456A | Z.A. Munir | 581-586B |
| | 1153-1166A | J. Kowalczyk | 1217-1224B | Y. Lu | 1741-1744A | | 587-594B |
| J.-H. Huang | 845-850A | P.E. Krajewski | 1395-1406A | Z.Z. Lu | 745-748B | | 595-602B |
| | 1079-1086A | | 3107-3118A | G.E. Lucas | 1815-1822A | C.A. Muojekwu | 603-610B |
| J.Y. Huang | 2755-2758A | M.J.M. Krane | 2329-2340A | | 859-872A | Y. Murata | 361-382B |
| W. Huang | 2293-2310A | A.D. Krawitz | 1287-1296A | T.S. Lui | 873-882A | L.E. Murr | 831-838B |
| S.J. Hudak, Jr. | 2247-2258A | C.R. Krenn | 2063-2074A | A. Luo | 1101-1106A | Y.V. Murty | 661-672A |
| S. Hui | 1289-1291B | R.V. Krishnan | 1367-1378A | J. Luster | 2445-2456A | R. Mutharasan | 2111-2122A |
| M.T. Hutchings | 3191-3198A | K. Kubo | 1597-1599A | | 1745-1756A | Y. Mutoh | 1057-1068B |
| K.Y. Hwang | 2341-2348A | O. Kubota | 1597-1599A | M.H. McCay | 227-229A | D.R. Muzyka | 305-314A |
| | | P. Kuhn | 509-516B | T.D. McCay | 227-229A | C. Myers | 1343-1352A |
| R.G. Iacocca | 2484-2486A | A.M. Kumar | 2269-2274A | D.G. McCulloch | 227-229A | M. Myochin | 439-448B |
| E. Ichise | 783-788B | S. Kumar | 611-624B | | 509-520A | | 259-286A |
| M. Iguchi | 67-74B | H.-U. Künzi | 2745-2750A | A.J. McEvily | 1725-1734A | | 654-655B |
| | 241-248B | C.G. Kuo | 3265-3276A | S.M. McGuire | 1123-1128A | | |
| Y. Iino | 1419-1430A | K.H. Kuo | 757-764A | J. McKittrick | 2503-2510A | M. Nader | 1067-1078A |
| B. Iltschner | 2745-2750A | K. Kurosawa | 2983-2990A | J.P. McNulty | 971-982A | K. Nagarathnam | 2131-2140A |
| F.P. Incropera | 2329-2340A | J. Kusui | 1597-1599A | H.L. McQueen | 1757-1766A | T. Nagasaka | 317-324B |
| G.A. Irons | 625-636B | D. Kwon | 1093-1100A | X.L. Ma | 757-764A | K. Nagata | 289-294B |
| | 981-990B | O. Kwon | 1093-1100A | Y. Ma | 581-588A | | 997-1004B |
| K. Ishikawa | 2521-2526A | | | | 633-640A | S. Nagaya | 353-360B |
| M. Iwase | 257-264B | S. Laddha | 957-964A | T.M. Maccagno | 1183-1194A | M.S. Nagorka | 859-872A |
| | 654-655B | R.S. Lakes | 2035-2040A | T. Magnin | 925-940A | | 873-882A |
| | 783-788B | M. Lal | 1083-1085B | H. Majima | 1109-1122B | M. Nagumo | 391-400A |
| | | B. Laty | 1183-1190B | J.F. Major | 1175-1182B | F.M. Najjar | 749-766B |
| K.T. Jacob | 225-226A | D.E. Langberg | 1005-1012B | T. Maki | 1553-1570A | K. Nakajima | 67-74B |
| | 397-398B | T.G. Langdon | 581-588A | G. Malakondaiah | 1971-1978A | | 241-248B |
| | 656-657B | | 633-640A | S.D. Mann | 1113-1122A | Y. Nakasone | 383-390A |
| | 658-659B | J.J. Lannutti | 1499-1506A | S.L. Mannan | 509-520A | L.A. Narayanan | 2161-2174A |
| | 775-782B | J.M. Larsen | 3211-3224A | X. Mao | 1207-1220A | J. Narciso | 983-990A |
| S. Jahanshahi | 2311-2316A | J. Lapin | 2053-2062A | | 641-646A | A. Nasar | 569-576B |
| A. Jakowitsch | 795-802B | J.C. LaSalvia | 2511-2520A | | 1461-1470A | I. Nasim | 1869-1876A |
| G.M. Janowski | 529-536B | | 3001-3010A | R. Marazza | 1777-1784A | Y. Neishi | 1305-1306A |
| | 2457-2468A | | 3011-3020A | A.R. Marder | 5-10A | W.J. Nellis | 2503-2510A |
| | 3027-3036A | E.J. Lavernia | 817-828A | D. Mari | 41-56A | M. Nemoto | 581-588A |
| K.P. Jen | 2111-2122A | | 1235-1248A | F. Marketz | 2833-2848A | | 633-640A |
| P.K. Jena | 235-240B | | 2803-2818A | | 267-278A | V.F. Nesterenko | 2511-2520A |

| | | | | | | | |
|-------------------|------------|-------------------|------------|-------------------|-------------------|---------------------|------------|
| T. Nicholas | 1113-1122A | H.S. Ray | 400-401B | V. Shrinivas | 661-672A | F. Tsukihashi | 553-556B |
| P.D. Nicolau | 1129-1140A | | 449-454B | K.-Y. Shue | 1571-1582A | | 789-794B |
| | 1906-1908A | R.G. Reddy | 925-928B | L. Shui | 651-653B | B.K. Tubbs | 427-436A |
| M. Nilromi | 1141-1152A | S.R. Reddy | 495-502B | D. Sichen | 547-552B | N.E. Tuffrey | 929-942B |
| A. Nikas | 3183-3190A | G. Rees | 21-30A | S.R. Simeonov | 325-334B | | 943-958B |
| M. Nilmani | 1147-1156B | B. Ren | 31-40A | J.W. Simmons | 2573-2595A | | 959-970B |
| S. Nishioka | 1271-1280B | S.B. Ren | 2001-2006A | A.K. Singh | 1069-1082B | | |
| D. Noel | 925-940A | W.C. Revelos | 1167-1182A | | 3045-3047A | T. Uemura | 241-248B |
| P.A. Noel | 883-896A | W.C. Rhim | 503-508B | P.M. Singh | 2911-2922A | Y. Ujihira | 2983-2990A |
| K. Nomura | 2983-2990A | G.G. Richards | 719-730B | V. Singh | 3045-3047A | T. Urabe | 2399-2406A |
| J. Nordberg | 1061-1066A | | 929-942B | P. Sittner | 2923-2936A | J.J. Urcola | 437-446A |
| T. Nukami | 1877-1884A | | 943-958B | J.L. Smialek | 427-436A | | 1045-1060A |
| | 2155-2160A | | 959-970B | B.J. Smith | 41-56A | T.A. Utigard | 1165-1174B |
| S.R. Nutt | 817-828A | J.M. Rigsbee | 1507-1518A | G.D.W. Smith | 1617-1632A | | 1217-1224B |
| H.K. Nylund | 525-534A | S.P. Ringer | 1659-1672A | J. Smith | 477-492A | | |
| | | | 2207-2218A | W.O. Soboyejo | 2275-2292A | M. Valsan | 1207-1220A |
| P.N. Ocansey | 741-746A | R. Rios | 925-940A | H.Y. Sohn | 637-646B | D.C. Van Aken | 957-964A |
| S. Ochial | 647-652A | R.O. Ritchie | 2027-2034A | | 665B - Correction | | 1395-1406A |
| | 1597-1599A | A.M. Ritter | 2733-2744A | | (176-179B) | | 3143-3154A |
| Y. Ochifuji | 789-794B | C.V. Robino | 1673-1686A | M.A.J. Somers | 57-74A | | 3153-3160A |
| T. Ohba | 383-390A | P. Rodriguez | 1859-1868A | C. Somarli | 1157-1164B | C.J. van der Wekken | 75-84A |
| H. Ohia | 295-304B | T. Roeland | 965-970A | S.G. Song | 2665-2676A | S. van der Zwag | 765-776A |
| Y. Ohyabu | 1141-1152A | S. Rolseth | 81-86B | X. Song | 1979-1986A | R.A. Vandermeer | 2227-2236A |
| H. Okuda | 1597-1599A | A. Romero-Serrano | 305-316B | Y.-D. Song | 1389-1394A | | 3277-3291A |
| H. Ono | 991-996B | L. Renne | 81-86B | G. Spanos | 3277-3291A | S.K. Varma | 661-672A |
| E. Orozco | 2611-2616A | A. Rosen | 401-406A | W.S. Spear | 1313-1313A | A.K. Vasudevan | 1221-1234A |
| K. Osamura | 647-652A | R.S. Rosen | 941-948A | R. Sridhar | 325-334B | | 3199-3210A |
| | 1597-1599A | C. Roucoules | 181-190A | D. Srivastava | 2707-2718A | M.D. Vaudin | 329-342A |
| K. Osseo-Asare | 209-218B | P. Rousset | 2349-2358A | D.J. Srolovitz | 1805-1814A | R.E. Vaughan | 1253-1262B |
| | 677-686B | S.S. Roy | 1183-1190B | M.H. Staia | 2895-2910A | K.S. Vecchio | 673-690A |
| | 1123-1132B | | 1191-1198B | E.A. Starke, Jr. | 1591-1594A | | 2545-2554A |
| | 1133-1138B | A.J. Rulison | 503-501B | A. Steinfeld | 509-516B | | 2555-2564A |
| | 1139-1146B | S.M. Russ | 3211-3224A | J.J. Stephens | 1471-1482A | C. Vernot-Loier | 1273-1286A |
| G. Owusu | 5-12B | K.C. Russell | 1491-1498A | V.G. Stickle, Jr. | 1209-1216B | P. Verrier | 447-458A |
| K. Owusu-Boahen | 981-990B | N. Ryum | 1687-1698A | N.S. Stolf | 289-304A | T.F. Villela | 235-240A |
| B. Ozurk | 563-568B | | | B.T.J. Stoop | 203-208A | J.M. Vilek | 2007-2026A |
| | 1086-1087B | A. Saccone | 5-10A | M.F. Stroosnijder | 2103-2110A | V. Vitek | 521-524A |
| | | K. Sadananda | 1221-1234A | T.E. Stuch | 2785-2790A | G.M. Vyletel | 1395-1406A |
| H. Pal | 1011-1013A | | 3199-3210A | M. Suery | 2625-2636A | | 3143-3154A |
| M. Palmer | 1061-1066A | M. Sade | 1957-1970A | Z. Sui | 2637-2650A | | 3155-3162A |
| A. Parnies | 983-990A | T.O. Saetre | 1687-1698A | H. Suito | 345-352B | | |
| S.S. Pandit | 225-226A | E. Sainz | 51-58B | | 95-102B | K. Wada | 1971-1978A |
| | 397-398B | S. Saij | 1305-1306A | | 249-256B | Y. Waku | 647-652A |
| V.G. Papangelakis | 1035-1048B | A. Sakaida | 2027-2034A | | 295-304B | W. Wallace | 2973-2982A |
| K.T. Park | 3119-3130A | T. Sakurai | 2207-2218A | H. Sun | 335-344B | B. Wang | 2457-2468A |
| L. Parrini | 1457-1460A | I. Salam | 1297-1304A | S. Sun | 731-740A | C.Y. Wang | 111-120B |
| | 2745-2750A | N.H. Salpadoru | 243-258A | | 795-802B | G. Wang | 1499-1506A |
| B.R. Patterson | 2457-2468A | R. Salzbreinner | 2785-2790A | | 3049-3051A | G.-X. Wang | 691-702A |
| P.K. Pattanayak | 449-454B | I.V. Samarasekera | 361-382B | D. Sundararaman | 1207-1220A | | 517-522B |
| R.D. Pehlike | 335-344B | | 1019-1028B | C. Suryanarayana | 1379-1388A | | 523-528B |
| A.D. Pelton | 305-316B | A.M. Samuel | 2359-2372A | M. Susa | 1939-1946A | H.M. Wang | 793-800A |
| R.J. Perez | 2803-2818A | F.H. Samuel | 103-110B | T. Suzuki | 997-1004B | J. Wang | 581-588A |
| T.-P. Perng | 191-196A | | 1553-1570A | D.R. Swinbourne | 59-66B | | 633-640A |
| | 197-202A | | 2161-2174A | J. Szekely | 383-398B | L. Wang | 897-902A |
| E. Peters | 5-12B | K.H. Sandhage | 2359-2372A | | | L.L. Wang | 595-602B |
| A. Petric | 3037-3044A | N. Sano | 135-148B | M. Tabuchi | 383-390A | R. Wang | 1979-1986A |
| T.T. Pham | 1987-1992A | | 553-556B | T. Tadaki | 2001-2006A | X. Wang | 2293-2310A |
| | 1993-2000A | | 557-562B | R. Taillard | 447-458A | X.H. Wang | 459-470A |
| H.R. Piehler | 1129-1140A | | 789-794B | S. Takizawa | 11-20A | X.T. Wang | 2001-2006A |
| M. Piata | 821-830B | | 991-998B | Y.-H. Tan | 1195-1206A | A. Warczok | 1165-1174B |
| B.J. Pletka | 3027-3036A | I.R. Sare | 1013-1018B | | 2937-2946A | | 1217-1224B |
| D.R. Poirier | 741-746A | | 357-370A | J. Tanabe | 96-102B | C.H. Ward | 703-720A |
| | 1049-1056B | K. Sassa | 1785-1794A | T. Tanabe | 383-390A | S.G. Warner | 1885-1894A |
| I.J. Polmeier | 1091-1092B | S.M.L. Sastry | 353-360B | T. Tanaka | 535-546A | Y. Waseda | 775-782B |
| D.H. Polonis | 1659-1672A | Y. Saydayaghoubi | 795-802B | | 547-560A | R. Watanabe | 75-80B |
| P.P. Pota | 521-524A | G.B. Schaffer | 725-730A | | 561-580A | L.Y. Wei | 1705-1716A |
| S. P. Poz | 3151-3142A | R. Schaller | 1457-1460A | R. Tandon | 2423-2430A | | 1947-1956A |
| S.K. Pradhan | 1011-1013A | L.Z. Schiltz | 971-982A | N.-Y. Tang | 1600-1601A | J.A. Wert | 329-342A |
| T.J. Praisner | 1199-1208B | H.J. Schmutzler | 135-148B | | 1699-1704A | | 3257-3264A |
| V. Prakash | 2527-2544A | M.C. Schneider | 2373-2388A | T. Tani | 391-400A | D. West | 1543-1552A |
| N.E. Prasad | 1823-1834A | W.P. Schonberg | 1253-1262B | A. Taugir | 1297-1304A | H. Westengen | 1705-1716A |
| R. Prasad | 2751-2754A | J.R. Scully | 1257-1272A | P. Teracher | 99-112A | | 1947-1956A |
| D.C. Prasso | 1243-1252B | S. Seetharaman | 547-552B | B.S. Terry | 485-494B | M. Wevers | 3183-3190A |
| | 1281-1288B | | 656-657B | | 655-656B | S.H. Whang | 113-132A |
| S.R. Pritchett | 121-134B | V. Seetharaman | 371-382A | J.P. Teler | 2797-2802A | J.C. Williams | 703-720A |
| M.D. Pritzker | 901-910B | K. Sekino | 317-324B | S.N. Tewari | 209-223A | R.L. Williamson | 2571-2578A |
| P. Promst | 1597-1599A | S.L. Semiatin | 371-382A | | 477-492A | I.J. Wilson | 1243-1252B |
| H.P. Puj | 1153-1166A | | 1129-1140A | | 2175-2184A | | 1281-1288B |
| E.S. Puchi | 2895-2910A | | 1795-1804A | N.N. Thadhani | 2565-2570A | R.A. Winholtz | 1287-1296A |
| | | | 1906-1908A | B.G. Thomas | 749-766B | P.J. Withers | 3191-3198A |
| F. Qian | 1057-1068B | S.K. Seshadri | 2041-2052A | S.H. Thormin | 883-896A | E. Wolde | 1717-1724A |
| L.J. Qiao | 1461-1470A | S. Sgobba | 1859-1868A | A.W. Thompson | 407-416A | C.W. Won | 176-178B |
| | 1777-1784A | S.G. Shabestari | 2745-2750A | | 703-720A | B.D. Worth | 2947-2960A |
| | | H. Shaikh | 999-1006A | J. Thonstad | 81-86B | | 2961-2972A |
| D. Raabe | 991-998A | S. Shamasundar | 1859-1868A | K.R. Thumma | 2825-2832A | S.K. Wu | 851-858A |
| B. Radhakrishnan | 167-180A | M. Shamsuddin | 2041-2052A | C. Tian | 537-546B | X.-J. Wu | 905-910A |
| | 2123-2130A | J.K. Shang | 569-576B | J.E. Tibballs | 839-850B | | 2973-2982A |
| K.S. Raghavan | 2075-2084A | | 159-166A | R. Tiwari | 477-492A | Y.K. Wu | 1235-1248A |
| V. Raghavan | 237-242A | A. Sharan | 2677-2698A | | 2175-2184A | Z.L. Wu | 2755-2758A |
| M.D. Raizenne | 2973-2982A | I.G. Sharma | 87-94B | J.M. Toguri | 325-334B | | 521-524A |
| S.V. Raj | 343-356A | | 647-648B | | 971-980B | | |
| K. Rajan | 1061-1066A | S.R. Shashidhar | 1083-1085B | M. Tokuda | 2923-2936A | T. Xiao | 721-724A |
| C. Ramachandra | 2751-2754A | G. Shen | 2269-2274A | M.C. Tolle | 941-948A | K. Xu | 897-902A |
| R. Raman | 653-660A | Y.Y. Sheng | 1795-1804A | J. Tomiska | 259-266A | | |
| R.K.S. Raman | 1847-1858A | P. Shewmon | 625-636B | J.B. Toney | 1835-1846A | K. Yagi | 383-390A |
| S. Ranganathan | 1367-1378A | C.X. Shi | 2317-2328A | G.W. Toop | 577-580B | M. Yalin | 401-406A |
| W.J. Rankin | 59-66B | K. Shibata | 831-838B | O. Toriyama | 1141-1152A | S.M. Yaliso | 1805-1814A |
| | 1005-1012B | K. Shimizu | 1519-1534A | F. Torres | 455-466B | F. Yamamoto | 241-248B |
| K.B.S. Rao | 1207-1220A | C.C. Shim | 176-178B | D.A. Tortorelli | 871-886B | T. Yamamura | 427-452A |
| K.T.V. Rao | 2027-2034A | H.-S. Shin | 2001-2006A | T.C. Totomeier | 149-956A | T. Yamane | 1305-1306A |
| R.A. Rapp | 777-792A | K. Shiozawa | 1389-1394A | A.K. Tripathy | 449-454B | X.Y. Yan | 1005-1012B |
| M. Rappaz | 1543-1552A | | 731-740A | R. Trivedi | 1583-1590A | S.T. Yang | 493-495A |
| | 821-830B | R. Shivpuri | 3049-3051A | M.M. Tsai | 2219-2226A | T.Y. Yang | 1029-1034A |
| | 2349-2358A | A.A. Shook | 719-730B | A.A. Tseng | 2111-2122A | W.Y. Yang | 3037-3044A |
| J.C. Rawers | 589-600A | | | | 1199-1208B | D. Yao | 2677-2698A |

Y. Yasuda
H.Q. Ye
L.L. Ye
J.-W. Yeh
H.C. Yi
F. Yin
T. Yokote
C.-Y. Yoo
M.K. Yoo
D.-Y. Yoon
C.P. You
G.A. Young, Jr.

637-646B
2755-2758A
2755-2758A
1571-1582A
3037-3044A
1979-1986A
1597-1599A
3048-3049A
801-816A
1389-1394A
3048-3049A
407-416A
1257-1272A

G.W. Young
L.M. Young
T.-C. Yu
X. Yu
S. Yue
Z.F. Yue
T. Zacharia
S.Y. Zaginichenko
M.G. Zelin
X. Zeng

1225-1242B
1257-1272A
2597-2610A
655-656B
181-190A
1815-1822A
167-180A
2123-2130A
179-181B
747-750A
817-828A

G. Zhang
J. Zhang
L. Zhang
P. Zhang
X. Zhang
Y. Zhang
W. Zhao
Y. Zhao
C.Q. Zheng

1595-1596A
1979-1986A
2803-2818A
1249-1256A
345-352B
651-653B
803-812B
813-820B
1086-1090B
925-928B
1013-1018B
1815-1822A

D. Zheng
W.M. Zhong
Y. Zhou
D. Zhu
H.Q. Zhu
X. Zhu
Y.H. Zhu
Y.X. Zhu
W.H. Zimmer
A. Znyd
A.K. Zurek

2469-2480A
2625-2636A
2637-2650A
745-748B
159-166A
831-838B
1249-1256A
2611-2616A
831-838B
1906-1908A
660-664B
1483-1490A

Combined Subject Index

- Abrasion resistance, Heating effects**
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
The influence of heat treatment on the high-stress abrasion resistance and fracture toughness of alloy white cast irons. 1785-1793A
- Abrasive wear, Heating effects**
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
- Absolute viscosity**
See Viscosity
- Absorbance**
See Absorption (energy)
Absorptivity
- Absorbing**
See Absorption (energy)
- Absorbance**
See Absorptivity
- Absorption (energy), Microstructural effects**
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Absorption coefficient**
See Absorption (energy)
Absorptivity
- Absorptivity**
Determination of the absorptivity of Al-33Cu wt.% alloy during laser treatment by an inverse method. 660-663B
- Acid leaching**
Particulates in hydrometallurgy. I. Characterization of laterite acid leach residues. 1123-1131B
Particulates in hydrometallurgy. II. Dewatering behavior of unflocculated laterite acid leach residues. 1133-1138B
Particulates in hydrometallurgy. III. Dewatering behavior of flocculated laterite acid leach residues. 1139-1145B
- Acoustic emission testing**
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
- Activation energy**
Viscosity of PbO-SiO₂ melts. 281-287B
Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B
Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
Correction to "Viscosity of PbO-SiO₂ Melts". 891B
- Activation entropy**
See Activation energy
- Activity (chemical)**
The activity coefficient of cobalt oxide in silica-saturated iron silicate slags. 229-233B
A thermodynamic study of the system CaO-Al₂O₃-Fe₂O₃ at 1673K. 257-264B
Activities of MnO in CaO-SiO₂-Al₂O₃-MnO (< 10%)-Fe₂O₃ (< 3%) slags saturated with liquid iron. 295-303B
Derivation and consistency of the partial functions of the ternary system involving interaction coefficients. 495-502B
Thermodynamics of Na₂O in the molten CaO-CaF₂-SiO₂ system. 553-556B
Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B
On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys. 569-575B
A new method for measuring activities in slags containing a volatile component. 651-654B
The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B
- Activity coefficients**
See Activity (chemical)
- Adhesion, Heating effects**
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
- Adhesivity**
See Adhesion
- Aerospace**
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- Aerospace engines, Materials selection**
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Aerospace industry**
See Aerospace
- Age hardening**
See Aging
Aging (artificial)
Precipitation hardening
- Ageing**
See Aging
- Agglomerating**
See Agglomeration
- Agglomeration**
See also Flocculating
Grain agglomeration in solid-liquid mixtures under microgravity conditions. 649-651B
- Aggregation**
See Agglomeration
- Aging**
High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
Fracture behavior of quaternary Al-Li-Cu-Mg alloy under mixed mode I/II loading. 1823-1833A
- Aging (artificial)**
Ductile fracture processes in 7075 aluminum. 407-415A
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 581-587A
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply. 1311-1313A
Quantification of the Mg₂Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Air melting**
See Melting
- Aircomatic welding**
See Gas metal arc welding
- Aircraft components**
Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
- Aircraft components, Materials selection**
Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Aircraft components, Nondestructive testing**
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
- Aircraft engines**
See Aerospace engines
- Aircraft equipment**
See Aircraft components
- Alloy steels**
See also Chromium steels
High strength steels
Low alloy steels
Manganese steels
Nickel steels
- Alloy steels, Microstructure**
A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Alloying effects**
Effects of cold work on precipitation in Al-Cu-Mg-(Ag) and Al-Cu-Li(Mg-Ag) alloys. 1659-1671A

- Alpha annealing**
See Annealing
- Alphatizing**
See Annealing
- Alumina**
See Aluminum oxide
- Aluminum**
See Aluminum
- Aluminum**
Materials technology and the materials industry: a critical transition. 1343-1352A
- Aluminum, Binary systems**
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Aluminum, Casting**
Analysis of liquid flow through ceramic porous media used for molten metal filtration. 159-171B
The effect of thermal contact resistance on the solidification process of a pure metal. 2341-2348A
- Aluminum, Composite materials**
Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
In situ synthesis of TiC particulate-reinforced aluminum matrix composites. 1877-1884A
SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites. 2773-2783A
- Aluminum, Electrochemistry**
Solid electrolyte sensor for measuring magnesium in molten aluminum. 1289-1291B
- Aluminum, Extraction**
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Aluminum, Heat treatment**
The effect of annealing temperature on the recrystallization kinetics of commercially pure aluminum. 2185-2187A
- Aluminum, Metal working**
Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Aluminum, Physical properties**
An analysis for spreading kinetics of liquid metals on solids. Resonance apparatus for damping measurements. 1307-1311A
2819-2823A
- Aluminum, Powder technology**
Powder metallurgy by bidimensional compression. 1087-1091A
- Aluminum, Production**
The chemistry of solutions of CeO_2 in cryolite melts. 81-86B
- Aluminum, Reactions (chemical)**
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
- Aluminum, Rheological properties**
Direct simulation of initial filtration phenomena within highly porous media. 537-546B
- Aluminum, Rolling**
Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Aluminum, Ternary systems**
Phase stability and microstructure of Al-Ti-Fe near Al_3Ti . 1029-1033A
- Aluminum base alloys**
Alloy design and coarsening phenomenon of L_{12} precipitates in high-temperature Al-2 at.% (Ti,V,Zr) systems. 1633-1639A
Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A
- Aluminum base alloys, Alloy development**
Alloy design and coarsening phenomenon of L_{12} precipitates in high-temperature Al-2 at.% (Ti,V,Zr) systems. 1633-1639A
- Aluminum base alloys, Casting**
Heat transfer and microstructure during the early stages of metal solidification. 361-382B
Experimental investigation of thermomechanical effects during direct chill and electromagnetic casting of aluminum alloys. 821-829B
Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
Heat transport and solidification in the electromagnetic casting of aluminum alloys. I. Experimental measurements on a pilot-scale caster. 1243-1251B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. I. The mathematical model. 1263-1270B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. II. Results from a physical model and testing of the mathematical model. 1271-1279B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results. 1281-1288B
Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
- Aluminum base alloys, Cladding**
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
- Aluminum base alloys, Composite materials**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
Microstructural evolution and mechanical properties of AC8A/ Al_2O_3 short-fiber composites after thermal exposure at 150-350°C. 143-158A
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 581-587A
An investigation of strain hardening and creep in an Al-6061/ Al_2O_3 metal matrix composite. 633-639A
Temperature-dependence mechanism of tensile strength of Si-Ti-C-O fiber-aluminum matrix composites. 647-652A
Settling and clustering of silicon carbide particles in aluminum metal matrix composites. 981-989B
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Internal friction in AlCu-Al $_2\text{O}_3$ metal-matrix composites. 1457-1460A
Infiltration and wetting of alumina particulate preforms by aluminum and aluminum-magnesium alloys. 1491-1497A
Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A
Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NIAI composites. 2175-2184A
Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2545-2553A
Interfacial reactions in Al-Mg (5083)/ Al_2O_3 p composites during fabrication and remelting. 2625-2635A
Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A
Anelastic relaxation in Al-4 wt.% Cu-Al $_2\text{O}_3$ fiber-reinforced composites. 2745-2749A
Damping behavior of discontinuously reinforced aluminum alloy metal-matrix composites. 2803-2818A
The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2911-2921A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 3067-3079A
Micromechanics effects in creep of metal-matrix composites. 3081-3089A
The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A
Creep strengthening in a discontinuous SiC-Al composite. 3119-3129A
Mechanical behavior and failure micromechanisms of Al/ Al_2O_3 composites under cyclic deformation. 3131-3141A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A

- Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
- Fatigue crack growth behavior of composites. 3199-3210A
- Aluminum base alloys, Heat treatment**
- Determination of the absorptivity of Al-33Cu wt.% alloy during laser treatment by an inverse method. 660-663B
- Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Aluminum base alloys, Mechanical properties**
- Deformation and microstructure in L1₀ type Ti-Al-V alloys. 113-131A
- Fracture toughness of gamma-base titanium aluminides. 305-313A
- Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
- Experimental assessment of crack-tip dislocation emission models for an Al₅₇Cr₉Ti₂₅ intermetallic alloy. 329-341A
- Characteristics of a new creep regime in polycrystalline NiAl. 343-356A
- Ductile fracture processes in 7075 aluminum. 407-415A
- Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
- Classification of fatigue crack growth behavior. 1221-1234A
- Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
- Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
- Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
- Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
- Fracture behavior of quaternary Al-Li-Cu-Mg alloy under mixed mode I/III loading. 1823-1833A
- Quantification of the Mg₂Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
- Fracture toughness of an Al-Li alloy at ambient and cryogenic temperatures. 2269-2274A
- Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A
- Temperature and strain rate dependence of the Portevin-Le Chatelier effect in a rapidly solidified aluminum alloy. 2873-2879A
- Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A
- Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- Aluminum base alloys, Metal working**
- Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- Effects of cold work on precipitation in Al-Cu-Mg-(Ag) and Al-Cu-Li(Mg-Ag) alloys. 1659-1671A
- Aluminum base alloys, Microstructure**
- Microstructural evolution of primary dendrite trunks in directionally solidified, hypoeutectic, aluminum-silicon alloys. 496-499A
- Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
- Characterization of the microstructure of deformed Al-Zn-Cu alloys by x-ray diffraction line profile analysis. 1011-1014A
- The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Aluminum base alloys, Phases (state of matter)**
- Ti₂Al in L1₂Al₃Ti-base alloys. 521-524A
- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- L-J phase in a Cu₂₂Mn_{0.8}Al alloy. 1353-1365A
- Aluminum base alloys, Physical properties**
- Stable nonlinear relaxations in multiphase Al-Zn alloy. 1249-1255A
- Aluminum base alloys, Powder technology**
- Powder metallurgy by bidimensional compression. 1087-1091A
- Amorphization promoted by mechanical alloying of aluminum-rich Al-Ti-Fe mixed powders. 1305-1307A
- The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process. 1571-1581A
- Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Aluminum base alloys, Rolling**
- Heat transfer in the hot rolling of metals. 1019-1027B
- Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A
- Aluminum base alloys, Welding**
- An inelastic analysis of a welded aluminum joint. 1253-1261B
- Aluminum bronzes, Claddings**
- Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
- Aluminum compounds**
- See also Aluminum oxide
- Aluminum compounds, Atomic properties**
- Multiple twins of γ-Al₁₃Co₄ showing fivefold symmetry. 757-763A
- Aluminum compounds, Coatings**
- Modeling aluminum enrichment in galvanized coatings. 1699-1704A
- Aluminum compounds, Composite materials**
- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Processing and mechanical properties of Al₂O₃ fiber-reinforced NiAl composites. 615-628A
- Interfaces in continuous filament-reinforced Al₂O₃/NiAl composites. 897-903A
- Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
- Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Aluminum compounds, Forming**
- Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Aluminum compounds, Mechanical properties**
- Microstructure and high-temperature tensile deformation of TiAl(Si) alloys made from elemental powders. 691-701A
- Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A
- Aluminum compounds, Powder technology**
- Microstructural characterization of Ni₃Al processed by reactive atomization and deposition. 817-827A
- Aluminum compounds, Reactions (chemical)**
- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Aluminum compounds, Thin films**
- The synthesis of nickel aluminides by multilayer self-propagating combustion. 603-610B
- Aluminum oxide, Brazing**
- Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Aluminum oxide, Composite materials**
- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- Microstructural evolution and mechanical properties of AC8A/Al₂O₃ short-fiber composites after thermal exposure at 150-350°C. 143-158A
- Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 581-587A
- Processing and mechanical properties of Al₂O₃ fiber-reinforced NiAl composites. 615-628A
- An investigation of strain hardening and creep in an Al-6061/Al₂O₃ metal matrix composite. 633-639A
- Interfaces in continuous filament-reinforced Al₂O₃/NiAl composites. 897-903A
- Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
- Internal friction in AlCu-Al₂O₃ metal-matrix composites. 1457-1460A
- Infiltration and wetting of alumina particulate preforms by aluminum and aluminum-magnesium alloys. 1491-1497A
- Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
- Interfacial reactions in Al-Mg (5083)/Al₂O₃p composites during fabrication and remelting. 2625-2635A
- Tensile behavior of Al₂O₃/FeAl+B and Al₂O₃/FeCrAlY composites. 2719-2731A
- Anelastic relaxation in Al-4 wt.% Cu-Al₂O₃ fiber-reinforced composites. 2745-2749A
- Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites. 2773-2783A
- The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2911-2921A
- Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3131-3141A
- Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
- Amorphous structure**
- Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Amorphous structure, Alloying effects**
- Amorphization promoted by mechanical alloying of aluminum-rich Al-Ti-Fe mixed powders. 1305-1307A
- Amorphous structure, Composition effects**
- Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A

- Amorphous structure, Cooling effects**
Cracking of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ induced by static charging with hydrogen. 191-196A
- Amorphous structure, Deformation effects**
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
- Amorphous structure, Environmental effects**
Embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ alloy by electrolytic hydrogen. 197-201A
- Amperometry**
See Electrical measurements
- Andrade method**
See Crystal growth
- Annealing**
See also Graphitization
Solution annealing
Spheroidizing
The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
Transformation of Ba-Al-Si precursors to Celsian by high-temperature oxidation and annealing. 135-148B
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
The effect of annealing temperature on the recrystallization kinetics of commercially pure aluminum. 2185-2187A
Tensile behavior of $\text{Al}_2\text{O}_3/\text{FeAl-B}$ and $\text{Al}_2\text{O}_3/\text{FeCrAlY}$ composites. 2719-2731A
- Anodes**
The chemistry of solutions of CeO_2 in cryolite melts. 81-86B
- Antiferromagnetism, Heating effects**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Antiferromagnetism, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
- Antifriction alloys**
See Tin base alloys
- Arc welds**
See Welded joints
- Arrhenius activation energy**
See Activation energy
- Arsenic, Extraction**
Oxidation of cobaltite: II. Kinetics. 523-527B
- Artificial aging**
See Aging (artificial)
- Astrocaram**
See Ceramics
- Atmospheric pressure**
See Barometric pressure
- Atom probe analysis**
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Atomic diffusion**
See Diffusion
- Atomic structure**
Multiple twins of $\tau\text{-Al}_3\text{Co}_4$ showing fivefold symmetry. Phase stability and microstructure of Al-Ti-Fe near Al_3Ti . 757-763A
1029-1033A
- Atomic structure, Alloying effects**
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Atomic structure, Cooling effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Atomic structure, Diffusion effects**
Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- Atomic structure, Temperature effects**
Computer simulation of local lattice distortion in Cu-Au solid solution. 11-19A
Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A
- Atomic structure, Welding effects**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Atomization**
See Atomizing
- Atomizing**
Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process. 1571-1581A
- Austempering**
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
- Austenite**
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 547-559A
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 561-580A
- Austenite, Alloying effects**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
- Austenite, Composition effects**
Cracking of duplex stainless steel due to dissolved hydrogen. Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 1079-1085A
2007-2025A
- Austenite, Cooling effects**
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
- Austenite, Deformation effects**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- Austenite, Heating effects**
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
- Austenite, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Austenite, Stress effects**
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Austenitic stainless steels, Composite materials**
Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
- Austenitic stainless steels, Corrosion**
Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling MgCl_2 . 641-646A
The role of hydrogen in stress-corrosion cracking of austenitic stainless steel in hot MgCl_2 solution. 1777-1784A
Effect of ferrite transformation on the tensile and stress corrosion properties of type 316L stainless steel weld metal thermally aged at 873K. 1859-1868A
- Austenitic stainless steels, Heat treatment**
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A
- Austenitic stainless steels, Mechanical properties**
Crack detection by resonant frequency measurements. Local fatigue damage accumulation around notch attending crack initiation. 1123-1127A
Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 1419-1430A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2237-2246A
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2579-2595A
Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2849-2858A
2859-2871A

Austenitic stainless steels, Microstructure

- Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
- High-temperature metallurgy of advanced borated stainless steels. 1673-1685A

Austenitic stainless steels, Phase transformations

- Deformation-induced martensitic characteristics in 304 and 316 stainless steels during room-temperature rolling. 661-671A

Austenitic stainless steels, Physical properties

- Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B

Austenitic stainless steels, Steel making

- Interfacial tensions of liquid Fe-Ni alloys and stainless steels in contact with $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3$ -based slags at 1550°C. 87-94B

Austenitic stainless steels, Welding

- Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A

Austenitizing

- The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
- Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A

Auto oxidation

- See Oxidation

Autoclaves

- Mathematical modeling of the zinc pressure leach process. 1035-1047B

Autodiffusion

- See Diffusion

Autogenous smelting

- See Flash smelting

Automobile components

- See Automotive components

Automotive components

- Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
- Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
- The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A

Automotive components, Coating

- Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A

Automotive components, Materials selection

- Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- An investigation of the mechanical damping of ductile iron. 2785-2790A
- Damping behavior of discontinuously reinforced aluminum alloy metal-matrix composites. 2803-2818A

Automotive engines, Materials selection

- Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A

Axial stress

- A mesoscale study on the thermodynamic effect of stress on martensitic transformation. 267-278A
- Ductile fracture processes in 7075 aluminum. 407-415A
- Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
- The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A

Backscattering

- Experimental assessment of crack-tip dislocation emission models for an $\text{Al}_{70}\text{Cr}_{15}\text{Ti}_{15}$ intermetallic alloy. 329-341A
- Phase stability and microstructure of Al-Ti-Fe near Al_3Ti . 1029-1033A
- Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Recrystallization in copper: comparison between techniques. 1717-1724A
- Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A

Bacterial leaching

- The bioleaching of different sulfide concentrates using thermophilic bacteria. 455-465B

Bainite, Cooling effects

- Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A

Bainite, Heating effects

- Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A

Bale out crucible furnaces

- See Crucible furnaces

Ball milling

- Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process. 1571-1581A
- The effects of ball size distribution on attritor efficiency. 2389-2397A
- Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
- Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A

Balling

- See Agglomeration

Bar mills

- See Rod mills (rolling)

Barium base alloys, Reactions (chemical)

- Transformation of Ba-Al-Si precursors to Celsian by high-temperature oxidation and annealing. 135-148B

Barometric pressure

- Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A

Basic converters

- Activities of MnO in $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3\text{-MnO}$ (< 10%)- Fe_2O_3 (< 3%) slags saturated with liquid iron. 295-303B

Basic oxygen furnaces

- See Basic converters

Baths

- Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection. 241-247B
- Modeling aluminum enrichment in galvanized coatings. 1699-1704A

Bend strength

- A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A

Bend strength, Stress effects

- Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique. 1129-1139A
- Viscoelastic spectra of $\text{Cd}_{0.67}\text{Mg}_{0.33}$ in torsion and bending. 2035-2039A

Bend tests

- Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A

Bendability

- See Formability

Bending

- Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A

Bending strength

- See Bend strength

Bending tests

- See Bend tests

Beryllium, Alloying elements

- Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
- Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A

Biaxial stress

- See Axial stress

Bicycles, Materials selection

- Materials, bicycles, and design. 3057-3064A

Billet casting

- Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B

Binary systems

- Mathematical modelling of macrosegregation of iron carbon binary alloy: role of double diffusive convection. 1069-1081B

Binary systems, Microstructure

- Extended vacancy-vacancy liquid model. 2597-2610A

Binary systems, Phase transformations

- Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A

Binary systems, Phases (state of matter)

- Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
- The Fe-Cu system: a thermodynamic evaluation. 417-426A
- Eutectic spacing selection in the lead-tin eutectic system. 471-476A
- Investigations on the system sodium-gold. 1025-1027A
- Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Bioleaching**
See Bacterial leaching
- Blast furnace chemistry**
Calorimetric and Fourier transform infrared spectrophotometric studies of potassium elimination by dunite. 51-58B
- Interfacial tensions of liquid Fe-Ni alloys and stainless steels in contact with CaO-SiO₂-Al₂O₃-based slags at 1550°C. 87-94B
- Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
- Thermodynamic properties of magnesium phosphate (Mg₃P₂O₈)-correction of data in recent compilations. 225-227A
- Role of ore/carbon contact and direct reduction in the reduction of iron oxide by carbon. 400-401B
- Blast furnace slags**
Calorimetric and Fourier transform infrared spectrophotometric studies of potassium elimination by dunite. 51-58B
- Interfacial tensions of liquid Fe-Ni alloys and stainless steels in contact with CaO-SiO₂-Al₂O₃-based slags at 1550°C. 87-94B
- Density and interfacial tension of liquid Fe-Si alloys. 173-176B
- Thermodynamic properties of magnesium phosphate (Mg₃P₂O₈)-correction of data in recent compilations. 225-227A
- Blunging**
See Mixing
- BOF**
See Basic converters
- Bohr model**
See Atomic structure
- Boiler scale**
See Scale (corrosion)
- Boilers, Corrosion**
Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A
- Boilers, Service life**
Identification of M₅C₂ carbides in ex-service 1Cr-0.5Mo steels. 509-520A
- Boiling points**
Mathematical model of chalcocite particle combustion. 719-729B
- Bomb reduction**
See Reduction (chemical)
- Bombs (pressure vessels)**
See Pressure vessels
- Bonding strength, Stress effects**
Interfaces in continuous filament-reinforced Al₂O₃/NIAI composites. 897-903A
- Borating**
High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
- Borides, Composite materials**
Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- Boron, Extraction**
Effect of factors on the extraction of boron from slags. 345-352B
- Brasses, Physical properties**
Mechanisms of internal friction in a Cu-Zn-Al shape memory alloy. 721-724A
- Brazed joints, Mechanical properties**
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Brazing alloys, Mechanical properties**
Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Breeder reactors**
Effect of ferrite transformation on the tensile and stress corrosion properties of type 316L stainless steel weld metal thermally aged at 873K. 1859-1868A
- Breeder reactors, Materials selection**
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Bridges (structures), Materials selection**
Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Bridgman method**
See Crystal growth
- Brine**
See Salt water
- Brittle fracture, Deformation effects**
Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Brittle fracture, Microstructural effects**
Ti₂Al in L1₂Al₃Ti-base alloys. 521-524A
- Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A
- Brittleness**
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
- Brittleness, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
- Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
- Brittleness, Microstructural effects**
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
- Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
- Brittleness, Radiation effects**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Brittleness, Stress effects**
Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
- Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
- The transverse creep deformation and failure characteristics of SCS-6/T-6Al-4V metal matrix composites at 482°C. 2733-2744A
- Bronzes**
See also Aluminum bronzes
- Materials technology and the materials industry: a critical transition. 1343-1352A
- Bronzes, Composite materials**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Bronzes, Metal working**
Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- Bubbles**
The impact of bubble dynamics on the flow in plumes of ladle water models. 625-635B
- Bubble overlap in multipoint gas-injection systems. 1147-1156B
- Bubbling**
Effect of the bubble size and chemical reactions on slag foaming. 803-812B
- Communication: effect of gas type and pressure on slag foaming. 1088-1091B
- Buildings, Materials selection**
Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Buoyancy**
Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
- Burning**
See Combustion
- Butt joints**
An inelastic analysis of a welded aluminum joint. 1253-1261B
- Butt welding, Mechanical properties**
An inelastic analysis of a welded aluminum joint. 1253-1261B
- BV process**
See Degassing
- CAD/CAM**
See Computer aided design
- CADAM**
See Computer aided design
- Cadmium, Alloying elements**
On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys. 569-575B
- Cadmium, Binary systems**
Extended vacancy-vacancy liquid model. 2597-2610A
- Cadmium base alloys, Mechanical properties**
Viscoelastic spectra of Cd_{0.87}Mg_{0.33} in torsion and bending. 2035-2039A
- Cadmium compounds, Crystal growth**
Constitutive modeling for CdTe single crystals. 2687-2697A

- Cadmium compounds, Physical properties**
On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys. 569-575B
- Cakes (metal)**
See Ingots
- Calcining**
See Roasting
- Calcium, Recovering**
The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
- Calculating**
See Computer programs
Mathematical analysis
- Calculation**
See Computer programs
Mathematical analysis
- Calorimetry**
Standard enthalpies of formation of neodymium alloys, Nd-Me (Me=nickel, ruthenium, rhodium, lead, iridium, platinum), by high-temperature direct synthesis calorimetry. 275-279B
Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B
Potentiometric determination of the Gibbs energies of formation of SrZrO_3 and BaZrO_3 . 775-781B
- Cams**
The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
- Carbides**
See also Silicon carbide
Identification of M_6C_2 carbides in ex-service 1Cr-0.5Mo steels. 509-520A
- Carbon**
See also Graphite
- Carbon, Alloying elements**
SCC path in forged AerMet 100 steel. 1313-1316A
Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A
- Carbon, Powder technology**
Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms. 3001-3009A
Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 3011-3019A
- Carbon, Quaternary systems**
Calculations of α/γ phase boundaries in Fe-C- X_1 - X_2 systems from the central atoms model. 535-545A
- Carbon manganese steels, Rolling**
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
- Carbon steels**
See also Carbon manganese steels
High carbon steels
Low carbon steels
Materials technology and the materials industry: a critical transition. 1343-1352A
- Carbon steels, Castings**
Mathematical modelling of macrosegregation of iron carbon binary alloy: role of double diffusive convection. 1069-1081B
- Carbon steels, Mechanical properties**
X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading. 629-632A
- Carbon steels, Microstructure**
Texture evolution induced by strain path changes in low carbon steel sheets. 601-613A
- Carbon steels, Phase transformations**
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Carbon steels, Welding**
Heat and metal transfer in gas metal arc welding using argon and helium. 383-395B
- Carbonitriding**
Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A
- Carbothermic reactions, Temperature effects**
Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B
- Carburization**
See Carburizing
- Carburizing**
Kinetics of the reaction of CH_4 gas with liquid iron. 317-324B
Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
Simultaneous reduction and carburization of ilmenite. 485-494B
- Case carburizing**
See Carburizing
- Case hardness**
See Surface hardness
- Cast iron**
See also White iron
- Cast iron, Casting**
Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
- Cast iron, Reactions (chemical)**
Kinetics of oxidation of carbon in liquid iron-carbon-silicon-manganese-sulfur alloys by carbon dioxide in nitrogen. 335-344B
- Cast iron, Rolling**
Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
- Casting**
See also Billet casting
Chill casting
Continuous casting
Ingot casting
Melt spinning
Squeeze casting
Multiparticle interfacial drag in equiaxed solidification. 111-119B
Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
Heat transport and solidification in the electromagnetic casting of aluminum alloys. I. Experimental measurements on a pilot-scale caster. 1243-1251B
Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A
- Casting alloys, Phases (state of matter)**
Eutectic spacing selection in the lead-tin eutectic system. 471-476A
- Casting defects**
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel. 2373-2388A
- Castings**
See also Chill castings
Ingots
- Castings, Mechanical properties**
Microstructural evolution and mechanical properties of AC8A/ Al_2O_3 short-fiber composites after thermal exposure at 150-350°C. 143-158A
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NIAI composites. 2175-2184A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
An investigation of the mechanical damping of ductile iron. 2785-2790A
Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- Castings, Microstructure**
Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
- Castings, Quality control**
Optimal riser design for metal castings. 871-885B
- Castings, Surface properties**
Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
- Catalytic converters**
See Automotive components
- Caustic soda**
See Sodium hydroxide
- Cavitation**
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- CCT curves**
See TTT curves
- Cementite**
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Ceramic fibers, Composite materials**
Temperature-dependence mechanism of tensile strength of Si-Ti-C-O fiber-aluminum matrix composites. 647-652A

Ceramic powders, Synthesis

- Purifying effects and product microstructure in the formation of TiC powder by the self-propagating high-temperature synthesis. 176-179B
- Correction to "Purifying Effects and Product Microstructure in the Formation of TiC Powder by the Self-Propagating High-Temperature Synthesis". 665B

Ceramics

- See also Aluminum oxide
Silicon carbide
Titanium carbide

Ceramics, Composite materials

- Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
- In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B

CGF forging process

- See Forging

Chalcocite, Extraction

- Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B

Chalcogenides, Electrochemistry

- On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys. 569-575B

Chalcopyrite, Extraction

- Importance of fundamental study in hydrometallurgy. 1109-1122B

Chapmanizing

- See Nitriding

Charring

- See Combustion

Chemical composition

- Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus. 467-484B

Chemical equilibrium

- The effect of alumina in slag on manganese and silicon distributions in silicomanganese smelting. 59-65B
- Thermoanalysis of the combined Fe_3O_4 -reduction and CH_4 -reforming processes. 509-515B
- Thermodynamics of Na_2O in the molten CaO - CaF_2 - SiO_2 system. 553-556B
- A new method for measuring activities in slags containing a volatile component. 651-654B
- Thermodynamic assessment of the CaO - MgO - SiO_2 system. 2293-2310A

Chemical equilibrium, Composition effects

- Phase equilibria and transformations in a Ti-Zr-Si system. 243-257A
- Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A

Chemical equilibrium, Heating effects

- The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
- Computer simulations of phase decomposition in real alloy systems based on the modified Khachatryan diffusion equation. 2617-2623A

Chemical equilibrium, Temperature effects

- Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
- Transition and equilibrium processes in metal-ceramic particle systems. 3021-3025A

Chemical kinetics

- See Reaction kinetics

Chemical reduction

- See Reduction (chemical)

Chemical vapor deposition

- The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A

Chill casting

- Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
- A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A

Chill castings, Heat treatment

- Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B

Chill castings, Physical properties

- A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A

Chlorides, Environment

- Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling $MgCl_2$. 641-646A
- Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A

Chlorination

- Studies on kinetics of low-temperature chlorination of ZrO_2 by gaseous carbon tetrachloride. 235-240B
- Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B

Chlorination, Temperature effects

- Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B
- Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B

Chromium, Alloying elements

- Fracture toughness of gamma-base titanium aluminides. 305-313A
- Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron. 991-995B
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- SCC path in forged AerMet 100 steel. 1313-1316A
- Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A

Chromium, Binary systems

- Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A

Chromium, Powder technology

- Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A

Chromium, Ternary systems

- Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A

Chromium compounds, Reactions (chemical)

- Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B

Chromium molybdenum steels

- See also Chromium molybdenum vanadium steels

Chromium molybdenum steels, Corrosion

- Influence of microstructural variations in the weldment on the high-temperature corrosion of 2.25Cr-1Mo steel. 1847-1858A

Chromium molybdenum steels, Heat treatment

- The influence of heat treatment on the high-stress abrasion resistance and fracture toughness of alloy white cast irons. 1785-1793A

Chromium molybdenum steels, Mechanical properties

- The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A
- Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A

Chromium molybdenum steels, Microstructure

- Identification of M_6C_2 carbides in ex-service 1Cr-0.5Mo steels. 509-520A

Chromium molybdenum vanadium steels, Welding

- Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A

Chromium steels

- See also Chromium molybdenum steels

Chromium steels, Rolling

- Microstructural changes during creep of a high chromium steel. 401-406A

Cleavage, Stress effects

- Experimental assessment of crack-tip dislocation emission models for an $Al_{67}Cr_8Ti_{25}$ intermetallic alloy. 329-341A

Clustering

- Settling and clustering of silicon carbide particles in aluminum metal matrix composites. 981-989B

CO₂ arc welding

- See Gas metal arc welding

Coalescence

- See Coalescing

Coalescing

- Grain agglomeration in solid-liquid mixtures under microgravity conditions. 649-651B

Coatings

- See also Protective coatings

- Coatings, Mechanical properties**
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Cobalt, Binary systems**
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Cobalt, Extraction**
Oxidation of cobaltite: I. Process mineralogy. 517-522B
Oxidation of cobaltite: II. Kinetics. 523-527B
- Cobalt, Heat treatment**
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
- Cobalt, Quaternary systems**
Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- Cobalt, Recovering**
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B
- Cobalt, Reduction (chemical)**
The activity coefficient of cobalt oxide in silica-saturated iron silicate slags. 229-233B
- Cobalt compounds, Atomic properties**
Multiple twins of τ^2 -Al₁₃Co₄ showing fivefold symmetry. 757-763A
- Cobalt compounds, Reduction (chemical)**
Kinetic studies of reduction of CoO and CoWO₄ by hydrogen. 547-553B
- COD**
See Crack opening displacement
- Coefficient of expansion**
See Thermal expansion
- Coefficient of friction**
See Friction
- Coefficient of thermal expansion**
See Thermal expansion
- Cold deformation**
See Deformation
- Cold drawing**
Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A
- Cold ductility**
See Ductility
- Cold formability**
See Formability
- Cold forming**
See Cold working
- Cold reduction**
See Cold working
- Cold rolling**
Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Cold shortness**
See Brittleness
- Cold stretching**
See Stretching
- Cold working**
See also Cold drawing
Cold rolling
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Effects of cold work on precipitation in Al-Cu-Mg-(Ag) and Al-Cu-Li(Mg-Ag) alloys. 1659-1671A
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
- Columbium**
See Niobium
- Columbium base alloys**
See Niobium base alloys
- Columbium compounds**
See Niobium compounds
- Columnar structure**
Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
- Columnar structure, Cooling effects**
Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Combustion**
See also Ignition
In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B
The synthesis of nickel aluminides by multilayer self-propagating combustion. 803-810B
Mathematical model of chalcocite particle combustion. 719-729B
Two-wavelength pyrometry study of the combustion of sulfide minerals. I. Apparatus and general observations. 929-942B
Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
Two-wavelength pyrometry study of the combustion of sulfide minerals. III. The influence of oxygen concentration on pyrite combustion. 959-970B
Communication: direct evidence for combustion reaction on TiN/TiC composites formation by mechanical alloying. 2755-2759A
Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms. 3001-3009A
Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 3011-3019A
Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- Compatibility**
Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
- Compliance (elasticity)**
See Modulus of elasticity
- Composite materials**
See also Fiber composites
Laminates
Particulate composites
Whisker composites
- Composite materials, Development**
Thermodynamically stable β [Ni(Al,Ti)]- β' [Ni₂AlTi]- γ [Ni₃(Al,Ti)] metal-metal composites. 1895-1903A
- Composite materials, Mechanical properties**
An approach to the design of composites for service at elevated and nonsteady temperatures. 3091-3106A
- Composite materials, Synthesis**
Transformation of Ba-Al-Si precursors to Celsian by high-temperature oxidation and annealing. 135-148B
- Compression strength**
See Compressive strength
- Compressive modulus**
See Modulus of elasticity
- Compressive strength, Environmental effects**
Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Compressive strength, Microstructural effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
- Compressive strength, Radiation effects**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Compressive yield strength**
See Compressive strength
- Computer aided design**
Materials, bicycles, and design. 3057-3064A
- Computer programs**
Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus. 467-484B
Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
- Computer simulation**
Computer simulation of local lattice distortion in Cu-Au solid solution. 11-19A
The Fe-Cu system: a thermodynamic evaluation. 417-426A
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
On grain and subgrain rotations in two dimensions. 1687-1697A
Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A
Materials, bicycles, and design. 3057-3064A
- Concast**
See Continuous casting
- Concentration (stress)**
See Stress concentration
- Condensation (process)**
See Condensing
- Condensing, Temperature effects**
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B

- Conductivity**
See Resistivity
Thermal conductivity
- Conductivity (electrical)**
See Resistivity
- Consolidation**
Communication: Effect of process parameter variability on HIP consolidation of continuous-fiber, metal-matrix composites made from foil/fiber/foil layups. 1906-1908A
Hot explosive consolidation of tungsten-titanium alloys. 2407-2414A
- Constitutional diagrams**
See Phase diagrams
- Contact angle**
An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Contact testing**
See Ultrasonic testing
- Continuous casting**
See also Strip casting
Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
Heat transfer and microstructure during the early stages of metal solidification. 361-382B
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
Numerical study of steady turbulent flow through bifurcated nozzles in continuous casting. 749-765B
An asymptotic model of the mold region in a continuous steel caster. 1225-1241B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. I. The mathematical model. 1263-1270B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. II. Results from a physical model and testing of the mathematical model. 1271-1279B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results. 1281-1288B
- Convection**
Relationship between flow direction and dendritic growth rate in $\text{NH}_4\text{Cl-H}_2\text{O}$. 227-229A
The effect of surface movements on nitrogen mass transfer in liquid iron. 971-980B
Mathematical modelling of macrosegregation of iron carbon binary alloy: role of double diffusive convection. 1069-1081B
Communication: a permeability length scale for cross flow through model structures. 1091-1092B
- Convection, Temperature effects**
Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification. 745-748B
- Cooling curves**
Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B
- Cooling rate**
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
Optimal riser design for metal castings. 871-885B
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Copes (molds)**
See Sand molds
- Copper**
Materials technology and the materials industry: a critical transition. 1343-1352A
- Copper, Binary systems**
The Fe-Cu system: a thermodynamic evaluation. 417-426A
Computer simulations of phase decomposition in real alloy systems based on the modified Khachatryan diffusion equation. 2617-2623A
- Copper, Brazing**
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
- Copper, Crystal growth**
Recrystallization in copper: comparison between techniques. 1717-1724A
- Copper, Electrochemistry**
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Copper, Extraction**
Oxidation kinetics of molten copper sulfide. 25-40B
The bioleaching of different sulfide concentrates using thermophilic bacteria. 455-465B
Mathematical model of chalcocite particle combustion. 719-729B
Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B
- Copper, Mechanical properties**
The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- Copper, Metal working**
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
- Copper, Physical properties**
An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Copper, Quaternary systems**
The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B
- Copper, Recovering**
Settling of copper drops in molten slags. 1165-1173B
- Copper, Reduction (chemical)**
The activity coefficient of cobalt oxide in silica-saturated iron silicate slags. 229-233B
- Copper, Soldering**
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A
- Copper base alloys**
See also Brasses
Bronzes
Mechanisms of internal friction in a Cu-Zn-Al shape memory alloy. 721-724A
- Copper base alloys, Atomic properties**
Computer simulation of local lattice distortion in Cu-Au solid solution. 11-19A
- Copper base alloys, Development**
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Copper base alloys, Magnetic properties**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Copper base alloys, Mechanical properties**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Copper base alloys, Phase transformations**
Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A
- Copper base alloys, Powder technology**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
The effects of ball size distribution on attritor efficiency. 2389-2397A
- Copper compounds, Reactions (chemical)**
The chemical kinetics of mechanical alloying. 725-730A
- Core hardness**
See Hardness
- Corex process**
See Ironmaking
- Corrodents**
See Corrosion environments
- Corrosion cracking**
See Stress corrosion cracking
- Corrosion environments**
Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A
- Corrosion fatigue, Environmental effects**
Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A
Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- Corrosion mechanisms**
The role of hydrogen in stress-corrosion cracking of austenitic stainless steel in hot MgCl_2 solution. 1777-1784A

Corrosion rate

- Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling $MgCl_2$. 641-646A

Corrosion resistance, Coating effects

- Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A

Corrosion resistance, Heating effects

- Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A

Corrosion resistance, Stress effects

- Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A

Cost savings

- See Economics

Couplers

- See Electric connectors

Crack growth

- See Crack propagation

Crack Initiation

- Crack detection by resonant frequency measurements. 1123-1127A
Damping and acoustic harmonics in cracked laminated composites. 2825-2831A

Crack Initiation, Alloying effects

- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A

Crack Initiation, Coating effects

- Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A

Crack Initiation, Composition effects

- Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A

Crack Initiation, Cooling effects

- Cracking of amorphous $Fe_{40}Ni_{38}Mo_4B_{18}$ induced by static charging with hydrogen. 191-196A

Crack Initiation, Environmental effects

- Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
Classification of fatigue crack growth behavior. 1221-1234A
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A

Crack Initiation, Heating effects

- Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A

Crack Initiation, High temperature effects

- Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure. 159-166A
Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A

Crack Initiation, Microstructural effects

- Ti_2Al in $L_{12}Al_3Ti$ -base alloys. 521-524A
Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo. 703-720A
Evidence of shear ligament toughening in TiAl-base alloys. 1407-1418A
Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A

Crack Initiation, Stress effects

- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite. 209-223A
Experimental assessment of crack-tip dislocation emission models for an $Al_3Cr_6Ti_{12}$ intermetallic alloy. 329-341A
Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A

- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A

- Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1481-1469A

- Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A

- The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A

- Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A

- SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A

- Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A

- Dynamic fracture toughness of 4340 VAR steel under conditions of plane strain. 2527-2543A

- Effect of crack surface geometry on fatigue crack closure. 2651-2663A

- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A

- Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A

- Fatigue crack growth behavior of composites. 3199-3210A

- Materials characterization of silicon carbide reinforced titanium (TiVSC-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A

Crack opening displacement, High temperature effects

- Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A

Crack opening displacement, Stress effects

- The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A

- Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A

Crack propagation

- Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling $MgCl_2$. 641-646A
Crack detection by resonant frequency measurements. 1123-1127A

- The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A

Crack propagation, Alloying effects

- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A

Crack propagation, Composition effects

- The effect of niobium morphology on the fracture behavior of $MoSi_2/Nb$ composites. 289-303A
Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A

Crack propagation, Cooling effects

- Cracking of amorphous $Fe_{40}Ni_{38}Mo_4B_{18}$ induced by static charging with hydrogen. 191-196A

Crack propagation, Deformation effects

- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A

Crack propagation, Environmental effects

- Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A

- Investigation of deformation field and hydrogen partition around crack tip in fcc single crystal. 731-739A

- Classification of fatigue crack growth behavior. 1221-1234A

- Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A

- The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A

- Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A

Crack propagation, Heating effects

- Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A

- Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A

- Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A

- Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2751-2755A

- Crack propagation, High temperature effects**
Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure. 159-166A
Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A
- Crack propagation, Microstructural effects**
Evidence of shear ligament toughening in TiAl-base alloys. Near-threshold fatigue crack growth in 8090 Al-Li alloy. 1407-1418A
2973-2982A
- Crack propagation, Stress effects**
Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A
Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
Dynamic fracture toughness of 4340 VAR steel under conditions of plane strain. 2527-2543A
Effect of crack surface geometry on fatigue crack closure. Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
Fatigue crack growth behavior of composites. 3199-3210A
- Crack resistance**
See Crack propagation
- Creep (materials)**
See also Creep life
Creep rate
Creep strength
- Creep (materials), Alloying effects**
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Creep (materials), Deformation effects**
Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- Creep (materials), Diffusion effects**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Creep (materials), Heating effects**
Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
- Creep (materials), Stress effects**
Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A
High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 3067-3079A
- Creep life**
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- Creep life, Composition effects**
Creep-fatigue life prediction of in situ composite solders. 3265-3275A
- Creep life, Microstructural effects**
Identification of M₆C₂ carbides in ex-service 1Cr-0.5Mo steels. 509-520A
- Creep limit**
See Creep (materials)
- Creep properties**
See Creep (materials)
- Creep rate**
An approach to the design of composites for service at elevated and nonsteady temperatures. 3091-3106A
- Creep rate, Composition effects**
Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A
- Creep rate, Deformation effects**
Microstructural changes during creep of a high chromium steel. 401-406A
- Creep rate, Microstructural effects**
Micromechanics effects in creep of metal-matrix composites. The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3081-3089A
3107-3118A
Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Creep rate, Stress effects**
Characteristics of a new creep regime in polycrystalline NiAl. On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 343-356A
493-496A
Renewal creep theory. Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 829-843A
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 905-914A
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 1471-1482A
The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C. 2053-2062A
Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C. 2733-2744A
Creep strengthening in a discontinuous SiC-Al composite. 2961-2972A
3119-3129A
- Creep resistance**
See Creep strength
- Creep strength, Environmental effects**
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
- Creep strength, Microstructural effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V. 873-881A
The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 2947-2959A
3107-3118A
- Creep strength, Stress effects**
Modeling the hot consolidation of ceramic and metal powders. Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2041-2051A
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2053-2062A
The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C. 2317-2327A
Anelastic relaxation in Al-4 wt.% Cu-Al₂O₃ fiber-reinforced composites. 2733-2744A
Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C. 2745-2749A
Creep strengthening in a discontinuous SiC-Al composite. 2961-2972A
3119-3129A
- Creep strength, Temperature effects**
An investigation of strain hardening and creep in an Al-6061/Al₂O₃ metal matrix composite. 633-639A
- Creep tests**
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A
The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A
- Creeping**
See Creep (materials)
- Cross tension test**
See Tension tests
- Crucible furnaces**
Extension of the k- ϵ model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
- Crushing strength**
See Compressive strength
- Crystal defects**
See also Dislocations
Stacking faults
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Crystal growth**
See also Epitaxial growth
- Crystal growth, Heating effects**
The effect of annealing temperature on the recrystallization kinetics of commercially pure aluminum. 2185-2187A
- Crystal growth, Temperature effects**
Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification. 745-748B

- Crystal orientation**
See Crystal structure
- Crystal structure**
See also Quasicrystalline structure
Ti₂Al in L1₂Al₃Ti-base alloys. 521-524A
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Magnetic anisotropy predictions from texture measurements using a selected-depth technique. 1535-1542A
Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- Crystal structure, Alloying effects**
Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Crystal structure, Composition effects**
L-J phase in a Cu_{2.2}Mn_{0.8}Al alloy. 1353-1365A
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- Crystal structure, Cooling effects**
Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
- Crystal structure, Deformation effects**
Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
Characterization of the microstructure of deformed Al-Zn-Cu alloys by x-ray diffraction line profile analysis. 1011-1014A
- Crystal structure, Heating effects**
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
- Crystal structure, Radiation effects**
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
- Crystal structure, Stress effects**
Experimental assessment of crack-tip dislocation emission models for an Al₆₇Cr₃Ti₂₅ intermetallic alloy. 329-341A
- Crystal structure, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A
- Crystallinity**
See Crystal structure
- Crystallization**
See also Recrystallization
- Crystallization, Deformation effects**
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
- Crystallography**
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- CTT curves**
See TTT curves
- Cupolas**
Kinetics of oxidation of carbon in liquid iron-carbon-silicon-manganese-sulfur alloys by carbon dioxide in nitrogen. 335-344B
- CVD**
See Chemical vapor deposition
- Cyclic loads**
The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
- Cyclic heating**
See Thermal cycling
- Damage**
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- Damage tolerance**
Powder metallurgy by bidimensional compression. 1087-1091A
- Damage tolerance, Heating effects**
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Damage tolerance, Stress effects**
Internal friction in AlCu-Al₂O₃ metal-matrix composites. 1457-1460A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
- Damping**
Stable nonlinear relaxations in multiphase Al-Zn alloy. 1249-1255A
Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites. 2773-2783A
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
Resonance apparatus for damping measurements. 2819-2823A
Damping and acoustic harmonics in cracked laminated composites. 2825-2831A
- Damping, Heating effects**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Damping, Microstructural effects**
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Damping, Stress effects**
Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A
- Damping, Temperature effects**
Damping characteristics of Ti₅₀Ni_{49.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
Damping behavior of discontinuously reinforced aluminum alloy metal-matrix composites. 2803-2818A
- Data**
Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus. 467-484B
- Decarbonizing**
See Decarburizing
- Decarburizing**
Kinetics of oxidation of carbon in liquid iron-carbon-silicon-manganese-sulfur alloys by carbon dioxide in nitrogen. 335-344B
- Deep carburizing**
See Carburizing
- Deep drawability**
See Drawability
- Deflagration**
See Combustion
- Deformability**
See Formability
- Deformation**
See also Plastic deformation
Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique. 1129-1139A
Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
- Deformation, Alloying effects**
Deformation and microstructure in L1₀ type Ti-Al-V alloys. 113-131A
- Deformation, Microstructural effects**
Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V. 2947-2959A
- Deforming**
See Deformation
- Degasification**
See Degassing
- Degassing**
Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B
- Dendrite**
See Dendritic structure
- Dendritic structure**
Thermodynamic properties of magnesium phosphate (Mg₃P₂O₈)—correction of data in recent compilations. 225-227A
Relationship between flow direction and dendritic growth rate in NH₄Cl-H₂O. 227-229A
Heat transfer and microstructure during the early stages of metal solidification. 361-382B
Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
Communication: a permeability length scale for cross flow through model structures. 1091-1092B
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
- Dendritic structure, Composition effects**
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B

Dendritic structure, Cooling effects

- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- Multiparticle interfacial drag in equiaxed solidification. 111-119B
- Microstructural evolution of primary dendrite trunks in directionally solidified, hypoeutectic, aluminum-silicon alloys. 496-499A
- Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
- Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
- Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
- Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A

Dendritic structure, Heating effects

- Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A

Dendritic structure, High temperature effects

- Microstructural evolution and mechanical properties of AC8A/ Al_2O_3 short-fiber composites after thermal exposure at 150-350°C. 143-158A

Densification

- A mathematical model for gravity-induced distortion during liquid-phase sintering. 653-659A
- Correction to "A Mathematical Model for Gravity-Induced Distortion During Liquid-Phase Sintering". 1909A
- Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A

Density

- Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B

Density, Microstructural effects

- Quantification of the Mg_2Si β'' and β' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A

Density, Radiation effects

- Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A

Density, Stress effects

- Modeling the hot consolidation of ceramic and metal powders. 2041-2051A

Deoxidation

See Deoxidizing

Deoxidizing

- Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
- Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with CaO- Al_2O_3 slags. 249-256B
- Thermodynamic properties of the $MgAl_2O_4$ - $MnAl_2O_4$ spinel solid solution. 1013-1017B

Dephosphorizing

- Determination of the standard Gibbs energy for the reaction of $3BaO(s) + 2Cr(s) + 2/2O_2(g) = 3BaO \cdot Cr_2O_3(s)$. 557-561B

Desilicizing

- Phase relations in the system MgO - SiO_2 - ZrO_2 at 1700K. 397-399B

Desulfurizing, Heating effects

- Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A

Desulfurizing, Temperature effects

- Oxidation kinetics of molten copper sulfide. 25-40B

Development

- A 50 year view of materials science: 30 down and 20 to go. 413-416B

Diamond pyramid hardness, Heating effects

- Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A

Diamond pyramid hardness, Radiation effects

- Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A

Dies

- A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A

Differential thermal analysis

- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A

Diffusion

- Thermodynamic properties of magnesium phosphate ($Mg_3P_2O_8$)-correction of data in recent compilations. 225-227A
- Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
- The role of migration in shrinking-core leaching reactions controlled by pore transport. 901-910B

- Kinetics for reaction of low-carbon steel melts with CO- CO_2 gas mixtures using nonlinear rate equations. 997-1004B
- The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
- Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A

Diffusion, Composition effects

- Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A

Diffusion, Cooling effects

- Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A

Diffusion, Heating effects

- Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
- Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
- Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply. 1311-1313A
- Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A

Diffusion, High temperature effects

- Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A

Diffusion, Microstructural effects

- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A

Diffusion, Pressure effects

- The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A

Diffusion, Radiation effects

- The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A

Diffusion, Stress effects

- Characteristics of a new creep regime in polycrystalline NIAL. 343-356A
- Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Mass transport at interfaces in single component systems. 1917-1929A

Diffusion, Temperature effects

- Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B
- Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
- High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A

Diffusion, Welding effects

- Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A

Diffusion bonding

See Diffusion welding

Diffusion coating

- Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A

Diffusion coating (process)

See Diffusion coating

Diffusion coefficient

See Diffusion

Diffusion couples

See Diffusion

Diffusion rate

- Modeling aluminum enrichment in galvanized coatings. 1699-1704A

Diffusion welding

- Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A

Diffusivity

- The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
- Interfacial reactions in Al-Mg (5083)/ Al_2O_3 p composites during fabrication and remelting. 2625-2635A

Diffusivity, Heating effects

- A study of carbon distribution on the contact zone between two solid solutions. 179-181B

Dimensional stability

- A mathematical model for gravity-induced distortion during liquid-phase sintering. 653-659A
- Correction to "A Mathematical Model for Gravity-Induced Distortion During Liquid-Phase Sintering". 1909A

Direct chill casting

- Experimental investigation of thermomechanical effects during direct chill and electromagnetic casting of aluminum alloys. 821-829B
- Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B

Direct reduction

- Studies on kinetics of low-temperature chlorination of ZrO_2 by gaseous carbon tetrachloride. 235-240B

Directional solidification

- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Microstructural evolution of primary dendrite trunks in directionally solidified, hypoeutectic, aluminum-silicon alloys. 496-499A
- Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
- Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
- Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A
- Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A
- Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
- A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A

Directional solidification, Composition effects

- Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B

Dislocation climb

- See Dislocation mobility

Dislocation density

- Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Micromechanics effects in creep of metal-matrix composites. 3081-3089A

Dislocation density, Deformation effects

- Characterization of the microstructure of deformed Al-Zn-Cu alloys by x-ray diffraction line profile analysis. 1011-1014A

Dislocation density, Heating effects

- The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A

Dislocation density, Radiation effects

- The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A

Dislocation density, Stress effects

- Experimental assessment of crack-tip dislocation emission models for an $Al_7Cr_6Ti_{25}$ intermetallic alloy. 329-341A
- Characteristics of a new creep regime in polycrystalline NiAl. 343-356A
- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2545-2553A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- Constitutive modeling for CdTe single crystals. 2687-2697A
- Anelastic relaxation in Al-4 wt.% Cu- Al_2O_3 fiber-reinforced composites. 2745-2749A
- The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A

Dislocation density, Temperature effects

- Effects of self-accommodation and plastic accommodation in martensitic transformations and morphology of martensites. 1979-1985A

Dislocation loops, Alloying effects

- Deformation and microstructure in L_{10} type Ti-Al-V alloys. 113-131A
- Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A

Dislocation mobility

- An investigation of the mechanical damping of ductile iron. Damping and acoustic harmonics in cracked laminated composites. 2785-2790A
- Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V. 2825-2831A
- 2947-2959A

Dislocation mobility, Stress effects

- The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A

Dislocations

- See also Dislocation loops
- Screw dislocations
- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A

- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A

- A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
- Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A

Dislocations, Composition effects

- Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A

Dislocations, Deformation effects

- Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A
- Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C. 2961-2972A

Dislocations, Environmental effects

- Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A

Dislocations, Heating effects

- Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A

Dislocations, Radiation effects

- Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A

Dislocations, Stress effects

- Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
- Renewal creep theory. 829-843A
- Interfaces in continuous filament-reinforced $Al_2O_3/NiAl$ composites. 897-903A
- Defect structures and nonbasal slip of C36 laves phase $MgNi_2$ in a two-phase alloy. 1441-1447A
- Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1461-1469A

Dispersion hardening

- High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A

Displacement spikes

- See Displacements (lattice)

Displacements (lattice), Temperature effects

- Effects of self-accommodation and plastic accommodation in martensitic transformations and morphology of martensites. 1979-1985A

Dissimilar materials, Brazing

- Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A

Dissimilar materials, Welding

- Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A

Dissimilar metals, Welding

- Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A

Dissipation

- Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A

Dissociation energy

- See Free energy
- Heat of formation

Dissolution

- Mathematical modeling of the zinc pressure leach process. Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration. 1035-1047B
- Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 1885-1894A
- Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 2187-2189A
- 3011-3019A

Dissolution, Alloying effects

- Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron. 991-995B

Dissolution, Composition effects

- Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A

Dissolution, Cooling effects

- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A

- Dissolution, Environmental effects**
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Dissolution, Heating effects**
Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Dissolution, pH effects**
Simulation of in situ uraninite leaching. III. The effects of solution concentration. 695-701B
- Dissolution, Pressure effects**
The chemistry of solutions of CeO_2 in cryolite melts. 81-86B
- Dissolution, Temperature effects**
Kinetics of the solid-state carbothermic reduction of Wessell manganese ores. 13-24B
Oxidation kinetics of molten copper sulfide. 25-40B
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrorefining catalysts by selective chlorination. 41-50B
- Dissolution, Welding effects**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Dissolving**
See Dissolution
- DR process**
See Direct reduction
- Drags (molds)**
See Sand molds
- Drawability, Cooling effects**
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
- Drawing**
See also Cold drawing
Wire drawing
A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A
- Drawing (heat treatment)**
See Tempering
- Drill steels**
See Tool steels
- Dry molding**
See Molding (process)
- Ductile brittle transition, Stress effects**
Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
- Ductile fracture**
Fracture behavior of quaternary Al-Li-Cu-Mg alloy under mixed mode I/III loading. 1823-1833A
- Ductile fracture, Deformation effects**
Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Ductile fracture, Environmental effects**
Embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ alloy by electrolytic hydrogen. 197-201A
- Ductile fracture, Stress effects**
Ductile fracture processes in 7075 aluminum. 407-415A
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A
Dynamic fracture toughness of 4340 VAR steel under conditions of plane strain. 2527-2543A
- Ductile iron**
See Nodular iron
- Ductility**
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
Thermodynamically stable $[\text{Ni}(\text{Al}, \text{Ti})]_2[\text{Ni}_2\text{AlTi}]_2[\text{Ni}_3(\text{Al}, \text{Ti})]$ metal-metal composites. 1895-1903A
- Ductility, Alloying effects**
Amorphization promoted by mechanical alloying of aluminum-rich Al-Ti-Fe mixed powders. 1305-1307A
- Ductility, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi_2/Nb composites. 289-303A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide ($\text{Nb}/\text{Nb}_3\text{Al}$) in situ composites. 2027-2033A
- Ductility, Cooling effects**
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Ductility, Environmental effects**
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
- Ductility, Heating effects**
Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Ductility, High temperature effects**
Microstructural evolution and mechanical properties of AC8A/ Al_2O_3 short-fiber composites after thermal exposure at 150-350°C. 143-158A
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Ductility, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Ductility, Microstructural effects**
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Ductility, Radiation effects**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Ductility, Stress effects**
Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A
- Duplex stainless steels, Mechanical properties**
Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
- Durability, Environmental effects**
Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Durability, Microstructural effects**
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Dynamic loads**
See Loads (forces)
- Dynapak extrusion**
See Extrusion
- Dynapak forging**
See Forging
- Dynapak process**
See Extrusion
Forging
- Economics**
Electricity in the production of metals: from aluminum to zinc. 189-208B
Materials technology and the materials industry: a critical transition. 1343-1352A
- Efficiency**
Kinetics of the reaction of CH_4 gas with liquid iron. 317-324B
Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Elastic modulus**
See Modulus of elasticity
- Elasticity, Environmental effects**
Embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ alloy by electrolytic hydrogen. 197-201A
- Elasticity, Microstructural effects**
Micromechanics effects in creep of metal-matrix composites. 3081-3089A
- Elasticity, Stress effects**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1461-1469A
Anelastic relaxation in Al-4 wt.% Cu- Al_2O_3 fiber-reinforced composites. 2745-2749A
- Electric assemblies**
See Electronic devices

- Electric components**
See Electronic devices
- Electric connectors, Materials selection**
Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- Electric devices**
See Electronic devices
- Electric induction furnaces**
Extension of the k-e model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
- Electric potential**
Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of CaNiSi₂O₆. 2311-2315A
- Electric power generation**
Identification of M₅C₂ carbides in ex-service 1Cr-0.5Mo steels. 509-520A
- Electric power plants**
See Electric power generation
- Electric power stations**
See Electric power generation
- Electrical conductivity**
See Resistivity
- Electrical measurements**
Gibbs free energy of Ca₃Si₂O₇-a reassessment of electromotive force measurements. 658-660B
Electrical resistivity of lead and Pb-10 wt.% tin during solidification. 741-745A
- Electrical resistivity**
See Resistivity
- Electroceramics**
See Ceramics
- Electrochemistry**
Potentiometric determination of the Gibbs energies of formation of SrZrO₃ and BaZrO₃. 775-781B
- Electrochemistry, Composition effects**
Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
- Electrochemistry, Temperature effects**
Oxidation kinetics of molten copper sulfide. 25-40B
- Electrodeposition**
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Electrodes**
See also Anodes
- Electrodes, Development**
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Electrode welding**
See Gas metal arc welding
- Electrolytic cells**
The equilibrium oxygen pressure over the Cr-Y₂O₃-YCrO₃ coexistence measured with the galvanic cell using stabilized ZrO₂ solid electrolyte. 289-294B
Preparation and characterization of polycrystalline lead-exchanged sodium β"-alumina and its use as a Pb²⁺ ion-conducting electrolyte for galvanic cells. 1005-1011B
- Electrolytic deposition**
See Electrodeposition
- Electrolytic reduction**
See Reduction (electrolytic)
- Electromagnetic fields**
Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B
Levitation of liquid sodium droplets. 1183-1190B
Magnetic shaping of columns of liquid sodium. 1191-1197B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. I. The mathematical model. 1263-1270B
A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. II. Results from a physical model and testing of the mathematical model. 1271-1279B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results. 1281-1288B
- Electrometallurgy**
Electricity in the production of metals: from aluminum to zinc. 189-208B
Magnetic shaping of columns of liquid sodium. 1191-1197B
- Electromotive force**
See Electric potential
- Electron beam hardening**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Electron beam welding**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Electron diffraction**
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Electron energy loss spectroscopy**
Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy. 1595-1597A
- Electron microbeam analysis**
See Electron probe analysis
- Electron microprobe analysis**
See Electron probe analysis
- Electron microscopy**
See also Scanning electron microscopy
Transmission electron microscopy
Phase stability and microstructure of Al-Ti-Fe near Al₃Ti. 1029-1033A
- Electron probe analysis**
Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A
- Electron scattering**
Phase stability and microstructure of Al-Ti-Fe near Al₃Ti. 1029-1033A
- Electron structure**
See Electronic structure
- Electronic assemblies**
See Electronic devices
- Electronic components**
See Electronic devices
- Electronic devices, Fabrication**
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Electronic devices, Soldering**
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
- Electronic equipment**
See Electronic devices
- Electronic structure**
See also Fermi surface
Multiple twins of τ²-Al₁₃Co₄ showing fivefold symmetry. 757-763A
- Electronic structure, Composition effects**
L-J phase in a Cu_{2.2}Mn_{0.8}Al alloy. 1353-1365A
- Electronic structure, Welding effects**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Electropotential**
See Electric potential
- Electroreduction**
See Electrowinning
- Electrowinning**
See also Hall Heroult process
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Elevated temperature**
See High temperature
- Elongation**
Powder metallurgy by bidimensional compression. 1087-1091A
- Elongation, Cooling effects**
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Elongation, Deformation effects**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A
- Elongation, Heating effects**
Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Elongation, Microstructural effects**
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A

Elongation, Stress effects

- Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
- Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A

Embrittlement

See also Hydrogen embrittlement

Embrittlement, Environmental effects

- Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A

Embrittlement, Heating effects

- Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2751-2755A

Embrittlement, Stress effects

- Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
- Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. 1167-1181A
- The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C. 2733-2744A

Emissivity

- Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B

Endurance

See Durability

Endurance (testing)

See Fatigue tests

Endurance limit

See Fatigue limit

Energy of activation

See Activation energy

Energy of dissociation

See Free energy
Heat of formation

Energy of formation

See Free energy
Heat of formation

Energy of fracture

See Toughness

Energy of solution

See Free energy

Enthalpy

- Standard enthalpies of formation of neodymium alloys, Nd+Me (Me=nickel, ruthenium, rhodium, lead, iridium, platinum), by high-temperature direct synthesis calorimetry. 275-279B

- Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B

- NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior. 2833-2847A

Entropy of activation

See Activation energy

Entropy of formation

See Heat of formation

Epitaxial growth, Stress effects

- Constitutive modeling for CdTe single crystals. 2687-2697A

Equations

- See also Equations of state
- Kinetics for reaction of low-carbon steel melts with CO-CO₂ gas mixtures using nonlinear rate equations. 997-1004B

Equations of state

- A rigorous equation of state for solids, liquids, and gases. 577-580B

Equilibrium

- See also Chemical equilibrium
- Phase relations in the system MgO-SiO₂-ZrO₂ at 1700K. 397-399B

Equilibrium constants

See Chemical equilibrium

Equilibrium diagrams

See Phase diagrams

Europium, Extraction

- Electrolytic reduction of Eu(III) to Eu(II) in acidic chloride solutions with titanium cathode. 1175-1181B

Eutectic composition

- Stable nonlinear relaxations in multiphase Al-Zn alloy. 1249-1255A

Eutectic composition, Cooling effects

- Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A

Eutectic reactions, Composition effects

- Eutectic spacing selection in the lead-tin eutectic system. 471-476A

Exothermic reactions

- In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B
- The chemical kinetics of mechanical alloying. 725-730A

Exothermic reactions, Temperature effects

- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B

Explosive forging

See Explosive forming

Explosive forming

- Hot explosive consolidation of tungsten-titanium alloys. 2407-2414A

Explosive gas forming

See Explosive forming

Explosive liquid forming

See Explosive forming

Extraction

- See also Liquid liquid extraction
- Sulfide capacities of fayalite-base slags. 325-334B
- Effect of factors on the extraction of boron from slags. 345-352B

Extractive metallurgy

- See also Electrometallurgy
- Hydrometallurgy
- Pyrometallurgy
- Electricity in the production of metals: from aluminum to zinc. 189-208B
- Importance of fundamental study in hydrometallurgy. 1109-1122B

Extrusion

- See also Hot extrusion
- Thermodynamically stable β [Ni(Al,Ti)]- β' [Ni₂AlTi]- γ [Ni₃(Al,Ti)] metal-metal composites. 1895-1903A

Extrusion pressing

See Extrusion

Extrusions, Mechanical properties

- Quantification of the Mg₂Si β'' and β' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A

Face centered cubic metals

See FCC metals

Failure analysis

- Ductile fracture processes in 7075 aluminum. 407-415A
- A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
- The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A

Fatigue (materials)

- See also Corrosion fatigue
- Fatigue life
- Fatigue limit
- Fatigue strength
- High cycle fatigue
- Low cycle fatigue
- Thermal fatigue

Fatigue (materials), Alloying effects

- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A

Fatigue (materials), Environmental effects

- Classification of fatigue crack growth behavior. 1221-1234A

Fatigue (materials), High temperature effects

- Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A

Fatigue (materials), Microstructural effects

- Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A

Fatigue (materials), Stress effects

- Internal friction in AlCu-Al₂O₃ metal-matrix composites. 1457-1460A
- The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
- Effect of crack surface geometry on fatigue crack closure. 2651-2663A
- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
- Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC₂ metal matrix composite. 3191-3198A
- Fatigue crack growth behavior of composites. 3199-3210A

Fatigue cracking

See Fatigue (materials)

Fatigue failure

Fatigue cracking, Environmental effects

- Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A

- Fatigue failure**
The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A
- Fatigue failure, Composition effects**
Creep-fatigue life prediction of in situ composite solders. 3265-3275A
- Fatigue failure, Stress effects**
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
- Fatigue fracture**
See Fatigue failure
- Fatigue life, Composition effects**
Creep-fatigue life prediction of in situ composite solders. 3265-3275A
- Fatigue life, Microstructural effects**
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
- Fatigue life, Stress effects**
High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior. 3249-3256A
- Fatigue limit, Stress effects**
Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
- Fatigue properties**
See Fatigue (materials)
- Fatigue strength, Composition effects**
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
- Fatigue strength, Healing effects**
Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2677-2685A
2751-2755A
- Fatigue strength, High temperature effects**
Microstructural evolution and mechanical properties of AC8A/Al₂O₃ short-fiber composites after thermal exposure at 150-350°C. 143-158A
Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure. 159-166A
- Fatigue strength, Microstructural effects**
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
- Fatigue strength, Stress effects**
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3131-3141A
- Fatigue strength, Temperature effects**
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Fatigue tests**
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
- FCC metals, Mechanical properties**
Investigation of deformation field and hydrogen partition around crack tip in fcc single crystal. 731-739A
- Fermi energy**
See Fermi surface
- Fermi level**
See Fermi surface
- Fermi surface, Composition effects**
Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B
- Ferric compounds**
See Iron compounds
- Ferrite**
Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 547-559A
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 561-580A
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Ferrite, Alloying effects**
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
- Ferrite, Composition effects**
Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Ferrite, Cooling effects**
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
- Ferrite, Crystal growth**
Catalyst effects in heterogeneous nucleation of acicular ferrite. 525-534A
- Ferrite, Deformation effects**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- Ferrite, Stress effects**
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Ferritic stainless steels, Mechanical properties**
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A
Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
- Ferritic stainless steels, Physical properties**
Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B
- Ferromanganese, Production**
The effect of alumina in slag on manganese and silicon distributions in silicomanganese smelting. 59-65B
- Ferrous alloys**
See also Cast iron
Steels
- Ferrous alloys, Casting**
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
- Ferrous alloys, Coatings**
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Ferrous alloys, Composite materials**
Tensile behavior of Al₂O₃/FeAl-B and Al₂O₃/FeCrAlY composites. 2719-2731A
- Ferrous alloys, Extraction**
Communication: application of the radioisotope excited x-ray fluorescence technique in charge optimization during thermite smelting of Fe-Ni, Fe-Cr, and Fe-Ti alloys. 1083-1085B
- Ferrous alloys, Heat treatment**
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply. 1311-1313A
- Ferrous alloys, Mechanical properties**
Cracking of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ induced by static charging with hydrogen. 191-196A
Embrittlement of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A
Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Ferrous alloys, Physical properties**
Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B
Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A
- Ferrous alloys, Powder technology**
Debinding variables affecting the residual carbon content of injection-molded Fe-2% Ni steels. 133-142A
- Ferrous alloys, Reactions (chemical)**
Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron. 991-995B
- Ferrous alloys, Ternary systems**
Derivation and consistency of the partial functions of the ternary system involving interaction coefficients. 495-502B

Ferrous alloys, Thermal properties

Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus.

467-484B

Ferrous compounds

See Iron compounds

Ferrous metals

See Ferrous alloys

Fiber composites, End uses

An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications.

3211-3224A

Fiber composites, Fabrication

Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite.

209-223A

Fiber composites, Heat treatment

Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites.

1035-1043A

Fiber composites, Mechanical properties

Microstructural evolution and mechanical properties of AC8A/ Al_2O_3 short-fiber composites after thermal exposure at 150-350°C.

143-158A

The effect of niobium morphology on the fracture behavior of $MoSi_2/Nb$ composites.

289-303A

Processing and mechanical properties of Al_2O_3 fiber-reinforced NIAI composites.

615-628A

Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers.

883-895A

Interfaces in continuous filament-reinforced $Al_2O_3/NIAI$ composites.

897-903A

Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique.

1129-1139A

Internal friction in $AlCu-Al_2O_3$ metal-matrix composites.

1457-1460A

Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NIAI composites.

2175-2184A

Tensile behavior of $Al_2O_3/FeAl+B$ and $Al_2O_3/FeCrAlY$ composites.

2719-2731A

Anelastic relaxation in Al-4 wt.% Cu- Al_2O_3 fiber-reinforced composites.

2745-2749A

Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior.

3225-3247A

Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior.

3249-3256A

Fiber composites, Phases (state of matter)

Steady-state cellular solidification of Al-Cu reinforced with alumina fibers.

2141-2153A

Fiber composites, Powder technology

Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NIAI(Yb) composites.

477-491A

Electron beam surface modification of a porous bronze-graphite composite.

1297-1304A

Communication: Effect of process parameter variability on HIP consolidation of continuous-fiber, metal-matrix composites made from foil/fiber/foil layouts.

1906-1908A

Fiber composites, Synthesis

Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration.

1885-1894A

Microstructure of the $Ti_3Al(Nb)/TiB$ composite produced by combustion synthesis.

3037-3043A

Field ion microscopy

The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study.

2207-2217A

Filtering

See Filtration

Filtration

Direct simulation of initial filtration phenomena within highly porous media.

537-546B

Finite element method

A mesoscale study on the thermodynamic effect of stress on martensitic transformation.

267-278A

Theoretical investigation of penetration characteristics in gas metal-arc welding using finite element method.

611-624B

Numerical study of steady turbulent flow through bifurcated nozzles in continuous casting.

749-765B

Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system.

2007-2025A

A finite element model of the effects of primary creep in an Al-SiC metal matrix composite.

3067-3079A

An approach to the design of composites for service at elevated and nonsteady temperatures.

3091-3106A

Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior.

3249-3256A

Finsider process

See Direct reduction

Fissile materials

See Nuclear fuels

Flakes, Powder technology

The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process.

1571-1581A

Flame reduction process

See Direct reduction

Flash smelting

Experimental and theoretical study of particle dispersion phenomena in a turbulent gas jet of the flash-smelting process by the image analysis technique.

637-646B

Flexural modulus

See Modulus of rupture in bending

Flexural strength

See Modulus of rupture in bending

Flexural vibration

See Fatigue (materials)

Flocculating

Particulates in hydrometallurgy. III. Dewatering behavior of flocculated laterite acid leach residues.

1139-1145B

Flow

See also Fluid flow

Plastic flow

Communication: a permeability length scale for cross flow through model structures.

1091-1092B

An experimental study of process behavior in planar flow melt spinning.

1199-1208B

Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery.

1757-1766A

Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy.

1767-1776A

Flow measurement

Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection.

241-247B

Flow stress

See Yield strength

Fluid flow

See also Gas flow

Turbulent flow

Viscous flow

Analysis of liquid flow through ceramic porous media used for molten metal filtration.

159-171B

Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection.

241-247B

Coupled turbulent flow, heat, and solute transport in continuous casting processes.

731-744B

Numerical study of steady turbulent flow through bifurcated nozzles in continuous casting.

749-765B

Permeability for cross flow through columnar-dendritic alloys.

1049-1056B

Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace.

1057-1067B

The sublimation of an electrically conducting droplet through the use of an external alternating magnetic field.

1209-1216B

Fluidity

See Viscosity

Fluorides, Recovering

The activity of calcium in calcium-metal-fluoride fluxes.

789-794B

Fluxes

Thermodynamics of Na_2O in the molten $CaO-CaF_2-SiO_2$ system.

553-556B

Foaming

Effect of the bubble size and chemical reactions on slag foaming.

803-812B

Effect of carbonaceous particles on slag foaming.

813-819B

Communication: effect of temperature on slag foaming.

1086-1088B

Communication: effect of gas type and pressure on slag foaming.

1088-1091B

Focussons

See Displacements (lattice)

Foil, Fabrication

Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils.

2759-2763A

Foil (metal)

See Foil

Foils (structural shapes)

See Foil

- Forging**
Modeling microstructural development during the forging of Waspaloy. 1795-1803A
- Forgings, Corrosion**
SCC path in forged AerMet 100 steel. 1313-1316A
- Forgings, Microstructure**
Modeling microstructural development during the forging of Waspaloy. 1795-1803A
- Formability**
See also Drawability
A simple technique to generate in-plane forming limit curves and selected applications.
Forming properties and springback evaluation of copper beryllium sheets. 2075-2084A
2111-2121A
- Formability, Composition effects**
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Formation entropy**
See Heat of formation
- Forming**
See also Bending
Drawing
Extrusion
Forging
Stamping
Stretching
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Forming limit**
See Formability
- Foundry practice**
Settling and clustering of silicon carbide particles in aluminum metal matrix composites. 981-989B
Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Fourier analysis**
Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
- Fracture mechanics**
See also Crack opening displacement
J integral
Fracture behavior of quaternary Al-Li-Cu-Mg alloy under mixed mode I/III loading. 1823-1833A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3131-3141A
- Fracture mechanics, Temperature effects**
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Fracture mechanisms**
See Fracture mechanics
- Fracture strength**
Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
Densification behavior of dynamically shock compacted ceramic powder. 2503-2509A
- Fracture strength, Environmental effects**
Embrittlement of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
- Fracture strength, Microstructural effects**
Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo. 703-720A
Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Fracture strength, Stress effects**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite. 209-223A
Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique. 1129-1139A
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
- Fracture testing**
Crack detection by resonant frequency measurements. 1123-1127A
- Fracture toughness**
Fracture behavior of quaternary Al-Li-Cu-Mg alloy under mixed mode I/III loading. 1823-1833A
- Fracture toughness, Alloying effects**
Fracture toughness of gamma-base titanium aluminides. 305-313A
SCC path in forged AerMet 100 steel. 1313-1316A
Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Fracture toughness, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₂Al) in situ composites. 2027-2033A
- Fracture toughness, Cooling effects**
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Fracture toughness, Deformation effects**
Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Fracture toughness, Environmental effects**
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
- Fracture toughness, Heating effects**
The influence of heat treatment on the high-stress abrasion resistance and fracture toughness of alloy white cast irons. 1785-1793A
- Fracture toughness, Microstructural effects**
Ti₂Al in L1₂Al₃Ti-base alloys. 521-524A
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Evidence of shear ligament toughening in TiAl-base alloys. 1407-1418A
Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Fracture toughness, Stress effects**
Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
Fracture toughness of an Al-Li alloy at ambient and cryogenic temperatures. 2269-2274A
Dynamic fracture toughness of 4340 VAR steel under conditions of plane strain. 2527-2543A
Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
Fatigue crack growth behavior of composites. 3199-3210A
- Frames, Materials selection**
Materials, bicycles, and design. 3057-3064A
- Free energy**
See also Activation energy
A mesoscale study on the thermodynamic effect of stress on martensitic transformation. 267-278A
The Fe-Cu system: a thermodynamic evaluation. 417-426A
Determination of the standard Gibbs energy for the reaction of 3BaO(s)+2Cr(s)+2/2O₂(g)=3BaO·Cr₂O₃(s). 557-561B
Gibbs free energy of Ca₃Si₂O₇-a reassessment of electromotive force measurements. 658-660B
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
Potentiometric determination of the Gibbs energies of formation of SrZrO₃ and BaZrO₃. 775-781B
The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
Thermodynamic assessment of the CaO-MgO-SiO₂ system. 2293-2310A
Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of CaNiSi₂O₆. 2311-2315A
Extended vacancy-vacancy liquid model. 2597-2610A
- Free energy of activation**
See Activation energy
- Free energy of dissociation**
See Free energy
Heat of formation
- Free energy of formation**
See Free energy
Heat of formation
- Free energy of reaction**
See Free energy
- Free energy of solution**
See Free energy

- Free energy of transformation**
See Free energy
- Freezing points**
See Melting points
- Friction**
See also Internal friction
Sliding friction
Internal friction in AlCu-Al₂O₃ metal-matrix composites. 1457-1460A
- Functionally gradient materials, Powder technology**
Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
- Fused baths (metals)**
See Metal baths
- Fused salts, Environment**
Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling MgCl₂. 641-646A
- Fusion (melting)**
See Melting
- Fusion welding**
High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
- Galena, Extraction**
The leaching of galena in ferric sulfate media. 219-227B
Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
- Gallium, Casting**
Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
- Gallium compounds, Reactions (chemical)**
Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Galvanic cells**
See Electrolytic cells
- Galvanized steels, Metal working**
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Galvanizing**
Modeling aluminum enrichment in galvanized coatings. 1699-1704A
- Galvannealing**
See Annealing
- Gas flow**
Study of slopping and splashing in a cylindrical bath with top-submerged injection. 887-889B
- Gas metal arc welding**
Heat and metal transfer in gas metal arc welding using argon and helium. 383-395B
Theoretical investigation of penetration characteristics in gas metal-arc welding using finite element method. 611-624B
- Gas permeability**
See Permeability
- Gas phases, Temperature effects**
Potentiometric determination of the Gibbs energies of formation of SiZrO₃ and BaZrO₃. 775-781B
- Gas phases, Welding effects**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Gas turbine engines, Coating**
Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A
- Gas turbine engines, Materials selection**
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Gas turbines**
See Gas turbine engines
- Gibbs free energy**
See Free energy
- Glass**
See also Metallic glasses
- Glass, Phases (state of matter)**
Extensions of a structural model for binary silicate systems. 305-315B
- GMAW**
See Gas metal arc welding
- Gold, Phases (state of matter)**
Investigations on the system sodium-gold. 1025-1027A
- Gouging abrasion, Heating effects**
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
- Government programs**
See Research
- GP zone**
See Guinier Preston zone
- Grades (quality)**
See Quality
- Grain boundaries**
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 547-559A
Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
On grain and subgrain rotations in two dimensions. 1687-1697A
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
- Grain boundaries, Alloying effects**
SCC path in forged AerMet 100 steel. 1313-1316A
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Grain boundaries, Cooling effects**
Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Grain boundaries, Deformation effects**
Microstructural changes during creep of a high chromium steel. 401-406A
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
- Grain boundaries, Environmental effects**
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Grain boundaries, Heating effects**
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Grain boundaries, Stress effects**
Mass transport at interfaces in single component systems. 1917-1929A
- Grain boundary migration, Stress effects**
Microstructural characterization of Ni₃Al processed by reactive atomization and deposition. 817-827A
- Grain boundary sliding**
Communication: study of cooperative grain boundary sliding by using macroscopic market lines. 747-750A
Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
- Grain boundary sliding, Deformation effects**
Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- Grain boundary sliding, Heating effects**
Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
- Grain boundary sliding, Stress effects**
Communication: the grain boundary migration in silver induced by thermal strain. 3048-3049A
- Grain growth**
Simulation of curvature-driven grain growth by using a modified Monte Carlo algorithm. 167-180A
On grain and subgrain rotations in two dimensions. 1687-1697A
Modeling microstructural development during the forging of Waspaloy. 1795-1803A
- Grain growth, Cooling effects**
Two-dimensional grain growth in rapidly solidified succinonitrile films. 1061-1066A
Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Grain growth, Deformation effects**
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A

- Grain growth, Heating effects**
Metalurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- Grain growth, High temperature effects**
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
- Grain growth, Stress effects**
Modeling the hot consolidation of ceramic and metal powders. 2041-2051A
- Grain growth, Welding effects**
Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A
- Grain orientation**
Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
- Grain size**
Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
On grain and subgrain rotations in two dimensions. 1687-1697A
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A
Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A
- Grain size, Alloying effects**
The effect of niobium on the hardenability of microalloyed austenites. 21-30A
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
- Grain size, Composition effects**
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- Grain size, Cooling effects**
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
Multiparticle interfacial drag in equiaxed solidification. 111-119B
Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
- Grain size, Deformation effects**
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
- Grain size, Field effects**
Microstructural anomalies in a W-Ni alloy liquid phase sintered under microgravity conditions. 2484-2486A
- Grain size, High temperature effects**
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
- Grain size, Pressure effects**
Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Grain size, Stress effects**
On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Grain size, Temperature effects**
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Grain size, Welding effects**
Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A
- Grain structure**
See also Dendritic structure
Simulation of curvature-driven grain growth by using a modified Monte Carlo algorithm. 167-180A
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
- High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A
The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms. 3001-3009A
- Grain structure, Cooling effects**
Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
Two-dimensional grain growth in rapidly solidified succinonitrile films. 1061-1066A
Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Grain structure, Deformation effects**
Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
Microstructural changes during creep of a high chromium steel. 401-406A
Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Grain structure, Heating effects**
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
- Grain structure, High temperature effects**
Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A
- Grain structure, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Grain structure, Radiation effects**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Grain structure, Stress effects**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
Characteristics of a new creep regime in polycrystalline NiAl. 343-356A
Microstructural characterization of Ni₃Al processed by reactive atomization and deposition. 817-827A
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
Communication: the grain boundary migration in silver induced by thermal strain. 3048-3049A
- Grain structure, Temperature effects**
High strain, high-strain-rate behavior of tantalum. 2493-2501A
- Grain structure, Welding effects**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Graphite, Composite materials**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Graphitic structure, Stress effects**
Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
- Graphitization**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Gravitation**
Grain agglomeration in solid-liquid mixtures under microgravity conditions. 649-651B

- Microstructural anomalies in a W-Ni alloy liquid phase sintered under microgravity conditions. 2484-2486A
- Gravitation, High temperature effects**
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
- Gravity**
See Gravitation
- Growth rate, Alloying effects**
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 561-580A
- Guinier Preston zone**
Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
- Hall Heroult process**
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Hammers, Casting**
Optimal riser design for metal castings. 871-885B
- Hardenability, Alloying effects**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
- Hardness**
See also Diamond pyramid hardness
Microhardness
Surface hardness
Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A
- Hardness, Alloying effects**
Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Hardness, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
- Hardness, Heating effects**
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
- Hardness, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Hardness, Radiation effects**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Harmonic analysis**
See Fourier analysis
- HAZ**
See Heat affected zone
- Hazelett process**
See Continuous casting
- Heat affected zone**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
Influence of microstructural variations in the weldment on the high-temperature corrosion of 2.25Cr-1Mo steel. 1847-1858A
Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Heat capacity**
See Specific heat
- Heat checking**
See Thermal fatigue
- Heat conductivity**
See Thermal conductivity
- Heat content**
See Enthalpy
- Heat of activation**
See Activation energy
- Heat of decomposition**
See Heat of formation
- Heat of dissociation**
See Heat of formation
- Heat of formation**
Standard enthalpies of formation of neodymium alloys, Nd-Me (Me=nickel, ruthenium, rhodium, lead, iridium, platinum), by high-temperature direct synthesis calorimetry. 275-279B
Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B
Potentiometric determination of the Gibbs energies of formation of SrZrO₃ and BaZrO₃. 775-781B
- Heat resistance**
See Thermal resistance
- Heat resistant steels, Mechanical properties**
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
- Heat transfer**
Heat transfer and microstructure during the early stages of metal solidification. 361-382B
Heat and metal transfer in gas metal arc welding using argon and helium. 383-395B
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
Effect of carbonaceous particles on slag foaming. 813-819B
Optimal riser design for metal castings. 871-885B
Heat transfer in the hot rolling of metals. 1019-1027B
Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B
The sublimation of an electrically conducting droplet through the use of an external alternating magnetic field. 1209-1216B
An asymptotic model of the mold region in a continuous steel caster. 1225-1241B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. I. Experimental measurements on a pilot-scale caster. 1243-1251B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results. 1281-1288B
The effect of thermal contact resistance on the solidification process of a pure metal. 2341-2348A
- Heating furnaces**
The development, verification, and application of a steady-state thermal model for the pusher-type reheating furnace. 851-869B
- Helmholtz free energy**
See Free energy
- Heterogeneous structure**
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Heterogeneous structure, Alloying effects**
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Heterogeneous structure, Deformation effects**
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
- Heterogeneous structure, Environmental effects**
Embrittlement of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
- Heterogeneous structure, Heating effects**
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Heterogeneous structure, High temperature effects**
Extended vacancy-vacancy liquid model. 2597-2610A
- Heterogeneous structure, Temperature effects**
High strain, high-strain-rate behavior of tantalum. 2493-2501A
- Hi smelt process**
See Direct reduction
- High carbon steels, Phases (state of matter)**
Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
- High cycle fatigue, Microstructural effects**
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- High energy electron diffraction**
See Electron diffraction
- High energy milling**
See Mechanical alloying

- High strength low alloy steels, Mechanical properties**
Classification of fatigue crack growth behavior. 1221-1234A
Dynamic fracture toughness of 4340 VAR steel under conditions of plane strain. 2527-2543A
- High strength low alloy steels, Metal working**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- High strength low alloy steels, Microstructure**
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
- High strength low alloy steels, Welding**
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- High strength steels**
See also High strength low alloy steels
- High strength steels, Corrosion**
SCC path in forged AerMet 100 steel. 1313-1316A
- High strength steels, Mechanical properties**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- High temperature**
Alloy design and coarsening phenomenon of L₁₂ precipitates in high-temperature Al-2 at.% (Ti, V, Zr) systems. 1633-1639A
High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
- HIP**
See Hot isostatic pressing
- Historical metallurgy**
A 50 year view of materials science: 30 down and 20 to go. 1021-1024A
- Homogeneous structure, Deformation effects**
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Homogeneous structure, Heating effects**
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
- Homogeneous structure, Radiation effects**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Hot brittleness**
See Brittleness
- Hot compression**
See Hot pressing
- Hot deformation**
See Deformation
- Hot ductility**
See Ductility
- Hot extraction**
See Extraction
- Hot extrusion**
Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A
- Hot gas corrosion, High temperature effects**
Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A
- Hot hardness**
See Hardness
- Hot isostatic pressing**
Communication: Effect of process parameter variability on HIP consolidation of continuous-fiber, metal-matrix composites made from foil/fiber/foil layups. 1906-1908A
Modeling the hot consolidation of ceramic and metal powders. 2041-2051A
- Hot pressing**
See also Hot isostatic pressing
Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- Hot reduction**
See Hot working
- Hot rolling**
Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
Microstructural changes during creep of a high chromium steel. 401-406A
- The development, verification, and application of a steady-state thermal model for the pusher-type reheat furnace. 851-869B
Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
Heat transfer in the hot rolling of metals. 1019-1027B
Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A
- Hot roughing**
See Hot rolling
- Hot shaping**
See Shaping
- Hot shortness**
See Brittleness
- Hot strength**
See Tensile strength
- Hot strip mills**
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
- Hot tensile strength**
See Tensile strength
- Hot working**
See also Hot extrusion
Hot rolling
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Hybrid composites, Mechanical properties**
Temperature-dependence mechanism of tensile strength of Si-Ti-C-O fiber-aluminum matrix composites. 647-652A
- Hydrodynamics**
Extension of the k-ε model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
Heat transport and solidification in the electromagnetic casting of aluminum alloys. I. Experimental measurements on a pilot-scale caster. 1243-1251B
- Hydrogen, Diffusion**
Lengthening kinetics of (0110) γ-TiH precipitates in α-Ti in the temperature range of 25-80°C. 2219-2226A
- Hydrogen, Dopants**
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
- Hydrogen, Environment**
Embrittlement of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A
- Hydrogen embrittlement**
Investigation of deformation field and hydrogen partition around crack tip in fcc single crystal. 731-739A
The role of hydrogen in stress-corrosion cracking of austenitic stainless steel in hot MgCl₂ solution. 1777-1784A
- Hydrogen embrittlement, Composition effects**
Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
- Hydrogen embrittlement, Cooling effects**
Cracking of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ induced by static charging with hydrogen. 191-196A
- Hydrogen embrittlement, Environmental effects**
Embrittlement of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
- Hydrogen embrittlement, Stress effects**
Ductile fracture processes in 7075 aluminum. 407-415A
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
- Hydrogenation**
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
- Hydrolysis**
Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Hydrolytic resistance**
See Corrosion resistance

Hydrometallurgy

- Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B
- The leaching of galena in ferric sulfate media. 219-227B
- The bioleaching of different sulfide concentrates using thermophilic bacteria. 455-465B
- Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Simulation of in situ uraninite leaching. II. The effects of ore grade and deposit porosity. 687-694B
- The role of migration in shrinking-core leaching reactions controlled by pore transport. 901-910B
- Importance of fundamental study in hydrometallurgy. 1109-1122B
- Particulates in hydrometallurgy. I. Characterization of laterite acid leach residues. 1123-1131B
- Particulates in hydrometallurgy. II. Dewatering behavior of unflocculated laterite acid leach residues. 1133-1138B
- Particulates in hydrometallurgy. III. Dewatering behavior of flocculated laterite acid leach residues. 1139-1145B
- Hydrostatic pressure**
- Magnetic shaping of columns of liquid sodium. 1191-1197B
- Hyperutectoid structures**
- Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Hypo-eutectic structures, Cooling effects**
- Microstructural evolution of primary dendrite trunks in directionally solidified, hypo-eutectic, aluminum-silicon alloys. 496-499A
- IR drop**
- See Electric potential
- Ignition**
- Purifying effects and product microstructure in the formation of TiC powder by the self-propagating high-temperature synthesis. 176-179B
- Correction to "Purifying Effects and Product Microstructure in the Formation of TiC Powder by the Self-Propagating High-Temperature Synthesis". 665B
- Ignition, Temperature effects**
- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Ilmenite, Reduction (chemical)**
- Reduction behavior of ilmenite with carbon at 1240°C. 401-403B
- Simultaneous reduction and carburization of ilmenite. 485-494B
- Image analysis**
- Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
- Experimental and theoretical study of particle dispersion phenomena in a turbulent gas jet of the flash-smelting process by the image analysis technique. 637-646B
- Application of image analysis for characterization of spatial arrangements of features in microstructure. 1449-1456A
- Immersion testing (ultrasonic)**
- See Ultrasonic testing
- Impact strength**
- High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
- Impact strength, Heating effects**
- Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Impact toughness**
- See Impact strength
- Impermeability**
- See Permeability
- In situ leaching**
- Simulation of in situ uraninite leaching. II. The effects of ore grade and deposit porosity. 687-694B
- Simulation of in situ uraninite leaching. III. The effects of solution concentration. 695-701B
- Incineration**
- See Combustion
- Inclusions**
- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with CaO-Al₂O₃ slags. 249-256B
- Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B
- Indentation**
- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Indium base alloys, Physical properties**
- Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B

Induction furnaces

See Electric induction furnaces

Inelasticity

See Elasticity

Infiltration

- Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
- Infiltration and wetting of alumina particulate preforms by aluminum and aluminum-magnesium alloys. 1491-1497A
- Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration. 1885-1894A
- Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A

Ingot casting

- Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A

Ingots

- Experimental investigation of thermomechanical effects during direct chill and electromagnetic casting of aluminum alloys. 821-829B

Ingots, Heat treatment

- Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A

Ingots, Mechanical properties

- Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
- Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
- Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A

Ingots, Microstructure

- Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A

Inhibition

- Modeling aluminum enrichment in galvanized coatings. 1699-1704A

Injection

- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B

Injection molding

- Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
- Debinding variables affecting the residual carbon content of injection-molded Fe-2% Ni steels. 133-142A

Interface reactions

- Interfacial tensions of liquid Fe-Ni alloys and stainless steels in contact with CaO-SiO₂-Al₂O₃-based slags at 1550°C. 87-94B
- Density and interfacial tension of liquid Fe-Si alloys. 173-176B
- An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration. 1885-1894A
- Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A
- Interfacial reactions in Al-Mg (5083)/Al₂O₃p composites during fabrication and remelting. 2625-2635A
- Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A

Interface reactions, Alloying effects

- Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A

Interface reactions, Composition effects

- Eutectic spacing selection in the lead-tin eutectic system. 471-476A

Interface reactions, Heating effects

- Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A

Interface reactions, Stress effects

- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Interfaces in continuous filament-reinforced Al₂O₃/NiAl composites. 897-903A

Interfacial surface tension

See Surface tension

Intergranular corrosion, Environmental effects

- The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A

Intergranular fracture

- Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A

Intergranular fracture, Environmental effects

- Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A

- Intergranular fracture, Stress effects**
Experimental assessment of crack-tip dislocation emission models for an $Al_{70}Cr_7Ti_{23}$ intermetallic alloy. 329-341A
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Intergranular fracture, Temperature effects**
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Intermetallic compounds**
See Intermetallics
- Intermetallic phases**
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
 Ti_2Al in $L_{12}Al_3Ti$ -base alloys. 521-524A
Investigations on the system sodium-gold. 1025-1027A
Phase stability and microstructure of Al-Ti-Fe near Al_3Ti . 1029-1033A
Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
Creep-fatigue life prediction of in situ composite solders. 3265-3275A
- Intermetallic phases, Alloying effects**
Deformation and microstructure in L_{10} type Ti-Al-V alloys. 113-131A
Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Intermetallic phases, Composition effects**
Phase equilibria and transformations in a Ti-Zr-Si system. 243-257A
Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- Intermetallic phases, Cooling effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 859-871A
1367-1377A
- Intermetallic phases, Deformation effects**
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
- Intermetallic phases, Heating effects**
The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
Quantification of the Mg_2Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Intermetallic phases, Pressure effects**
Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A
- Intermetallic phases, Stress effects**
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/γ' - α alloy. 2053-2062A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- Intermetallic phases, Welding effects**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Intermetallics, Atomic properties**
Multiple twins of $\tau^2-Al_{13}Co_4$ showing fivefold symmetry. 757-763A
- Intermetallics, Coatings**
Modeling aluminum enrichment in galvanized coatings. 1699-1704A
- Intermetallics, Composite materials**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite. 209-223A
The effect of niobium morphology on the fracture behavior of $MoSi_2/Nb$ composites. 289-303A
Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NIAI(Yb) composites. 477-491A
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
Processing and mechanical properties of Al_2O_3 fiber-reinforced NIAI composites. 615-628A
- Interfaces in continuous filament-reinforced $Al_2O_3/NiAl$ composites. 897-903A
Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
Thermodynamically stable $\beta[Ni(Al,Ti)]-\gamma'[Ni_2AlTi]-\gamma[Ni_3(Al,Ti)]$ metal-metal composites. 1895-1903A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb_3Al) in situ composites. 2027-2033A
Microstructure of the $Ti_3Al(Nb)/TiB$ composite produced by combustion synthesis. 3037-3043A
Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Intermetallics, Crystal lattices**
 Ti_2Al in $L_{12}Al_3Ti$ -base alloys. 521-524A
- Intermetallics, Forming**
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Intermetallics, Mechanical properties**
Microstructure and high-temperature tensile deformation of $TiAl(Si)$ alloys made from elemental powders. 691-701A
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1461-1469A
- Intermetallics, Powder technology**
Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
- Intermetallics, Reactions (chemical)**
Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Intermetallics, Thin films**
The synthesis of nickel aluminides by multilayer self-propagating combustion. 603-610B
- Internal combustion engines**
See Gas turbine engines
- Internal friction**
Mechanisms of internal friction in a Cu-Zn-Al shape memory alloy. 721-724A
- Internal stress**
See Residual stress
- Ion exchanging**
Preparation and characterization of polycrystalline lead-exchanged sodium β'' -alumina and its use as a Pb^{2+} ion-conducting electrolyte for galvanic cells. 1005-1011B
- IR drop**
See Electric potential
- Iron**
See also Pig iron
Materials technology and the materials industry: a critical transition. 1343-1352A
- Iron, Alloying elements**
Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Iron, Binary systems**
The Fe-Cu system: a thermodynamic evaluation. 417-426A
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Iron, Composite materials**
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
- Iron, Diffusion**
Determination of the chemical diffusion of oxygen in liquid iron oxide at 1615°C. 795-802B
- Iron, Extraction**
Calorimetric and Fourier transform infrared spectrophotometric studies of potassium elimination by dunite. 51-58B
The bioleaching of different sulfide concentrates using thermophilic bacteria. 455-465B
Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B

Iron, Heat treatment

- Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
- A study of carbon distribution on the contact zone between two solid solutions. 179-181B

Iron, Powder technology

- Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A

Iron, Quaternary systems

- Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B

Iron, Reactions (chemical)

- Kinetics of the reaction of CH₄ gas with liquid iron. 317-324B
- The chemical kinetics of mechanical alloying. 725-730A
- Thermodynamic properties of the MgAl₂O₄-MnAl₂O₄ spinel solid solution. 1013-1017B

Iron, Reduction (chemical)

- Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B

Iron, Ternary systems

- Phase stability and microstructure of Al-Ti-Fe near Al₃Ti. 1029-1033A
- Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A

Iron, Transport properties

- The effect of surface movements on nitrogen mass transfer in liquid iron. 971-980B

Iron, Welding

- A general model for partitioning of gases between a metal and its plasma environment. 149-157B

Iron base alloys

- See Ferrous alloys

Iron compounds

- See also Iron oxides
- Pyrite

Iron compounds, Coatings

- Modeling aluminum enrichment in galvanized coatings. 1699-1704A

Iron compounds, Mechanical properties

- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A

Iron ores

- See also Pyrite

Iron ores, Extraction

- Role of ore/carbon contact and direct reduction in the reduction of iron oxide by carbon. 400-401B

Iron oxides, Reduction (chemical)

- Role of ore/carbon contact and direct reduction in the reduction of iron oxide by carbon. 400-401B
- Thermoanalysis of the combined Fe₃O₄-reduction and CH₄-reforming processes. 509-515B

Iron powder

- See Iron

Ironmaking

- Calorimetric and Fourier transform infrared spectrophotometric studies of potassium elimination by dunite. 51-58B
- Effect of the bubble size and chemical reactions on slag foaming. 803-812B

Isomer shift

- See Mossbauer spectroscopy

Isothermal treatment

- See also Austempering
- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A

J Integral, Stress effects

- Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
- Fracture toughness of an Al-Li alloy at ambient and cryogenic temperatures. 2269-2274A

Jacks (electrical)

- See Electric connectors

Jet engines

- See Gas turbine engines

Junghans Rossi casting

- See Continuous casting

Kinetics

- See also Reaction kinetics

- The leaching of galena in ferric sulfate media. 219-227B
- Studies on kinetics of low-temperature chlorination of ZnO₂ by gaseous carbon tetrachloride. 235-240B
- Kinetics of the reaction of CH₄ gas with liquid iron. 317-324B
- Kinetics of oxidation of carbon in liquid iron-carbon-silicon-manganese-sulfur alloys by carbon dioxide in nitrogen. 335-344B
- Role of ore/carbon contact and direct reduction in the reduction of iron oxide by carbon. 400-401B
- Oxidation of cobaltite: II. Kinetics. 523-527B
- Kinetic studies of reduction of CoO and CoWO₄ by hydrogen. 547-553B
- Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. I. Comparison with past literature. 911-918B
- Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. II. Application of plug flow concepts. 919-924B
- Kinetics for reaction of low-carbon steel melts with CO-CO₂ gas mixtures using nonlinear rate equations. 997-1004B
- A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Recrystallization in copper: comparison between techniques. 1717-1724A

Krupp Renn process

- See Direct reduction

Ladle metallurgy

- The impact of bubble dynamics on the flow in plumes of ladle water models. 625-635B

Lamellar structure

- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Evidence of shear ligament toughening in TiAl-base alloys. 1407-1418A
- Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V. 2947-2959A
- Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A

Lamellar structure, Alloying effects

- Fracture toughness of gamma-base titanium aluminides. 305-313A

Lamellar structure, Composition effects

- Eutectic spacing selection in the lead-tin eutectic system. 471-476A

Lamellar structure, Cooling effects

- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A

Lamellar structure, Deformation effects

- Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C. 2961-2972A

Lamellar structure, Heating effects

- Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy. 2611-2615A

Lamina

- See Laminates

Laminated steels, Magnetic properties

- Magnetic anisotropy predictions from texture measurements using a selected-depth technique. 1535-1542A

Laminates

- See also Laminated steels

Laminates, Development

- Design of multiscalar metallic multilayer composites for high strength, high toughness, and low CTE mismatch. 1805-1813A

Laminates, End uses

- An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A

Laminates, Mechanical properties

- Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
- Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. 1167-1181A

Laminates, Physical properties

- Damping and acoustic harmonics in cracked laminated composites. 2825-2831A

Lances

- Study of slopping and splashing in a cylindrical bath with top-submerged injection. 887-889B

Lanthanide metals

- See Rare earth metals

Lanthanum, Ternary systems

- The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A

Laser beam hardening

- Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A

- Laser beam melting**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Laser beam welding**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
Temperatures in the keyhole. 1029-1033B
- Laser processing**
See also Laser beam hardening
Laser beam melting
Laser beam welding
Determination of the absorptivity of Al-33Cu wt.% alloy during laser treatment by an inverse method. 660-663B
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Laser welding**
See Laser beam welding
- Lattice constant**
See Lattice parameters
- Lattice defects**
See Crystal defects
- Lattice displacements**
See Displacements (lattice)
- Lattice parameters**
Analysis of liquid flow through ceramic porous media used for molten metal filtration. 159-171B
Purifying effects and product microstructure in the formation of TiC powder by the self-propagating high-temperature synthesis. 176-179B
Deformation-induced martensitic characteristics in 304 and 316 stainless steels during room-temperature rolling. 661-671A
Correction to "Purifying Effects and Product Microstructure in the Formation of TiC Powder by the Self-Propagating High-Temperature Synthesis". 665B
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Lattice parameters, Composition effects**
Phase equilibria and transformations in a Ti-Zr-Si system. L-J phase in a $\text{Cu}_{22}\text{Mn}_{10.8}\text{Al}$ alloy. 243-257A
1353-1365A
- Lattice parameters, Deformation effects**
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Lattice parameters, Heating effects**
Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
- Lattice parameters, Stress effects**
Characteristics of a new creep regime in polycrystalline NiAl. Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 343-356A
817-827A
- Lattice parameters, Temperature effects**
Computer simulation of local lattice distortion in Cu-Au solid solution. 11-19A
Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A
- Lattice parameters, Welding effects**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Lattice vacancies, Alloying effects**
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Lattice vacancies, Heating effects**
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
- Lattice vacancies, High temperature effects**
Extended vacancy-vacancy liquid model. 2597-2610A
- Lattice vacancies, Stress effects**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Laves phase**
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Laves phase, Stress effects**
Defect structures and nonbasal slip of C36 laves phase MgNi_2 in a two-phase alloy. 1441-1447A
- Leaching**
See also Acid leaching
Bacterial leaching
Pressure leaching
The leaching of galena in ferric sulfate media. 219-227B
Oxidation of cobaltite: I. Process mineralogy. 517-522B
The role of migration in shrinking-core leaching reactions controlled by pore transport. 901-910B
Importance of fundamental study in hydrometallurgy. 1109-1122B
- Lead (metal), Binary systems**
Eutectic spacing selection in the lead-tin eutectic system. 471-476A
Extended vacancy-vacancy liquid model. 2597-2610A
- Lead (metal), Brazing**
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
- Lead (metal), Crystal growth**
Electrical resistivity of lead and Pb-10 wt.% tin during solidification. 741-745A
- Lead (metal), Electrochemistry**
Preparation and characterization of polycrystalline lead-exchanged sodium β -alumina and its use as a Pb^{2+} ion-conducting electrolyte for galvanic cells. 1005-1011B
- Lead base alloys, Casting**
Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
- Lead base alloys, Crystal growth**
Electrical resistivity of lead and Pb-10 wt.% tin during solidification. 741-745A
- Lead base alloys, Transport properties**
An experimental study of process behavior in planar flow melt spinning. 1199-1208B
- Lead burning**
See Fusion welding
- Lead ores, Extraction**
Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
- Levitation**
Levitation of liquid sodium droplets. 1183-1190B
- Lifetime**
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- Line defects**
See Dislocations
- Liquid liquid extraction**
Interfacial effects of surface-active agents under zinc pressure leach conditions. 5-12B
- Liquid metal forging**
See Squeeze casting
- Liquid metals, Physical properties**
An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Liquid metals, Reactions (chemical)**
Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with $\text{CaO-Al}_2\text{O}_3$ slags. 249-256B
Kinetics of the reaction of CH_4 gas with liquid iron. 317-324B
- Liquid metals, Thermal properties**
Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus. 467-484B
- Liquid phase diffusion**
See Diffusion
- Liquid phase sintering**
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
A mathematical model for gravity-induced distortion during liquid-phase sintering. 653-659A
The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
Correction to "A Mathematical Model for Gravity-Induced Distortion During Liquid-Phase Sintering". 1909A
Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A

- Microstructural anomalies in a W-Ni alloy liquid phase sintered under microgravity conditions. 2484-2485A
- The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
- Liquid phases**
- Density and interfacial tension of liquid Fe-Si alloys. 173-176B
- Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
- The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
- Thermodynamic assessment of the CaO-MgO-SiO₂ system. 2293-2310A
- Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
- Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
- Liquid phases, Alloying effects**
- Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Liquid phases, Composition effects**
- Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B
- Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- Liquid phases, Cooling effects**
- Multiparticle interfacial drag in equiaxed solidification. The Fe-Cu system: a thermodynamic evaluation. 111-119B
- 417-426A
- Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
- Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
- Theory of layered-structure formation in peritectic systems. 1583-1589A
- Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
- Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
- Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Liquid phases, Heating effects**
- Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Liquid phases, Temperature effects**
- Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
- Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification. 745-748B
- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel. 2373-2388A
- Transition and equilibrium processes in metal-ceramic particle systems. 3021-3025A
- Liquid phases, Welding effects**
- Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A
- Liquidus, Composition effects**
- Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
- Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
- Liquidus, Temperature effects**
- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- Lithium compounds, Reactions (chemical)**
- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Lixivation**
- See Leaching
- Load distribution**
- See Loads (forces)
- Loads (forces)**
- Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A
- Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
- Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
- Fracture toughness of an Al-Li alloy at ambient and cryogenic temperatures. 2269-2274A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- The transverse creep deformation and failure characteristics of SCS-8/T-6Al-4V metal matrix composites at 482°C. 2733-2744A
- Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3131-3141A
- Fatigue crack growth behavior of composites. 3199-3210A
- Loops (dislocation)**
- See Dislocation loops
- Low alloy steels**
- See also High strength low alloy steels
- Low alloy steels, Phase transformations**
- Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 561-580A
- Low alloy steels, Phases (state of matter)**
- Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 547-559A
- Low alloy steels, Rolling**
- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Low alloy steels, Welding**
- Catalyst effects in heterogeneous nucleation of acicular ferrite. 525-534A
- Low carbon steels, Coating**
- Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Low carbon steels, Mechanical properties**
- Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A
- Low carbon steels, Phases (state of matter)**
- The effect of niobium on the hardenability of microalloyed austenite. 21-30A
- Low carbon steels, Reactions (chemical)**
- Kinetics for reaction of low-carbon steel melts with CO-CO₂ gas mixtures using nonlinear rate equations. 997-1004B
- Low carbon steels, Rolling**
- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
- Low cycle fatigue, Deformation effects**
- Influence of subsolvus thermomechanical processing on the low-cycle fatigue properties of HAYNES 230 alloy. 673-689A
- Low cycle fatigue, Microstructural effects**
- High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- Low cycle fatigue, Stress effects**
- High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Magnesium**
- Materials technology and the materials industry: a critical transition. 1343-1352A
- Magnesium, Extraction**
- Solid electrolyte sensor for measuring magnesium in molten aluminum. 1289-1291B
- Magnesium, Ternary systems**
- The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
- Magnesium base alloys, Casting**
- The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
- Magnesium base alloys, Composite materials**
- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Magnesium base alloys, Structural hardening**
- Precipitation hardening of Mg-Zn and Mg-Zn-RE alloys. 1705-1716A
- Magnesium compounds, Mechanical properties**
- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Magnetic anisotropy, Microstructural effects**
- Magnetic anisotropy predictions from texture measurements using a selected-depth technique. 1535-1542A
- Magnetic anisotropy, Stress effects**
- Magnetomechanical damping in giant magnetostriiction alloys. 2797-2801A

Magnetic domains, Heating effects

- On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A

Magnetic fields

- Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
The sublimation of an electrically conducting droplet through the use of an external alternating magnetic field. 1209-1216B

Magnetic flux welding

- See Gas metal arc welding

Magnetic force

- See Magnetic fields

Magnetic permeability, Microstructural effects

- Magnetic anisotropy predictions from texture measurements using a selected-depth technique. 1535-1542A

Magnetic susceptibility

- See Magnetic permeability

Magnetization

- Magnetic properties of maraging steels in relation to nickel concentration. 1869-1876A

Magnetization, Stress effects

- Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A

Magnetoacoustic effect

- See Magnetoelastic effect

Magnetoelastic effect

- See also Magnetostriction
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A

Magnetomechanical properties

- See Magnetoelastic effect

Magnetostriction, Heating effects

- On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A

Magnetostriction, Stress effects

- Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A

Malcomizing

- See Nitriding

Manganese, Alloying elements

- Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A

Manganese, Binary systems

- Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A

Manganese, Quaternary systems

- Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A

Manganese ores, Production

- Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B

Manganese steels

- See also Silicon manganese steels

Manganese steels, Heat treatment

- Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A

Manual metal arc welding

- See Shielded metal arc welding

Maraging steels, Magnetic properties

- Magnetic properties of maraging steels in relation to nickel concentration. 1869-1876A

Martensite

- Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A

Martensite, Coating effects

- Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A

Martensite, Crystal lattices

- Deformation-induced martensitic characteristics in 304 and 316 stainless steels during room-temperature rolling. 661-671A

Martensite, Deformation effects

- Microstructural changes during creep of a high chromium steel. 401-406A

Martensite, Heating effects

- Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A

- Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
Communication: microstructural stability of the ($\alpha+\beta$) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2751-2755A

Martensite, Radiation effects

- Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A

Martensite, Stress effects

- Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A

Martensite, Temperature effects

- Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A

Martensitic stainless steels, Mechanical properties

- The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A

Martensitic stainless steels, Physical properties

- Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. 563-567B

Martensitic transformations

- Deformation-induced martensitic characteristics in 304 and 316 stainless steels during room-temperature rolling. 661-671A
Mechanisms of internal friction in a Cu-Zn-Al shape memory alloy. 721-724A

Martensitic transformations, Cooling effects

- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A

Martensitic transformations, Diffusion effects

- Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A

Martensitic transformations, Stress effects

- A mesoscale study on the thermodynamic effect of stress on martensitic transformation. 267-278A
Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A

Martensitic transformations, Temperature effects

- Damping characteristics of Ti₅₀Ni_{49.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
Effects of self-accommodation and plastic accommodation in martensitic transformations and morphology of martensites. 1979-1985A

Martensitic transformations, Vibration effects

- Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A

Mass transfer

- Kinetics of the reaction of CH₄ gas with liquid iron. 317-324B
The effect of surface movements on nitrogen mass transfer in liquid iron. 971-980B

Mathematical analysis

- The Fe-Cu system: a thermodynamic evaluation. 417-426A

Mathematical models

- Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B
Oxidation kinetics of molten copper sulfide. 25-40B
Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
The effect of alumina in slag on manganese and silicon distributions in silicomanganese smelting. 59-65B
Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B
Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
Analysis of liquid flow through ceramic porous media used for molten metal filtration. 159-171B
Simulation of curvature-driven grain growth by using a modified Monte Carlo algorithm. 167-180A
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
Extensions of a structural model for binary silicate systems. 305-315B
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A

- Eutectic spacing selection in the lead-tin eutectic system. 471-476A
- Extension of the k - z model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
- The impact of bubble dynamics on the flow in plumes of ladle water models. 625-635B
- Experimental and theoretical study of particle dispersion phenomena in a turbulent gas jet of the flash-smelting process by the image analysis technique. 637-646B
- Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling $MgCl_2$. 641-646A
- Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
- Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
- Mathematical model of chalcocite particle combustion. 719-729B
- Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
- Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification. 745-748B
- The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
- Effect of carbonaceous particles on slag foaming. 813-819B
- Renewal creep theory. 829-843A
- Optimal riser design for metal castings. 871-885B
- Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
- On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- Investigations on the system sodium-gold. 1025-1027A
- Mathematical modeling of the zinc pressure leach process. 1035-1047B
- Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
- Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B
- Mathematical modelling of macrosegregation of iron carbon binary alloy: role of double diffusive convection. 1069-1081B
- Crack detection by resonant frequency measurements. 1123-1127A
- Levitation of liquid sodium droplets. 1183-1190B
- Magnetic shaping of columns of liquid sodium. 1191-1197B
- The sublimation of an electrically conducting droplet through the use of an external alternating magnetic field. 1209-1216B
- An asymptotic model of the mold region in a continuous steel caster. 1225-1241B
- A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. I. The mathematical model. 1263-1270B
- A three-dimensional mathematical model of electromagnetic casting and testing against a physical model. II. Results from a physical model and testing of the mathematical model. 1271-1279B
- Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results. 1281-1288B
- An analysis for spreading kinetics of liquid metals on solids. L-J phase in a $Cu_{22}Mn_{10}Al$ alloy. 1307-1311A
- Application of image analysis for characterization of spatial arrangements of features in microstructure. 1353-1365A
- Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1449-1456A
- Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1461-1469A
- The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process. 1499-1505A
- Modeling aluminum enrichment in galvanized coatings. 1571-1581A
- The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1699-1704A
- Mass transport at interfaces in single component systems. Quantification of the Mg_2Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1815-1821A
- Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1917-1929A
- Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1931-1937A
- Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 1987-1992A
- Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 1993-2000A
- Viscoelastic spectra of $Cd_{0.67}Mg_{0.33}$ in torsion and bending. 2007-2025A
- Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/γ' alloy. 2027-2033A
- Forming properties and springback evaluation of copper beryllium sheets. 2035-2039A
- 2053-2062A
- 2111-2121A
- Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone. 2123-2130A
- Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
- Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
- The effect of thermal contact resistance on the solidification process of a pure metal. 2341-2348A
- Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel. 2373-2388A
- Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
- Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
- Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
- High strain, high-strain-rate behavior of tantalum. 2493-2501A
- Densification behavior of dynamically shock compacted ceramic powder. 2503-2509A
- The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Extended vacancy-vacancy liquid model. 2597-2610A
- Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Constitutive modeling for CdTe single crystals. 2687-2697A
- Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A
- Anelastic relaxation in Al-4 wt.% $Cu-Al_2O_3$ fiber-reinforced composites. 2745-2749A
- Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites. 2773-2783A
- Resonance apparatus for damping measurements. 2819-2823A
- Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A
- Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A
- Transition and equilibrium processes in metal-ceramic particle systems. 3021-3025A
- Micromechanics effects in creep of metal-matrix composites. 3081-3089A
- The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A
- Creep strengthening in a discontinuous SiC-Al composite. 3119-3129A
- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
- Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Mattes**
- The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B
- Mechanical alloying**
- The chemical kinetics of mechanical alloying. 725-730A
- Amorphization promoted by mechanical alloying of aluminum-rich Al-Ti-Fe mixed powders. 1305-1307A
- Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- The effects of ball size distribution on attritor efficiency. 2389-2397A
- Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
- Modeling of mechanical alloying. III. Applications of computational programs. 2437-2444A
- Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
- Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Communication: direct evidence for combustion reaction on TiNi/TiC composites formation by mechanical alloying. 2755-2759A
- Melt spinning**
- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- An experimental study of process behavior in planar flow melt spinning. 1199-1208B
- Melting**
- See also Laser beam melting
- Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A
- Melting points**
- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B
- Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B
- Melting points, Pressure effects**
- The chemistry of solutions of CeO_2 in cryolite melts. 81-86B
- Melts**
- See also Liquid metals
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- Melts, Rheological properties**
- Direct simulation of initial filtration phenomena within highly porous media. 537-546B

- Memory (shape)**
See Shape memory
- Mercury, Binary systems**
Extended vacancy-vacancy liquid model. 2597-2610A
- Mercury (metal)**
See Mercury
- Metal baths**
Study of slopping and splashing in a cylindrical bath with top-submerged injection. 887-889B
- Metal inert gas welding**
See Gas metal arc welding
- Metal sponge**
See Sponge metal
- Metallic compounds**
See Intermetallics
- Metallic glasses, Mechanical properties**
Cracking of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ induced by static charging with hydrogen. 191-198A
Embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_4\text{B}_{18}$ alloy by electrolytic hydrogen. 197-201A
Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Metallographic structures**
See Microstructure
- Metallographs**
See Metallography
- Metallography**
See also Image analysis
Can the average particle section size in a metallographic plane be larger than the true average particle size in a three-dimensional microstructure? 1741-1744A
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
- Metallurgical analysis**
See Quantitative analysis
- Metallurgical coke, Physical properties**
Discussion of "thermodynamic stability of metallurgical coke relative to graphite" and author's reply. 655-658B
- Metallurgy**
A 50 year view of materials science: 30 down and 20 to go. 1021-1024A
- Metastable phases**
Thermodynamic assessment of the CaO-MgO-SiO_2 system. 2293-2310A
- Metastable phases, Cooling effects**
The Fe-Cu system: a thermodynamic evaluation. 417-426A
On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A
Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Metastable phases, Heating effects**
Transformation of Ba-Al-Si precursors to Celsius by high-temperature oxidation and annealing. 135-148B
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Metastable phases, Pressure effects**
Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Metastable phases, Radiation effects**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Microalloyed steels**
See High strength low alloy steels
- Microbial leaching**
See Bacterial leaching
- Microcracking**
See Crack initiation
- Microhardness**
Debinding variables affecting the residual carbon content of injection-molded Fe-2% Ni steels. 133-142A
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
- Microhardness, Alloying effects**
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A
- Microhardness, Heating effects**
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
- Microhardness, Microstructural effects**
Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
Shock consolidation of mechanically alloyed amorphous Ti-Si powders. 2565-2569A
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Microhardness, Pressure effects**
Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Microhardness, Radiation effects**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Microparticles**
See Particles
- Microshrinkage**
See Shrinkage
- Microstructure**
See also Amorphous structure
Crystal structure
Dislocation density
Grain orientation
Grain size
Grain structure
Graphitic structure
Heterogeneous structure
Homogeneous structure
Hypoeutectic structures
Lamellar structure
Spheroidal structure
Texture
Application of image analysis for characterization of spatial arrangements of features in microstructure. 1449-1456A
The effects of ball size distribution on attritor efficiency. 2389-2397A
- Microstructure, Alloying effects**
Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
- Microstructure, Heating effects**
The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
- Microstructure, Stress effects**
Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Mig arc welding**
See Gas metal arc welding
- MIG welding**
See Gas metal arc welding
- Migration**
See Diffusion
- Mild carbon steels**
See Low carbon steels
- Mild steels**
See Carbon steels
- Mill scale**
See Scale (corrosion)
- Mineralogy**
Oxidation of cobaltite: I. Process mineralogy. 517-522B
Oxidation of cobaltite: II. Kinetics. 523-527B
- Mixing**
See also Mechanical alloying
Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
- Modulus of elasticity**
Crack detection by resonant frequency measurements. 1123-1127A
Resonance apparatus for damping measurements. 2819-2823A
- Modulus of elasticity, Heating effects**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Modulus of elasticity, High temperature effects**
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Modulus of elasticity, Microstructural effects**
High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A

- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Modulus of elasticity, Stress effects**
Viscoelastic spectra of $\text{Cd}_{0.87}\text{Mg}_{0.33}$ in torsion and bending. 2035-2039A
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A
- Modulus of elasticity, Temperature effects**
Damping characteristics of $\text{Ti}_{50}\text{Ni}_{49.5}\text{Fe}_{0.5}$ and $\text{Ti}_{50}\text{Ni}_{40}\text{Cu}_{10}$ ternary shape memory alloys. 851-858A
- Modulus of rigidity**
See Shear modulus
- Modulus of rupture in bending, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi_2/Nb composites. 289-303A
- Modulus of rupture in bending, Stress effects**
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior. 3249-3256A
- Modulus of shear**
See Shear modulus
- Modulus of torsion**
See Shear modulus
- Moistening**
See Wetting
- Moisture**
See Water
- Molding (process), Composition effects**
Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- Molten metal baths**
See Metal baths
- Molten metals**
See Liquid metals
- Molten salts**
See Fused salts
- Molybdenum, Alloying elements**
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
SCC path in forged AerMet 100 steel. 1313-1316A
- Molybdenum, Binary systems**
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Molybdenum, Brazing**
Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Molybdenum, Extraction**
Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
- Molybdenum, Heat treatment**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Molybdenum, Physical properties**
An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Molybdenum, Powder technology**
Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms. 3001-3009A
Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 3011-3019A
- Molybdenum, Recovering**
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B
- Molybdenum, Recovery**
Solubilities of molybdenum in liquid tin. 654-655B
- Molybdenum chromium steels**
See Chromium molybdenum steels
- Molybdenum compounds, Composite materials**
The effect of niobium morphology on the fracture behavior of MoSi_2/Nb composites. 289-303A
- Monel**
See Nickel base alloys
- Mossbauer spectroscopy**
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mossbauer spectrometry. 2983-2989A
- Moulding (process)**
See Molding (process)
- Multiaxial stress**
See Axial stress
- Multilayers**
The synthesis of nickel aluminides by multilayer self-propagating combustion. 603-610B
- Multilayers, Composite materials**
Design of multiscalar metallic multilayer composites for high strength, high toughness, and low CTE mismatch. 1805-1813A
- Neel point, Heating effects**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Neel point, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
- Neel temperature**
See Neel point
- Neodymium base alloys, Physical properties**
Standard enthalpies of formation of neodymium alloys, Nd+Me (Me=nickel, ruthenium, rhodium, lead, iridium, platinum), by high-temperature direct synthesis calorimetry. 275-279B
- Neutron diffraction**
The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
- New technology**
Materials technology and the materials industry: a critical transition. 439-448B
- Nickel, Binary systems**
Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry. 259-265A
- Nickel, Composite materials**
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 589-599A
- Nickel, Heat treatment**
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
- Nickel, Mechanical properties**
Investigation of deformation field and hydrogen partition around crack tip in fcc single crystal. 731-739A
- Nickel, Powder technology**
Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms. 3001-3009A
Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 3011-3019A
- Nickel, Quaternary systems**
Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- Nickel, Reactions (chemical)**
Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with $\text{CaO-Al}_2\text{O}_3$ slags. 249-256B
Thermodynamic properties of the $\text{MgAl}_2\text{O}_4\text{-MnAl}_2\text{O}_4$ spinel solid solution. 1013-1017B
- Nickel, Recovering**
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrotreating catalysts by selective chlorination. 41-50B
- Nickel, Ternary systems**
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Nickel, Thermal properties**
Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B
- Nickel base alloys, Casting**
Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A
- Nickel base alloys, Coating**
Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A
- Nickel base alloys, Composite materials**
Thermodynamically stable $\beta[\text{Ni}(\text{Al}, \text{Ti})]\text{-}\beta'[\text{Ni}_2\text{AlTi}]\text{-}\gamma[\text{Ni}_3(\text{Al}, \text{Ti})]$ metal-metal composites. 1895-1903A
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A
NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior. 2833-2847A

- Nickel base alloys, Corrosion**
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Nickel base alloys, Forging**
Modeling microstructural development during the forging of Waspaloy. 1795-1803A
- Nickel base alloys, Heat treatment**
Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Nickel base alloys, Materials substitution**
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Nickel base alloys, Mechanical properties**
Influence of subsolvus thermomechanical processing on the low-cycle fatigue properties of HAYNES 230 alloy. 673-689A
Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/α alloy. 2053-2062A
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
Effect of crack surface geometry on fatigue crack closure. 2651-2663A
- Nickel base alloys, Microstructure**
Defect structures and nonbasal slip of C36 laves phase $MgNi_2$ in a two-phase alloy. 1441-1447A
- Nickel base alloys, Oxidation**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Nickel base alloys, Phase transformations**
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- Nickel base alloys, Phases (state of matter)**
Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
- Nickel base alloys, Physical properties**
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Nickel base alloys, Powder technology**
Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
- Nickel base alloys, Refining**
Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with $CaO-Al_2O_3$ slags. 249-256B
- Nickel base alloys, Welding**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Nickel compounds, Composite materials**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite. 209-223A
Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NIAI(Yb) composites. 477-491A
Processing and mechanical properties of Al_2O_3 fiber-reinforced NIAI composites. 615-628A
Interfaces in continuous filament-reinforced Al_2O_3 /NIAI composites. 897-903A
- Nickel compounds, Mechanical properties**
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Nickel compounds, Powder technology**
Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
- Nickel compounds, Thin films**
The synthesis of nickel aluminides by multilayer self-propagating combustion. 603-610B
- Nickel steels, Phase transformations**
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 561-580A
- Nickel steels, Phases (state of matter)**
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 547-559A
- Niobium, Alloying elements**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
Fracture toughness of gamma-base titanium aluminides. 305-313A
A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Niobium, Composite materials**
The effect of niobium morphology on the fracture behavior of $MoSi_2$ /Nb composites. 289-303A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
- Niobium, Mechanical properties**
The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Niobium, Welding**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Niobium base alloys, Composite materials**
Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
- Niobium compounds, Composite materials**
Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
- Niobium compounds, Forming**
Communication: Intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Nitriding**
Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
- Nitrocarburizing**
See Carbonitriding
- Nitrogen, Dopants**
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
- Nodular iron, Heat treatment**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
- Nodular iron, Mechanical properties**
An investigation of the mechanical damping of ductile iron. 2785-2790A
- Nonferrous smelting**
See Smelting
- Notch brittleness**
See Brittleness
- Notch ductility**
See Ductility
- Notch impact strength**
See Impact strength
- Notched bar tensile test**
See Tension tests
- Notched bend test**
See Bend tests
- Nuclear fuels, Extraction**
Solubilities of molybdenum in liquid tin. 654-655B
- Nucleation**
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 547-559A
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 561-580A
Modeling aluminum enrichment in galvanized coatings. 1699-1704A
- Nucleation, Alloying effects**
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Nucleation, Cooling effects**
Theory of layered-structure formation in peritectic systems. 1583-1589A
Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A
Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Nucleation, Deformation effects**
Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A

- Nucleation, Heating effects**
The effect of annealing temperature on the recrystallization kinetics of commercially pure aluminum. 2185-2187A
- Nucleation, Stress effects**
Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
- Nuclei (transformation)**
See Nucleation
- Offshore structures, Materials selection**
Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Offshore structures, Mechanical properties**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Optical microscopy**
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
- Order disorder**
Investigations on the system sodium-gold. 1025-1027A
- Order disorder, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
- Ordered alloys**
See Intermetallics
- Ordering**
See Order disorder
- Orientation relationships**
Catalyst effects in heterogeneous nucleation of acicular ferrite. 525-534A
X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading. 629-632A
Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
- Oscillations**
Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
- Ostwald ripening**
Grain agglomeration in solid-liquid mixtures under microgravity conditions. 649-651B
Alloy design and coarsening phenomenon of L₁₂ precipitates in high-temperature Al-2 at.% (Ti,V,Zr) systems. 1633-1639A
- Oxidation**
Kinetics of pyrite oxidation in sodium carbonate solutions. The equilibrium oxygen pressure over the Cr-Y₂O₃-YCrO₃ coexistence measured with the galvanic cell using stabilized ZrO₂ solid electrolyte. 209-218B
Kinetics of oxidation of carbon in liquid iron-carbon-silicon-manganese-sulfur alloys by carbon dioxide in nitrogen. 289-294B
Oxidation of cobaltite: I. Process mineralogy. 335-344B
Oxidation of cobaltite: II. Kinetics. 517-522B
Determination of the chemical diffusion of oxygen in liquid iron oxide at 1615°C. 523-527B
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. I. Comparison with past literature. 795-802B
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. II. Application of plug flow concepts. 911-918B
Oxidation of ductile particle reinforced Ti-48Al composite. 919-924B
Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 1835-1845A
2637-2649A
- Oxidation, Cooling effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Oxidation, Diffusion effects**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Oxidation, Environmental effects**
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
- Oxidation, Heating effects**
Transformation of Ba-Al-Si precursors to Celsian by high-temperature oxidation and annealing. 135-148B
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
- Oxidation, Microstructural effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
Influence of microstructural variations in the weldment on the high-temperature corrosion of 2.25Cr-1Mo steel. 1847-1858A
- Oxidation, pH effects**
Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Oxidation, Pressure effects**
The chemistry of solutions of CeO₂ in cryolite melts. 81-86B
- Oxidation, Welding effects**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Oxidation rate, Temperature effects**
Oxidation kinetics of molten copper sulfide. 25-40B
- Oxidation resistance, Coating effects**
Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A
- Oxidation resistance, Pressure effects**
The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Oxides**
See also Aluminum oxide
Iron oxides
- Oxides, Reactions (chemical)**
Activities of MnO in CaO-SiO₂-Al₂O₃-MnO (< 10%)-Fe₂O₃ (< 3%) slags saturated with liquid iron. 295-303B
Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B
The chemical kinetics of mechanical alloying. 725-730A
- Oxidizing**
See Oxidation
- Oxygen**
Electricity in the production of metals: from aluminum to zinc. 189-208B
- Oxygen, Diffusion**
Determination of the chemical diffusion of oxygen in liquid iron oxide at 1615°C. 795-802B
- Oxygen, Environment**
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
- Oxygen, Quaternary systems**
The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B
- Oxygen pressure leaching**
Interfacial effects of surface-active agents under zinc pressure leach conditions. 5-12B
- Pack cementation**
The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Pack rolling**
Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy. 371-381A
- Packet rolling**
See Pack rolling
- Packing (amorphous structure)**
See Amorphous structure
- Packing (crystal density)**
See Crystal structure
- Packing (liquid structure)**
See Atomic structure
- Palladium base alloys, Physical properties**
Enthalpies of formation of liquid and solid (palladium+indium) alloys. 767-773B
- Paramagnetism, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
- Partial pressure**
The equilibrium oxygen pressure over the Cr-Y₂O₃-YCrO₃ coexistence measured with the galvanic cell using stabilized ZrO₂ solid electrolyte. 289-294B
- Particle size**
Particulates in hydrometallurgy. I. Characterization of laterite acid leach residues. 1123-1131B
- Particle size distribution**
Can the average particle section size in a metallographic plane be larger than the true average particle size in a three-dimensional microstructure? 1741-1744A
- Particles**
Transition and equilibrium processes in metal-ceramic particle systems. 3021-3025A
- Particulate composites, Chemical analysis**
Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy. 1595-1597A
- Particulate composites, Fabrication**
Interfacial reactions in Al-Mg (5083)/Al₂O₃p composites during fabrication and remelting. 2625-2635A
Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A

Particulate composites, High temperature effects

- Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A

Particulate composites, Mechanical properties

- Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
- Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure. 159-166A
- The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
- Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at % Si alloy. 1167-1181A
- Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 1767-1776A
- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2027-2033A
- Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2445-2455A
- The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C. 2545-2553A
- The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2733-2744A
- A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 2911-2921A
- Micromechanics effects in creep of metal-matrix composites. The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3067-3079A
- Creep strengthening in a discontinuous SiC-Al composite. Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3081-3089A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3107-3118A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3119-3129A
- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3131-3141A
- Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3143-3154A
- Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3155-3162A
- Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3163-3176A
- Fatigue crack growth behavior of composites. Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3177-3182A
- 3183-3190A
- 3191-3198A
- 3199-3210A
- 3257-3264A

Particulate composites, Metal working

- Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A

Particulate composites, Microstructure

- Can the average particle section size in a metallographic plane be larger than the true average particle size in a three-dimensional microstructure? 1741-1744A

Particulate composites, Oxidation

- Oxidation of ductile particle reinforced Ti-48Al composite. 1835-1845A

Particulate composites, Physical properties

- Settling and clustering of silicon carbide particles in aluminum metal matrix composites. 981-989B
- Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites. 2773-2783A
- Damping behavior of discontinuously reinforced aluminum alloy metal-matrix composites. 2803-2818A

Particulate composites, Powder technology

- Pressureless infiltration of aluminum metal-matrix composites. SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2155-2159A
- The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 2457-2467A
- 3027-3035A

Particulate composites, Reactions (chemical)

- Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
- Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A

Particulate composites, Structural hardening

- Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 581-587A
- An investigation of strain hardening and creep in an Al-6061/Al₂O₃ metal matrix composite. 633-639A

Particulate composites, Synthesis

- Studies on addition of inclusions to molten aluminum using a novel technique. 103-110B
- In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B

- Infiltration and wetting of alumina particulate preforms by aluminum and aluminum-magnesium alloys. 1491-1497A
- In situ synthesis of TiC particulate-reinforced aluminum matrix composites. 1877-1884A

Particulate composites, Thermal properties

- NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior. 2833-2847A

Pearlite

- Pearlite phase transformation in silicon and vanadium steel. 1617-1631A

Pearlite, Cooling effects

- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A
- Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A
- Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A

Pearlite, Impurity effects

- Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A

Penetration

- Theoretical investigation of penetration characteristics in gas metal-arc welding using finite element method. 611-624B

Penrose tiling

- See Quasicrystalline structure

Peritectic reactions, Cooling effects

- Theory of layered-structure formation in peritectic systems. 1583-1589A

Permeability

- Analysis of liquid flow through ceramic porous media used for molten metal filtration. 159-171B
- Determination of the chemical diffusion of oxygen in liquid iron oxide at 1615°C. 795-802B
- Permeability for cross flow through columnar-dendritic alloys. 1049-1056B
- Communication: a permeability length scale for cross flow through model structures. 1091-1092B

Permeability (magnetic)

- See Magnetic permeability

Permeation

- See Penetration

Phase boundary

- Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A

Phase boundary, Diffusion effects

- Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A

Phase decomposition

- See also Spinodal decomposition
- Correction to "Transformation Path Dependence of the Bain Strain Relaxation During Decomposition of a Hypereutectoid CuBe Alloys". 2763A

Phase decomposition, Cooling effects

- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A

Phase decomposition, Heating effects

- Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A

Phase decomposition, Impurity effects

- Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A

Phase diagram reactions

- See also Eutectic reactions
- Martensitic transformations
- Peritectic reactions
- Phase decomposition

Phase diagram reactions, Temperature effects

- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B

Phase diagrams

- A thermodynamic study of the system CaO+Al₂O₃+Fe₂O₃ at 1673K. 257-264B
- Extensions of a structural model for binary silicate systems. 305-315B
- Phase relations in the system MgO-SiO₂-ZrO₂ at 1700K. 397-399B
- Thermodynamically stable β [Ni(Al,Ti)]- β' [Ni₂AlTi]- γ [Ni₃(Al,Ti)] metal-metal composites. 1895-1903A

Phase stability

- Phase stability and microstructure of Al-Ti-Fe near Al₃Ti. 1029-1033A
- Stable nonlinear relaxations in multiphase Al-Zn alloy. 1249-1255A
- Thermodynamically stable β [Ni(Al,Ti)]- β' [Ni₂AlTi]- γ [Ni₃(Al,Ti)] metal-metal composites. 1895-1903A

- Phase stability, Alloying effects**
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
- Phase stability, Coating effects**
Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A
- Phase stability, Composition effects**
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Phase stability, Cooling effects**
The Fe-Cu system: a thermodynamic evaluation. 417-426A
Theory of layered-structure formation in peritectic systems. 1583-1589A
- Phase stability, Deformation effects**
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- Phase stability, Heating effects**
Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy. 2611-2615A
Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2751-2755A
- Phase stability, Temperature effects**
Fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Phase structure**
See Solid phases
- Phase transformations**
See also Martensitic transformations
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Effect of ferrite transformation on the tensile and stress corrosion properties of type 316L stainless steel weld metal thermally aged at 873K. 1859-1868A
Magnetic properties of maraging steels in relation to nickel concentration. 1869-1876A
The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Phase transformations, Alloying effects**
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Phase transformations, Coating effects**
Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A
- Phase transformations, Composition effects**
Phase equilibria and transformations in a Ti-Zr-Si system. L-J phase in a $\text{Cu}_{22}\text{Mn}_{10}\text{Al}$ alloy. 243-257A
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Phase transformations, Cooling effects**
Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Phase transformations, Deformation effects**
Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy. 371-381A
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- Phase transformations, Heating effects**
Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
Homogeneous formation of epsilon carbides within the austenite during the isothermal transformation of a ductile iron at 410°C. 1045-1060A
The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy. 2611-2615A
- Phase transformations, Radiation effects**
Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A
- Phase transformations, Stress effects**
NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior. 2833-2847A
- Phase transformations, Temperature effects**
Potentiometric determination of the Gibbs energies of formation of SrZrO_3 and BaZrO_3 . 775-781B
Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A
Transition and equilibrium processes in metal-ceramic particle systems. 3021-3025A
- Phase transformations, Welding effects**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Phases (state of matter)**
See also Gas phases
Intermetallic phases
Liquid phases
Metastable phases
Solid phases
Multiple twins of τ - $\text{Al}_{13}\text{Co}_4$ showing fivefold symmetry. 757-763A
Stable nonlinear relaxations in multiphase Al-Zn alloy. 1249-1255A
Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of $\text{CaNiSi}_2\text{O}_6$. 2311-2315A
Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. Microstructure of the $\text{Ti}_3\text{Al}(\text{Nb})/\text{TiB}$ composite produced by combustion synthesis. 3037-3043A
- Phases (state of matter), Cooling effects**
Theory of layered-structure formation in peritectic systems. 1583-1589A
- Phases (state of matter), Heating effects**
The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys. 1947-1955A
- Phases (state of matter), Stress effects**
Microstructural characterization of Ni_3Al processed by reactive atomization and deposition. 817-827A
- Phases (state of matter), Temperature effects**
A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
- Phosphorus, Alloying elements**
Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Photo oxidation**
See Oxidation
- Physical chemistry**
Derivation and consistency of the partial functions of the ternary system involving interaction coefficients. 495-502B
Kinetic studies of reduction of CoO and CoWO₄ by hydrogen. 547-553B
- Pig iron, Casting**
Thermal fracture endurance of cast irons with application study of pig iron ingot molds. 1431-1440A
- Pigments, Powder technology**
The characterization of the Al-12 wt.% Si flake powder produced by a double-disk process. 1571-1581A
- Pinning, Alloying effects**
Deformation and microstructure in L1₀ type Ti-Al-V alloys. 113-131A
- Pipe, Rolling**
Microstructural changes during creep of a high chromium steel. 401-406A
- Pitting (corrosion), Heating effects**
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Pitting potential**
See Pitting (corrosion)
- Plasma arc casting**
See Casting
- Plasma arc furnaces**
Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B
- Plasma oscillations**
See Oscillations
- Plastic deformation**
Communication: study of cooperative grain boundary sliding by using macroscopic marker lines. 747-750A

- Characterization of the microstructure of deformed Al-Zn-Cu alloys by x-ray diffraction line profile analysis. 1011-1014A
- Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A
- Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- An approach to the design of composites for service at elevated and nonsteady temperatures. 3091-3106A
- Plastic deformation, Environmental effects**
- Embrittlement of amorphous $\text{Fe}_{40}\text{Ni}_{38}\text{Mo}_{4}\text{B}_{18}$ alloy by electrolytic hydrogen. 197-201A
- Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A
- Plastic deformation, Microstructural effects**
- Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
- The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
- Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Plastic deformation, Stress effects**
- Interfaces in continuous filament-reinforced $\text{Al}_2\text{O}_3/\text{NiAl}$ composites. 897-903A
- Internal friction in AlCu- Al_2O_3 metal-matrix composites. 1457-1460A
- Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- Plastic flow, Stress effects**
- On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
- Plastic strain**
- See Plastic deformation
- Plasticity**
- See also Superplasticity
- Texture evolution induced by strain path changes in low carbon steel sheets. 601-613A
- A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A
- An approach to the design of composites for service at elevated and nonsteady temperatures. 3091-3106A
- Plasticity, Alloying effects**
- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
- Plasticity, Deformation effects**
- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Plasticity, Environmental effects**
- Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A
- Plasticity, Heating effects**
- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Plasticity, Microstructural effects**
- Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
- Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Micromechanics effects in creep of metal-matrix composites. 3081-3089A
- Plasticity, Stress effects**
- A mesoscale study on the thermodynamic effect of stress on martensitic transformation. 267-278A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
- Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2911-2921A
- Fatigue crack growth behavior of composites. 3199-3210A
- Plasticity, Temperature effects**
- Effects of self-accommodation and plastic accommodation in martensitic transformations and morphology of martensites. 1979-1985A
- Plate metal, Heat treatment**
- Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Plates (structural members), Casting**
- Optimal riser design for metal castings. 871-885B
- Poissons ratio, Stress effects**
- Modeling the hot consolidation of ceramic and metal powders. The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2041-2051A
- 2911-2921A
- Poling**
- See Deoxidizing
- Polishing (finishing)**
- Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
- Pores**
- See Porosity
- Porosity**
- Analysis of liquid flow through ceramic porous media used for molten metal filtration. 159-171B
- Direct simulation of initial filtration phenomena within highly porous media. 537-546B
- Simulation of in situ uraninite leaching. II. The effects of ore grade and deposit porosity. 687-694B
- Simulation of in situ uraninite leaching. III. The effects of solution concentration. 695-701B
- A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
- Porosity, Cooling effects**
- Optimal riser design for metal castings. 871-885B
- Porosity, Radiation effects**
- Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Porosity, Temperature effects**
- Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
- Portevin-Le Chatelier effect**
- See Serrated yielding
- Portland cements, End uses**
- Concrete: the advanced industrial material of the 21st century. 1321-1341A
- Postforming**
- See Forming
- Postheating**
- The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
- Potassium, Dopants**
- Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Potential (electric)**
- See Electric potential
- Potentiometry**
- See Electrical measurements
- Pots (electrolytic)**
- See Electrolytic cells
- Powder blending**
- The effects of ball size distribution on attritor efficiency. 2389-2397A
- Powder metallurgy**
- See also Sintering (powder metallurgy)
- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Powder metallurgy by bidimensional compression. 1087-1091A
- Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- In situ synthesis of TiC particulate-reinforced aluminum matrix composites. 1877-1884A
- Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
- Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A
- Dynamic consolidation of metastable nanocrystalline powders. 2571-2578A
- Communication: direct evidence for combustion reaction on TiNi/TiC composites formation by mechanical alloying. 2755-2759A
- Powder metallurgy parts, Mechanical properties**
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- Microstructure and high-temperature tensile deformation of TiAl(Si) alloys made from elemental powders. 691-701A
- Powder technology**
- See also Atomizing
- Powder metallurgy

- Purifying effects and product microstructure in the formation of TiC powder by the self-propagating high-temperature synthesis. 176-179B
- Correction to "Purifying Effects and Product Microstructure in the Formation of TiC Powder by the Self-Propagating High-Temperature Synthesis". 665B
- Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
- Power generation**
See Electric power generation
- Power plants**
See Electric power generation
- Powerhouses**
See Electric power generation
- Precipitates**
Identification of M_5C_2 carbides in ex-service 1Cr-0.5Mo steels. 509-520A
Alloy design and coarsening phenomenon of L_{12} precipitates in high-temperature Al-2 at.% (Ti,V,Zr) systems. 1633-1639A
- Precipitation**
Mathematical modeling of the zinc pressure leach process. 1035-1047B
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Communication: grain-boundary precipitation and fracture behavior of an Al-Cu-Li-Mg-Ag alloy. 1591-1595A
A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Precipitation, Alloying effects**
Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A
The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy. 3045-3048A
- Precipitation, Composition effects**
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
L-J phase in a $Cu_{22}Mn_{10}Al$ alloy. 1353-1365A
Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A
- Precipitation, Cooling effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Precipitation, Deformation effects**
Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C. 2961-2972A
- Precipitation, Diffusion effects**
Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- Precipitation, Heating effects**
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply. 1311-1313A
Quantification of the Mg_2Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
- Precipitation, High temperature effects**
Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
- Precipitation, Radiation effects**
The kinetics of the internal nitriding of Fe-2 at.% Al alloy. 765-776A
- Precipitation, Stress effects**
Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Precipitation, Temperature effects**
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
Lengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C. 2219-2226A
- An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Precipitation hardening**
Microstructural and failure characteristics of metal-intermetallic layered sheet composites. 581-587A
Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
Effects of cold work on precipitation in Al-Cu-Mg-(Ag) and Al-Cu-Li(Mg-Ag) alloys. 1659-1671A
High-temperature metallurgy of advanced borated stainless steels. 1673-1685A
Micromechanics effects in creep of metal-matrix composites. The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
- Precipitation hardening, Alloying effects**
Precipitation hardening of Mg-Zn and Mg-Zn-RE alloys. 1705-1716A
- Pressure leaching**
See also Oxygen pressure leaching
Mathematical modeling of the zinc pressure leach process. 1035-1047B
- Pressure sintering**
See Hot pressing
- Pressure vessels**
An inelastic analysis of a welded aluminum joint. 1253-1261B
- Pressure vessels, Extrusion**
Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A
- Pressure vessels, Mechanical properties**
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
- Primary displacements**
See Displacements (lattice)
- Process control**
Density and interfacial tension of liquid Fe-Si alloys. 173-176B
- Profiles, Mechanical properties**
Quantification of the Mg_2Si β'' and β' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
- Properzi process**
See Continuous casting
- Protective coatings**
The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Prototypes**
Materials, bicycles, and design. 3057-3064A
- Puddling**
See Ironmaking
- Pulse echo technique**
See Ultrasonic testing
- Punches**
A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A
- Pyrite, Oxidation**
Kinetics of pyrite oxidation in sodium carbonate solutions. 209-218B
- Pyrite, Reactions (chemical)**
Two-wavelength pyrometry study of the combustion of sulfide minerals. III. The influence of oxygen concentration on pyrite combustion. 959-970B
- Pyroceram**
See Ceramics
- Pyrometallurgy**
Oxidation kinetics of molten copper sulfide. 25-40B
Thermodynamic properties of magnesium phosphate ($Mg_3P_2O_8$)-correction of data in recent compilations. 225-227A
Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B
Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus. 467-484B
Simultaneous reduction and carburization of ilmenite. 485-494B
Oxidation of cobaltite: I. Process mineralogy. 517-522B
Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
Mathematical model of chalcocite particle combustion. 719-729B
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. I. Comparison with past literature. 911-918B
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. II. Application of plug flow concepts. 919-924B
Sulfide capacities of Na_2O-SiO_2 melts. 925-928B

- Two-wavelength pyrometry study of the combustion of sulfide minerals. I. Apparatus and general observations. 929-942B
- Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
- Two-wavelength pyrometry study of the combustion of sulfide minerals. III. The influence of oxygen concentration on pyrite combustion. 959-970B
- Bubble overlap in multipoint gas-injection systems. 1147-1156B
- The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C. 1157-1164B
- Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B
- Pyrometry**
- Two-wavelength pyrometry study of the combustion of sulfide minerals. I. Apparatus and general observations. 929-942B
- Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
- Two-wavelength pyrometry study of the combustion of sulfide minerals. III. The influence of oxygen concentration on pyrite combustion. 959-970B
- Quality**
- Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
- Quantitative analysis**
- Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy. 1595-1597A
- Quasicrystalline structure, Radiation effects**
- Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Quaternary systems, Phases (state of matter)**
- Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- Quaternary systems, Reactions (chemical)**
- Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis. 3011-3019A
- Quench band tests**
- See Bend tests
- Quenching (cooling)**
- The Fe-Cu system: a thermodynamic evaluation. 417-426A
- Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites. 1035-1043A
- Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply. 1311-1313A
- On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A
- Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
- Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C. 2751-2755A
- Quenching stresses**
- See Residual stress
- Radiocrystallography**
- See Crystallography
- Rapid solidification**
- Cracking of amorphous Fe₄₀Ni₃₈Mo₄B₁₈ induced by static charging with hydrogen. 191-196A
- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Two-dimensional grain growth in rapidly solidified succinonitrile films. 1061-1066A
- Densification behavior of dynamically shock compacted ceramic powder. 2503-2509A
- Temperature and strain rate dependence of the Portevin-Le Chatelier effect in a rapidly solidified aluminum alloy. 2873-2879A
- Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Rare earth metals**
- See also Europium
Lanthanum
- Rare earth metals, Alloying elements**
- Precipitation hardening of Mg-Zn and Mg-Zn-RE alloys. 1705-1716A
- Reaction kinetics**
- Kinetics of pyrite oxidation in sodium carbonate solutions. 209-218B
- Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B
- Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
- Thermoanalysis of the combined Fe₃O₄-reduction and CH₄-reforming processes. 509-515B
- Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Kinetics of chlorination and carbochlorination of molybdenum trioxide. 703-710B
- The chemical kinetics of mechanical alloying. 725-730A
- Mathematical modeling of the zinc pressure leach process. 1035-1047B
- An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
- Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration. 1885-1894A
- Interfacial reactions in Al-Mg (5083)/Al₂O₃p composites during fabrication and remelting. 2625-2635A
- The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
- Reaction kinetics, pH effects**
- Simulation of in situ uraninite leaching. II. The effects of ore grade and deposit porosity. 687-694B
- Simulation of in situ uraninite leaching. III. The effects of solution concentration. 695-701B
- Reaction kinetics, Temperature effects**
- Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B
- Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
- Reactive brazing**
- See Thermit brazing
- Reactivity**
- Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A
- Reactivity (chemical)**
- See Activity (chemical)
- Reactor fuels**
- See Nuclear fuels
- Recovery**
- Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Recrystallization**
- Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
- Recrystallization in copper: comparison between techniques. Modeling microstructural development during the forging of Waspaloy. 1717-1724A
- 1795-1803A
- Recrystallization, Alloying effects**
- Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
- Recrystallization, Cooling effects**
- Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Recrystallization, Deformation effects**
- Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
- Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
- Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
- Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis. 2227-2235A
- A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Recrystallization, Heating effects**
- Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- The effect of annealing temperature on the recrystallization kinetics of commercially pure aluminum. 2185-2187A
- Recrystallization, Radiation effects**
- Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Recrystallization, Stress effects**
- Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2545-2553A
- The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- Communication: the grain boundary migration in silver induced by thermal strain. 3048-3049A
- Recycling**
- Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrorefining catalysts by selective chlorination. 41-50B
- The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
- Solid electrolyte sensor for measuring magnesium in molten aluminum. 1289-1291B
- Red hardness**
- See Hardness
- Red shortness**
- See Brittleness
- Reducing atmospheres**
- Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A

- Reduction (chemical)**
 See also Deoxidizing
 Direct reduction
 Role of ore/carbon contact and direct reduction in the reduction of iron oxide by carbon. 400-401B
 Reduction behavior of ilmenite with carbon at 1240°C. 401-403B
 Simultaneous reduction and carburization of ilmenite. 485-494B
 Kinetic studies of reduction of CoO and CoWO₄ by hydrogen. 547-553B
- Reduction (chemical), Temperature effects**
 Kinetics of the solid-state carbothermic reduction of Wessel manganese ores. 13-24B
- Reduction (electrolytic)**
 See also Electrowinning
 Electrolytic reduction of Eu(III) to Eu(II) in acidic chloride solutions with titanium cathode. 1175-1181B
- Refining**
 Determination of the standard Gibbs energy for the reaction of $3\text{BaO(s)} + 2\text{Cr(s)} + 2/20_2\text{(g)} = 3\text{BaO-Cr}_2\text{O}_3\text{(s)}$. 557-561B
- Refractoriness**
 See Thermal resistance
- Reheating furnaces**
 See Heating furnaces
- Remelting**
 See Melting
- Renn furnace**
 See Direct reduction
- Research**
 Materials technology and the materials industry: a critical transition. 439-448B
- Research, United States**
 Electricity in the production of metals: from aluminum to zinc. 189-208B
- Residual stress**
 Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
 Microstructural characterization of Ni₃Al processed by reactive atomization and deposition. 817-827A
 Interfaces in continuous filament-reinforced Al₂O₃/NiAl composites. 897-903A
 Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
 The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
 Internal friction in AlCu-Al₂O₃ metal-matrix composites. 1457-1460A
 Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A
 Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures. 2469-2478A
 Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
- Residual stress, Microstructural effects**
 X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading. 629-632A
- Resistance welds**
 See Welded joints
- Resistivity**
 Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- Resistivity, Microstructural effects**
 Electrical resistivity of lead and Pb-10 wt.% tin during solidification. 741-745A
- Resistivity, Radiation effects**
 Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Resistivity, Temperature effects**
 Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B
 fcc/hcp martensitic transformation in the Fe-Mn system: experimental study and thermodynamic analysis of phase stability. 1957-1969A
 High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Resonance testing**
 See Ultrasonic testing
- Revaporization**
 See Vaporizing
- Reynolds number**
 Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection. 241-247B
- Risers, Design**
 Optimal riser design for metal castings. 871-885B
- Roasting**
 Kinetics of roasting of chromium oxide with sodium nitrate flux. 449-454B
 Oxidation of cobaltite: I. Process mineralogy. 517-522B
- Rod mills (rolling)**
 Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A
- Rotary induction furnaces**
 See Electric induction furnaces
- Rotating beam fatigue tests**
 See Fatigue tests
- Roughing (rolling)**
 See Hot rolling
- Roughness, Stress effects**
 Effect of crack surface geometry on fatigue crack closure. 2651-2663A
- Rubber springs**
 See Springs (elastic)
- Safety**
 Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Saline water**
 See Salt water
- Salt water, Environment**
 Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A
 Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- Sand molds**
 Optimal riser design for metal castings. 871-885B
- Sap process**
 See Dispersion hardening
- Sapphire, Composite materials**
 Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
 Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
 Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A
- Scale (corrosion), Diffusion effects**
 Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Scale (corrosion), Heating effects**
 Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
- Scanning electron microscopy**
 Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
 Crack detection by resonant frequency measurements. 1123-1127A
 Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
 Recrystallization in copper: comparison between techniques. 1717-1724A
 Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
 Toughening mechanisms in ductile niobium-reinforced niobium aluminide (Nb/Nb₃Al) in situ composites. 2027-2033A
 Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings. 2131-2139A
 A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
- Scanning transmission electron microscopy**
 See Scanning electron microscopy
- Schottky defect**
 See Lattice vacancies
- Scrap, Recovering**
 The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
- Screw dislocations, Stress effects**
 Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- Season cracking**
 See Stress corrosion cracking
- Secondary displacements**
 See Displacements (lattice)
- Seeding**
 See Nucleation
- Segregations**
 The equilibrium oxygen pressure over the Cr-Y₂O₃-YCrO₃ coexistence measured with the galvanic cell using stabilized ZrO₂ solid electrolyte. 289-294B
 Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B

- Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
- A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel. 2373-2388A
- The effects of ball size distribution on attritor efficiency. 2389-2397A
- Segregations, Alloying effects**
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Segregations, Composition effects**
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
- Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1008A
- Segregations, Cooling effects**
Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
- Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
- Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
- Segregations, Radiation effects**
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A
- Segregations, Temperature effects**
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Self diffusion**
See Diffusion
- Semiconductors, Crystal growth**
Constitutive modeling for CdTe single crystals. 2687-2697A
- Semicontinuous casting**
See Continuous casting
- Semikilling**
See Deoxidizing
- Sensible heat**
See Enthalpy
- Sensors**
Phase relations in the system MgO-SiO₂-ZrO₂ at 1700K. 397-399B
- Solid electrolyte sensor for measuring magnesium in molten aluminum. 1289-1291B
- Serrated yielding, Cooling effects**
Temperature and strain rate dependence of the Portevin-Le Chatelier effect in a rapidly solidified aluminum alloy. 2873-2879A
- Service life, High temperature effects**
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Shape memory**
See also Springback
- Shape memory, Stress effects**
Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A
- Shape memory, Temperature effects**
Damping characteristics of Ti₅₀Ni_{49.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
- Shape memory, Vibration effects**
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Shape memory alloys, Phase transformations**
Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A
- Shape memory alloys, Physical properties**
Mechanisms of internal friction in a Cu-Zn-Al shape memory alloy. 721-724A
- Damping characteristics of Ti₅₀Ni_{49.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
- Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Shaping**
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Shear bands**
See Slip planes
- Shear modulus, Stress effects**
Viscoelastic spectra of Cd_{0.87}Mg_{0.33} in torsion and bending. 2035-2039A
- Creep strengthening in a discontinuous SiC-Al composite. 3119-3129A
- Shear modulus, Temperature effects**
Damping characteristics of Ti₅₀Ni_{49.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
- Shear properties**
See also Shear modulus
Shear strength
Shear stress
- Shear properties, Alloying effects**
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Shear properties, Deformation effects**
The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Shear properties, Microstructural effects**
The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- Shear properties, Temperature effects**
High strain, high-strain-rate behavior of tantalum. 2493-2501A
- Shear strength, Alloying effects**
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire NiAl composites. 2175-2184A
- Shear strength, Heating effects**
Tensile behavior of Al₂O₃/FeAl+B and Al₂O₃/FeCrAlY composites. 2719-2731A
- Shear strength, Microstructural effects**
Evidence of shear ligament toughening in TiAl-base alloys. 1407-1418A
- Shear strength, Stress effects**
Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
- Shear stress**
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NiAl matrix composite. 209-223A
- Experimental assessment of crack-tip dislocation emission models for an Al₆₇Cr₈Ti₂₅ intermetallic alloy. 329-341A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
- Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A
- A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Sheet metal**
See also Foil
- Sheet metal, Casting**
Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- Sheet metal, Metal working**
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- Sheet steel**
See Strip steel
- Sherritt Gordon process**
See Extraction
Hydrometallurgy
Powder technology
- Shielded metal arc welding**
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Shock waves**
The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- Short arc welding**
See Gas metal arc welding
- Shot peening**
Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A

- Shrinkage**
Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
- Shrinkage, Composition effects**
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Shrinkage, Cooling effects**
Analysis of the effect of shrinkage on macrosegregation in alloy solidification. 2329-2339A
Modeling of inverse segregation and porosity formation in directionally solidified aluminum alloys. 2349-2358A
- Shrinkage, Heating effects**
Dissolution of iron intermetallics in Al-Si alloys through nonequilibrium heat treatment. 2161-2173A
- Shrinkage, Stress effects**
Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- Sigma hard facing**
See Gas metal arc welding
- Sigma welding**
See Gas metal arc welding
- Silicates, Phases (state of matter)**
Extensions of a structural model for binary silicate systems. 305-315B
- Silicates, Physical properties**
Viscosity of PbO-SiO₂ melts. 281-287B
Gibbs free energy of Ca₃Si₂O₇-a reassessment of electromotive force measurements. 658-660B
Correction to "Viscosity of PbO-SiO₂ Melts". 891B
- Silicides, Composite materials**
The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
- Silicomanganese, Production**
The effect of alumina in slag on manganese and silicon distributions in silicomanganese smelting. 59-65B
- Silicon, Alloying elements**
Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Silicon, Chemical analysis**
Phase relations in the system MgO-SiO₂-ZrO₂ at 1700K. 397-399B
- Silicon, Dopants**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Silicon, Impurities**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Silicon, Quaternary systems**
Calculations of α/γ phase boundaries in Fe-C-X₁-X₂ systems from the central atoms model. 535-545A
- Silicon, Ternary systems**
Phase equilibria and transformations in a Ti-Zr-Si system. 243-257A
- Silicon, Thermal properties**
Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B
- Silicon carbide, Brazing**
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
- Silicon carbide, Composite materials**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
Temperature-dependence mechanism of tensile strength of Si-Ti-C-O fiber-aluminum matrix composites. 647-652A
Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A
Settling and clustering of silicon carbide particles in aluminum metal matrix composites. 981-989B
Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique. 1129-1139A
Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. 1167-1181A
Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration. 1885-1894A
Communication: in situ method of following the reactivity between SiC and liquid aluminum. 1904-1906A
Pressureless infiltration of aluminum metal-matrix composites. 2155-2159A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
Interfacial reactions in Al-Mg (5083)/SiCp composites during fabrication and remelting. 2637-2649A
The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C. 2733-2744A
The effect of particle size and volume fraction on the aging behavior of a liquid-phase sintered SiC/aluminum composite. 3027-3035A
A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 3067-3079A
Creep strengthening in a discontinuous SiC-Al composite. 3119-3129A
Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
Fatigue crack growth behavior of composites. 3199-3210A
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior. 3249-3256A
- Silicon compounds**
See also Silicides
Silicon carbide
Silicon nitride
- Silicon compounds, Composite materials**
Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
- Silicon manganese steels, Phase transformations**
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 561-580A
- Silicon manganese steels, Phases (state of matter)**
Nucleation kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn-X₂ alloys. 547-559A
- Silicon nitride, Brazing**
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
- Silicon nitride, Welding**
Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- Silver, Alloying elements**
Effects of cold work on precipitation in Al-Cu-Mg-(Ag) and Al-Cu-Li(Mg-Ag) alloys. 1659-1671A
- Silver, Brazing**
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
- Silver, Microstructure**
Communication: the grain boundary migration in silver induced by thermal strain. 3048-3049A
- Silver, Soldering**
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
- Silver, Welding**
A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Simulation**
See also Computer simulation
Extension of the k-e model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
Direct simulation of initial filtration phenomena within highly porous media. 537-546B
An asymptotic model of the mold region in a continuous steel caster. 1225-1241B
- Sintered compacts, Microstructure**
Debinding variables affecting the residual carbon content of injection-molded Fe-2% Ni steels. 133-142A
- Sintering**
See also Sintering (powder metallurgy)
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Sintering (powder metallurgy)**
See also Liquid phase sintering
Measurement of nonuniform sintering shrinkage of functionally gradient material by digital image processing. 75-79B
Debinding variables affecting the residual carbon content of injection-molded Fe-2% Ni steels. 133-142A
Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A

- Modeling the hot consolidation of ceramic and metal powders. 2041-2051A
Densification behavior of dynamically shock compacted ceramic powder. 2503-2509A
- Size distribution (particle)**
See Particle size distribution
- Skull casting**
See Casting
- Slabs, Quality control**
Numerical study of steady turbulent flow through bifurcated nozzles in continuous casting. 749-765B
- Slagging**
Bubble overlap in multipoint gas-injection systems. 1147-1156B
- Slags**
See also Blast furnace slags
The activity coefficient of cobalt oxide in silica-saturated iron silicate slags. 229-233B
Calcium deoxidation and nitrogen distribution in liquid nickel equilibrated with $\text{CaO-Al}_2\text{O}_3$ slags. 249-256B
A thermodynamic study of the system $\text{CaO}+\text{Al}_2\text{O}_3+\text{Fe}_2\text{O}_3$ at 1673K. 257-264B
Viscosity of PbO-SiO_2 melts. 281-287B
Activities of MnO in $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3\text{-MnO}(<10\%)\text{-Fe}_2\text{O}_3(<3\%)$ slags saturated with liquid iron. 295-303B
Sulfide capacities of fayalite-base slags. 325-334B
A new method for measuring activities in slags containing a volatile component. 651-654B
Effect of carbonaceous particles on slag foaming. 813-819B
Correction to "Viscosity of PbO-SiO_2 Melts". 891B
Sulfide capacities of $\text{Na}_2\text{O-SiO}_2$ melts. 925-928B
Communication: effect of temperature on slag foaming. 1086-1088B
Communication: effect of gas type and pressure on slag foaming. 1088-1091B
Settling of copper drops in molten slags. 1165-1173B
Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B
- Slags, Diffusion**
Determination of the chemical diffusion of oxygen in liquid iron oxide at 1615°C. 795-802B
- Slags, Extraction**
Effect of factors on the extraction of boron from slags. 345-352B
- Slags, Reactions (chemical)**
Effect of the bubble size and chemical reactions on slag foaming. 803-812B
- Sliding friction, Stress effects**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
Influence of fabrication technique on the fiber pushout behavior in a sapphire-reinforced NIAI matrix composite. 209-223A
- Slip**
See also Slip planes
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V. 2947-2959A
Near-threshold fatigue crack growth in 8090 Al-Li alloy. 2973-2982A
- Slip, Environmental effects**
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
- Slip, Stress effects**
Defect structures and nonbasal slip of C36 laves phase MgNi_2 in a two-phase alloy. 1441-1447A
Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
Constitutive modeling for CdTe single crystals. 2687-2697A
- Slip bands**
See Slip planes
- Slip planes**
Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships. 1745-1756A
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
- Slip planes, Deformation effects**
The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- SMAW**
See Shielded metal arc welding
- Smelting**
See also Flash smelting
The effect of alumina in slag on manganese and silicon distributions in silicomanganese smelting. 59-65B
Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B
The activity coefficient of cobalt oxide in silica-saturated iron silicate slags. 229-233B
- Kinetics of the reaction of CH_4 gas with liquid iron. 317-324B
Sulfide capacities of fayalite-base slags. 325-334B
Effect of the bubble size and chemical reactions on slag foaming. 803-812B
Effect of carbonaceous particles on slag foaming. 813-819B
Oxidation kinetics of zinc vapor in CO:CO_2 mixtures. I. Comparison with past literature. 911-918B
Two-wavelength pyrometry study of the combustion of sulfide minerals. I. Apparatus and general observations. 929-942B
Communication: application of the radioisotope excited x-ray fluorescence technique in charge optimization during thermite smelting of Fe-Ni, Fe-Cr, and Fe-Ti alloys. 1083-1085B
Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B
- Sodium, Electrochemistry**
Levitation of liquid sodium droplets. 1183-1190B
- Sodium, Phases (state of matter)**
Investigations on the system sodium-gold. 1025-1027A
- Sodium hydroxide, Environment**
Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B
- Soft annealing**
See Annealing
- Soft solders**
See Solders
- Softening, Microstructural effects**
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
- Softening, Stress effects**
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Soldered joints, Mechanical properties**
Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A
- Solders**
Creep-fatigue life prediction of in situ composite solders. 3265-3275A
- Solders, Reactions (chemical)**
Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces. 2677-2685A
- Solid phases**
Gibbs free energy of $\text{Ca}_3\text{Si}_2\text{O}_7$ -a reassessment of electromotive force measurements. 658-660B
Coupled turbulent flow, heat, and solute transport in continuous casting processes. 731-744B
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
- Solid phases, Alloying effects**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Solid phases, Composition effects**
Phase equilibria and transformations in a Ti-Zr-Si system. 243-257A
Enthalpies of formation of liquid and solid (palladium-indium) alloys. 767-773B
Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel. 783-787B
Structural evolution in mechanically alloyed Al-Fe powders. 1939-1946A
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Solid phases, Cooling effects**
Multiparticle interfacial drag in equiaxed solidification. 111-119B
Formation and suppression of channels during upward solidification of a binary mixture. 971-981A
On the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys. 1367-1377A
Steady-state cellular solidification of Al-Cu reinforced with alumina fibers. 2141-2153A
Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A
- Solid phases, Deformation effects**
Structure of mechanically alloyed Ti-Al-Nb powders. 1379-1387A
- Solid phases, Field effects**
Microstructural anomalies in a W-Ni alloy liquid phase sintered under microgravity conditions. 2484-2486A

Solid phases, Heating effects

A study of carbon distribution on the contact zone between two solid solutions.

179-181B

Solid phases, Temperature effects

Computer simulation of local lattice distortion in Cu-Au solid solution.

11-19A

Thermodynamic mixing functions and phase equilibria in the nickel-chromium system by high-temperature Knudsen cell mass spectrometry.

259-265A

Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification.

745-748B

High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel.

2197-2206A

Transition and equilibrium processes in metal-ceramic particle systems.

2373-2388A

Solidification

See also Directional solidification
Rapid solidification

Studies on addition of inclusions to molten aluminum using a novel technique.

103-110B

Multiparticle interfacial drag in equiaxed solidification.

111-119B

Relationship between flow direction and dendritic growth rate in $\text{NH}_4\text{Cl-H}_2\text{O}$.

227-229A

Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field.

353-360B

Heat transfer and microstructure during the early stages of metal solidification.

361-382B

Coupled turbulent flow, heat, and solute transport in continuous casting processes.

731-744B

Electrical resistivity of lead and Pb-10 wt.% tin during solidification.

741-745A

Optimal riser design for metal castings.

871-885B

Dendrite coherency during equiaxed solidification in binary aluminum alloys.

965-970A

Mathematical modelling of macrosegregation of iron carbon binary alloy: role of double diffusive convection.

1069-1081B

An asymptotic model of the mold region in a continuous steel caster.

1225-1241B

Heat transport and solidification in the electromagnetic casting of aluminum alloys. I. Experimental measurements on a pilot-scale caster.

1243-1251B

Heat transport and solidification in the electromagnetic casting of aluminum alloys. II. Development of a mathematical model and comparison with experimental results.

1281-1288B

The liquid film migration in a sintered Fe-Cr-C base alloy.

1389-1393A

Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C coatings.

2131-2139A

Analysis of the effect of shrinkage on macrosegregation in alloy solidification.

2329-2339A

The effect of thermal contact resistance on the solidification process of a pure metal.

2341-2348A

Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel.

2373-2388A

Solidification, Cooling effects

Microstructural development in undercooled lead-tin eutectic alloys.

2699-2706A

Solidification, Heating effects

The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys.

1947-1955A

Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment.

2161-2173A

Solidification, Temperature effects

Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification.

745-748B

Transition and equilibrium processes in metal-ceramic particle systems.

3021-3025A

Solidus, Composition effects

Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy.

831-837B

Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system.

2007-2025A

Solidus, Welding effects

Monte Carlo simulation of grain boundary pinning in the weld heat-affected zone.

2123-2130A

Solubility

The activity coefficient of cobalt oxide in silica-saturated iron silicate slags.

229-233B

Solubilities of molybdenum in liquid tin.

654-655B

The activities of sulfide and oxide components and the solubility of oxygen in copper-iron-sulfur-oxygen mattes at 1300°C.

1157-1164B

Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking.

1519-1533A

Solubility, Alloying effects

Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys.

237-242A

Solubility, Pressure effects

The chemistry of solutions of CeO_2 in cryolite melts.

81-86B

Solubility, Temperature effects

Potentiometric determination of the Gibbs energies of formation of SrZrO_3 and BaZrO_3 .

775-781B

Solubility, Welding effects

A general model for partitioning of gases between a metal and its plasma environment.

149-157B

Solution annealing

Mechanical properties of isothermally aged high-nitrogen stainless steel.

2085-2101A

Mechanical properties of isothermally aged high-nitrogen stainless steel.

2579-2595A

Solution heat treatment

See also Solution annealing

On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy.

957-964A

Effect of γ alumina fibers on the aging characteristics of 2024-based metal-matrix composites.

1035-1043A

Discussion of "interstitial precipitation in Fe-Cr-Al alloys" and author's reply.

1311-1313A

The intergranular microstructure of cast Mg-Zn and Mg-Zn-rare earth alloys.

1947-1955A

Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment.

2161-2173A

Communication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C.

2751-2755A

Communication: microstructural changes during aging of a binary Al-0.1 wt.% beryllium alloy.

3045-3048A

Spalling, Heating effects

Effect of sulfur removal on scale adhesion to PWA 1480.

427-435A

Specific density

See Density

Specific gravity

See Density

Specific heat

Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon.

503-508B

Specific resistance

See Resistivity

Specific volume

See Density

Specific weight

See Density

Speller

See Zinc

Spheroidal iron

See Nodular iron

Spheroidal structure

Combustion synthesis in the Ti-Cr-Ni-Mo system. I. Micromechanisms.

3001-3009A

Spheroidal structure, Heating effects

Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy.

2611-2615A

Spheroidal structure, Stress effects

Microstructural characterization of Ni_3Al processed by reactive atomization and deposition.

817-827A

Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron.

1101-1106A

Thermal fracture endurance of cast irons with application study of pig iron ingot molds.

1431-1440A

Spheroidizing

Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment.

2161-2173A

Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy.

2611-2615A

Spheroids

See Spheroidal structure

Spinel, Reactions (chemical)

Thermodynamic properties of the MgAl_2O_4 - MnAl_2O_4 spinel solid solution.

1013-1017B

Spinodal decomposition, Heating effects

Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature.

2001-2005A

Sponge metal

Studies on kinetics of low-temperature chlorination of ZrO_2 by gaseous carbon tetrachloride.

235-240B

Sponginess

See Porosity

- Springback**
Forming properties and springback evaluation of copper beryllium sheets. 2111-2121A
- Springs (elastic), Physical properties**
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Squeeze casting**
Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- Stacking faults**
Microstructure of the $Ti_3Al(Nb)/TiB$ composite produced by combustion synthesis. 3037-3043A
- Stacking faults, Alloying effects**
Deformation and microstructure in $L1_0$ type Ti-Al-V alloys. 113-131A
- Stacking faults, Deformation effects**
Characterization of the microstructure of deformed Al-Zn-Cu alloys by x-ray diffraction line profile analysis. 1011-1014A
- Stacking faults, Radiation effects**
Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A
- Stacking faults, Stress effects**
Defect structures and nonbasal slip of C36 laves phase $MgNi_2$ in a two-phase alloy. 1441-1447A
- Stainless steels**
See also Austenitic stainless steels
Duplex stainless steels
Ferritic stainless steels
Martensitic stainless steels
Materials technology and the materials industry: a critical transition. 1343-1352A
- Stainless steels, Phases (state of matter)**
Effect of manganese on the stability of austenite in Fe-Cr-Ni alloys. 237-242A
- Stainless steels, Powder technology**
The liquid film migration in a sintered Fe-Cr-C base alloy. 1389-1393A
- Stamping**
A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A
- Static casting**
See Casting
- Static loads**
See Loads (forces)
- Steam boilers**
See Boilers
- Steam generators**
See Boilers
- Steel alloys**
See Alloy steels
- Steel constituents**
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Steel making**
Measurement of bubble characteristics in a molten iron bath at 1600°C using an electroresistivity probe. 67-74B
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
Density and interfacial tension of liquid Fe-Si alloys. 173-176B
Phase relations in the system $MgO-SiO_2-ZrO_2$ at 1700K. 397-399B
The activity of calcium in calcium-metal-fluoride fluxes. 789-794B
Effect of carbonaceous particles on slag foaming. 813-819B
The development, verification, and application of a steady-state thermal model for the pusher-type rehear furnace. 851-869B
Study of slopping and splashing in a cylindrical bath with top-submerged injection. 887-889B
The effect of surface movements on nitrogen mass transfer in liquid iron. 971-980B
Kinetics for reaction of low-carbon steel melts with CO-CO₂ gas mixtures using nonlinear rate equations. 997-1004B
Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
- Steels**
See also Alloy steels
Carbon steels
Galvanized steels
Heat resistant steels
Laminated steels
Structural steels
- Tool steels**
- Steels, Casting**
Numerical study of steady turbulent flow through bifurcated nozzles in continuous casting. 749-765B
Optimal riser design for metal castings. 871-885B
An asymptotic model of the mold region in a continuous steel caster. 1225-1241B
Formation of macrosegregation by multicomponent thermosolutal convection during the solidification of steel. 2373-2388A
- Steels, Corrosion**
Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A
Mass transport in the crack solution as the rate-determining step in the crack growth mechanism during the corrosion fatigue of steel in saltwater solutions. 75-84A
- Steels, Phase transformations**
Predicting the onset of transformation under noncontinuous cooling conditions. I. Theory. 1987-1992A
Predicting the onset of transformation under noncontinuous cooling conditions. II. Application to the austenite pearlite transformation. 1993-2000A
- Steels, Phases (state of matter)**
Solidification of undercooled Fe-Cr-Ni alloys. I. Thermal behavior. 2991-2999A
- Steels, Physical properties**
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Steels, Rolling**
The development, verification, and application of a steady-state thermal model for the pusher-type rehear furnace. 851-869B
A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels. 2399-2406A
- Steels, Welding**
The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
- Stick electrode arc welding**
See Shielded metal arc welding
- Sticking (adhesion)**
See Adhesion
- Stiffness**
Crack detection by resonant frequency measurements. 1123-1127A
- Stiffness, Alloying effects**
Deformation and microstructure in $L1_0$ type Ti-Al-V alloys. 113-131A
- Stiffness, Microstructural effects**
Processing and mechanical properties of Al_2O_3 fiber-reinforced NIAI composites. 615-628A
- Stiffness, Stress effects**
Viscoelastic spectra of $Cd_{0.87}Mg_{0.33}$ in torsion and bending. 2035-2039A
- Stokes law (fluid mechanics)**
Direct simulation of initial filtration phenomena within highly porous media. 537-546B
- Strain**
Modeling of mechanical alloying. II. Development of computational modeling programs. 2431-2435A
- Strain, Alloying effects**
Effects of beryllium and iron content on plane strain fracture toughness in A357 alloys. 2937-2945A
- Strain, Cooling effects**
Simulation of the hot rolling and accelerated cooling of a C-Mn ferrite-bainite strip steel. 99-111A
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
- Strain, Deformation effects**
Microstructure and texture evolution of aluminum during hot and cold rolling. 31-40A
- Strain, Diffusion effects**
Atomic structure of interphase boundary enclosing bcc precipitate formed in fcc matrix in a Ni-Cr alloy. 1971-1978A
- Strain, Environmental effects**
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
- Strain, Heating effects**
On the application of magnetomechanical models to explain damping in an antiferromagnetic copper-manganese alloy. 957-964A
- Strain, Microstructural effects**
Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
An investigation of the mechanical damping of ductile iron. 2785-2790A

Strain, Stress effects

- Interfaces in continuous filament-reinforced Al_2O_3 /AlAl composites. 897-903A
- Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
- High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
- Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Viscoelastic spectra of $Cd_{0.87}Mg_{0.33}$ in torsion and bending. 2035-2039A
- The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
- SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
- The effects of reinforcement additions and heat treatment on the evolution of the Poisson ratio during straining of discontinuously reinforced aluminum alloys. 2911-2921A
- A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 3067-3079A

Strain, Temperature effects

- Effects of self-accommodation and plastic accommodation in martensitic transformations and morphology of martensites. 1979-1985A

Strain aging

- Temperature and strain rate dependence of the Portevin-Le Chatelier effect in a rapidly solidified aluminum alloy. 2873-2879A

Strain hardening

- Texture evolution induced by strain path changes in low carbon steel sheets. 601-613A
- A new theory and kinetic modeling of strain-induced precipitation of Nb(CN) in microalloyed austenite. 1641-1657A
- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A

Strain hardening, Deformation effects

- Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A

Strain hardening, Stress effects

- Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- Mechanical behavior and failure micromechanisms of $AlAl_2O_3$ composites under cyclic deformation. 3131-3141A

Strain hardening, Temperature effects

- An investigation of strain hardening and creep in an Al-6061/ Al_2O_3 metal matrix composite. 633-639A

Strain rate

- Energy dissipation efficiency in aluminum dependent on monotonic flow curves and dynamic recovery. 1757-1766A
- Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A
- Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A
- Constitutive modeling for CdTe single crystals. 2687-2697A

Strain rate, Alloying effects

- Deformation and microstructure in $L1_0$ type Ti-Al-V alloys. 113-131A
- Effect of alloying elements on metadynamic recrystallization in HSLA steels. 181-190A

Strain rate, Cooling effects

- Temperature and strain rate dependence of the Portevin-Le Chatelier effect in a rapidly solidified aluminum alloy. 2873-2879A

Strain rate, Deformation effects

- Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy. 371-381A
- Microstructural changes during creep of a high chromium steel. 401-406A
- Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- The structure of controlled shear bands in dynamically deformed reactive mixtures. 2511-2519A
- Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A

Strain rate, Environmental effects

- Embrittlement of amorphous $Fe_{40}Ni_{38}Mo_4B_{18}$ alloy by electrolytic hydrogen. 197-201A
- Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
- Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A

Strain rate, Microstructural effects

- Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. II. Creep behavior. 873-881A
- Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- Micromechanics effects in creep of metal-matrix composites. 3081-3089A

Strain rate, Stress effects

- Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
- On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
- Renewal creep theory. 829-843A
- Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
- Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A

Strain rate, Temperature effects

- High strain, high-strain-rate behavior of tantalum. 2493-2501A

Stress aging

See Strain aging

Stress analysis

- See also X ray stress analysis
- An inelastic analysis of a welded aluminum joint. 1253-1261B

Stress concentration

- Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique. 1129-1139A
- A finite element model of the effects of primary creep in an Al-SiC metal matrix composite. 3067-3079A
- Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior. 3249-3256A

Stress corrosion

- See also Corrosion fatigue
- Effect of ferrite transformation on the tensile and stress corrosion properties of type 316L stainless steel weld metal thermally aged at 873K. 1859-1868A

Stress corrosion cracking

- Slip-step dissolution and micromechanical analysis to model stress-corrosion crack growth of type 321 stainless steel in boiling $MgCl_2$. 641-646A
- The role of hydrogen in stress-corrosion cracking of austenitic stainless steel in hot $MgCl_2$ solution. 1777-1784A

Stress corrosion cracking, Alloying effects

- SCC path in forged AerMet 100 steel. 1313-1316A

Stress corrosion cracking, Composition effects

- Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A

Stress corrosion cracking, Environmental effects

- Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A

Stress corrosion resistance

See Corrosion resistance

Stress cracking

- The effect of an overload on the rate of fatigue crack propagation under plane stress conditions. 1725-1733A

Stress cycle

- High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
- Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. 1167-1181A
- A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
- Local fatigue damage accumulation around notch attending crack initiation. 1419-1430A
- Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
- Experimental study on the thermoelastic martensitic transformation in shape memory alloy polycrystal induced by combined external forces. 2923-2935A
- An approach to the design of composites for service at elevated and nonsteady temperatures. 3091-3106A
- Mechanical behavior and failure micromechanisms of $AlAl_2O_3$ composites under cyclic deformation. 3131-3141A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
- Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
- Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. I. Tensile and fatigue behavior. 3225-3247A
- Creep-fatigue life prediction of in situ composite solders. 3265-3275A

Stress distribution

See Stress concentration

Stress intensity

- Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
- Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
- Characteristics of a new creep regime in polycrystalline NiAl. 343-356A
- Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region. 391-399A
- Microstructural changes during creep of a high chromium steel. 401-406A
- Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
- On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
- Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
- Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A
- Cracking of duplex stainless steel due to dissolved hydrogen. 1079-1085A
- Effect of silicon particles on the fatigue crack growth characteristics of Al-12 wt.% Si-0.35 wt.% Mg-(0 to 0.02) wt.% Sr casting alloys. 1553-1570A
- Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
- Viscoelastic spectra of $Cd_{0.87}Mg_{0.33}$ in torsion and bending. 2035-2039A
- Modeling the hot consolidation of ceramic and metal powders. 2041-2051A
- Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/γ' - α alloy. 2053-2062A
- Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
- The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
- Creep and creep rate curves of a 10Cr-30Mn austenitic steel during carbide precipitation. 2237-2246A
- The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
- Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
- SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- Effect of crack surface geometry on fatigue crack closure. 2651-2663A
- Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A
- The effect of grain size on the high-strain, high-strain-rate behavior of copper. 2881-2893A
- Communication: effects of precrack environments on subsequent corrosion fatigue crack growth behavior of a squeeze-cast aluminum alloy. 3049-3051A
- The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A
- Creep strengthening in a discontinuous SiC-Al composite. 3119-3129A
- Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A
- Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A
- Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC_p metal matrix composite. 3191-3198A
- Fatigue crack growth behavior of composites. 3199-3210A
- Materials characterization of silicon carbide reinforced titanium (Ti/SCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior. 3249-3256A

Stress relaxation

- Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers. 883-895A
- Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A

Stress relaxation, Environmental effects

- Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A

Stress relaxation, Heating effects

- The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A

Stress strain curves

- Embrittlement of amorphous $Fe_{40}Ni_{38}Mo_{4}B_{18}$ alloy by electrolytic hydrogen. 197-201A
- Texture evolution induced by strain path changes in low carbon steel sheets. 601-613A
- Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo. 703-720A
- Defect structures and nonbasal slip of C36 laves phase $MgNi_2$ in a two-phase alloy. 1441-1447A
- Analysis of steady-state creep and creep fracture of directionally solidified eutectic γ/γ' - α alloy. 2053-2062A
- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A

- Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2545-2553A
- Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- Magnetomechanical damping in giant magnetostriction alloys. 2797-2801A
- Mechanical behavior and failure micromechanisms of Al/Al_2O_3 composites under cyclic deformation. 3131-3141A

Stress strain curves, Microstructural effects

- X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading. 629-632A

Stretching

- A simple technique to generate in-plane forming limit curves and selected applications. 2075-2084A

Strip casting

- Metallurgical reactions in two industrially strip-cast aluminum-manganese alloys. 839-849B
- Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A

Strip steel, Coating

- Modeling aluminum enrichment in galvanized coatings. 1699-1704A

Strip steel, Microstructure

- Texture evolution induced by strain path changes in low carbon steel sheets. 601-613A
- Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A

Structural steels, Mechanical properties

- Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A

Structure (atomic)

- See Atomic structure

Structures (crystalline)

- See Crystal structure
- Grain structure
- Microstructure

Sublimation

- The sublimation of an electrically conducting droplet through the use of an external alternating magnetic field. 1209-1216B

Submerged arc welds

- See Welded joints

Sulfidation (corrosion)

- See Sulfurization

Sulfides

- Sulfide capacities of fayalite-base slags. 325-334B

Sulfides, Extraction

- The leaching of galena in ferric sulfate media. 219-227B
- The bioleaching of different sulfide concentrates using thermophilic bacteria. 455-465B

Sulfides, Impurities

- Sulfide capacities of Na_2O-SiO_2 melts. 925-928B

Sulfides, Reactions (chemical)

- Two-wavelength pyrometry study of the combustion of sulfide minerals. I. Apparatus and general observations. 929-942B

Sulfur, Environment

- The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A

Sulfur, Extraction

- Kinetics of pyrite oxidation in sodium hydroxide solutions. 677-685B

Sulfurization, High temperature effects

- Application of the diffusion couple to study phase equilibria in the Fe-Cr-S ternary system at 600°C. 41-55A

Sulphur

- See Sulfur

Superalloys

- Effect of carbon content and helium gas environment on creep crack growth properties of Ni-26% Cr-17% W-0.5% Mo alloy at 1273K. 383-389A
- Materials technology and the materials industry: a critical transition. 1343-1352A

Superalloys, Casting

- Grain texture evolution during the columnar growth of dendritic alloys. 1543-1551A

Superalloys, Coating

- Modification of the B2-type matrix of aluminide diffusion coatings on nickel-base superalloys—bulk aluminide analogues. 949-956A

Superalloys, Composite materials

- Tensile behavior of $Al_2O_3/FeAl$ -B and $Al_2O_3/FeCrAlY$ composites. 2719-2731A

- Superalloys, Corrosion**
Effect of sulfur removal on scale adhesion to PWA 1480. 427-435A
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Superalloys, Forging**
Modeling microstructural development during the forging of Waspaloy. 1795-1803A
- Superalloys, Heat treatment**
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Superalloys, Materials substitution**
An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A
- Superalloys, Mechanical properties**
Influence of subsolvus thermomechanical processing on the low-cycle fatigue properties of HAYNES 230 alloy. 673-689A
Grain boundary sliding in the presence of grain boundary precipitates during transient creep. 905-914A
High-temperature low-cycle fatigue of an iron-base oxide-dispersion strengthened alloy: grain structure effects and lifetime correlations. 1067-1077A
The creep-damage constitutive and life predictive model of nickel-base single-crystal superalloys. 1815-1821A
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
The crack-tip mechanics and growth rates of small fatigue cracks in ASTROLOY. 2247-2257A
Effect of crack surface geometry on fatigue crack closure. 2651-2663A
- Superalloys, Oxidation**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Superalloys, Phase transformations**
Effect of phosphorus on solidification process and segregation of directionally solidified IN738 superalloy. 831-837B
- Superalloys, Physical properties**
Effect of intrinsic damping on vibration transmissibility of nickel-titanium shape memory alloy springs. 2791-2796A
- Superalloys, Welding**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Superconductors, Mechanical properties**
Initiation and growth of small fatigue cracks in a nickel-base superalloy. 2063-2073A
- Supercooling**
The chemistry of solutions of CeO_2 in cryolite melts. 81-86B
Dendrite coherency during equiaxed solidification in binary aluminum alloys. 965-970A
Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
Theory of layered-structure formation in peritectic systems. 1583-1589A
Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A
- Superfinish**
See Surface finish
- Superheating**
Phase equilibria of Al-rich Al-Cu-Mg alloys. 1007-1011A
- Superplasticity**
Communication: study of cooperative grain boundary sliding by using macroscopic marker lines. 747-750A
- Superplasticity, Alloying effects**
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Superplasticity, Deformation effects**
Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- Superplasticity, Stress effects**
On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
- Supersaturation**
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
- Surface analysis (chemical)**
Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy. 1595-1597A
- Surface chemistry**
Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B
Effect of the bubble size and chemical reactions on slag foaming. 803-812B
Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy. 1595-1597A
- Surface chemistry, Diffusion effects**
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
- Surface chemistry, Pressure effects**
The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Surface chemistry, Welding effects**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Surface coatings**
See Coatings
- Surface diffusion**
See Diffusion
- Surface finish, Field effects**
Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field. 353-360B
- Surface hardness, Heating effects**
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A
- Surface hardness, Radiation effects**
Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A
- Surface roughness**
See Roughness
- Surface structure**
Effect of the bubble size and chemical reactions on slag foaming. 803-812B
High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
Magnetic anisotropy predictions from texture measurements using a selected-depth technique. 1535-1542A
A metallographic study of porosity and fracture behavior in relation to the tensile properties in 319.2 end chill castings. 2359-2372A
Hot explosive consolidation of tungsten-titanium alloys. 2407-2414A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Surface structure, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi_2/Nb composites. 289-303A
Gravity segregation of complex intermetallic compounds in liquid aluminum-silicon alloys. 999-1006A
- Surface structure, Cooling effects**
Multiparticle interfacial drag in equiaxed solidification. 111-119B
Microstructural development in undercooled lead-tin eutectic alloys. 2699-2706A
- Surface structure, Deformation effects**
Microstructural changes during creep of a high chromium steel. 401-406A
Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel. 991-998A
- Surface structure, Environmental effects**
The influence of the sulfur/oxygen ratio in the environment on the creep and creep damage behavior of a heat-resistant steel. 2103-2110A
- Surface structure, Heating effects**
A study of carbon distribution on the contact zone between two solid solutions. 179-181B
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
Tensile behavior of $\text{Al}_2\text{O}_3/\text{FeAl}+\text{B}$ and $\text{Al}_2\text{O}_3/\text{FeCrAlY}$ composites. 2719-2731A
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A
- Surface structure, Pressure effects**
The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method. 777-791A
- Surface structure, Radiation effects**
Rapid graphitization of a pulsed laser remelted ductile cast iron during multipass overlap melting. 793-800A
- Surface structure, Stress effects**
Influence of interfacial reactions on the fiber-matrix interfacial shear strength in sapphire fiber-reinforced NiAl(Yb) composites. 477-491A
Internal hydrogen embrittlement of a ferritic stainless steel. 845-849A
Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1461-1469A
Mass transport at interfaces in single component systems. 1917-1929A
SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
Effect of crack surface geometry on fatigue crack closure. 2651-2663A
Comparison of the growth of individual and average microcracks in the fatigue of Al-SiC composites. 3163-3176A

Surface structure, Welding effects

- A general model for partitioning of gases between a metal and its plasma environment. 149-157B
- Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A

Surface tension

- Interfacial effects of surface-active agents under zinc pressure leach conditions. 5-12B
- Interfacial tensions of liquid Fe-Ni alloys and stainless steels in contact with CaO-SiO₂-Al₂O₃-based slags at 1550°C. 87-94B
- Density and interfacial tension of liquid Fe-Si alloys. 173-176B
- The effect of surface movements on nitrogen mass transfer in liquid iron. 971-980B
- Magnetic shaping of columns of liquid sodium. 1191-1197B

Susceptibility (magnetic)

See Magnetic permeability

Synthesis

- In situ combustion synthesis of dense ceramic and ceramic-metal interpenetrating phase composites. 265-273B

Synthesis, Temperature effects

- Combustion synthesis of LiGa and LiAl intermetallic alloys. 121-134B

Tanks (electrolytic)

See Electrolytic cells

Tantalum, Mechanical properties

- High strain, high-strain-rate behavior of tantalum. 2493-2501A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A

Tantalum, Welding

- A general model for partitioning of gases between a metal and its plasma environment. 149-157B

Tantalum base alloys, Mechanical properties

- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A

Tear strength, Stress effects

- Effect of loading mode on the fracture toughness of a ferritic/martensitic stainless steel. 2259-2267A

Tellurium, Binary systems

- Extended vacancy-vacancy liquid model. 2597-2610A

Tellurium, Dopants

- Effect of tellurium on supersaturation in aluminum deoxidized liquid iron. 95-101B

Tellurium compounds, Crystal growth

- Constitutive modeling for CdTe single crystals. 2687-2697A

Tellurium compounds, Physical properties

- On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys. 569-575B

Temperature distribution

- Modeling of fluid flow and heat transfer in the plasma region of the d.c. electric arc furnace. 1057-1067B

Temperature field

See Temperature distribution

Tempering

- The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A

Tenacity

See Tensile strength

Tensile modulus

See Modulus of elasticity

Tensile properties

- See also Elongation
Tensile strength
Yield point
Yield strength
- Unconstrained and constrained tensile flow and fracture behavior of an Nb-1.24 at.% Si alloy. 1767-1776A

Tensile properties, Microstructural effects

- Processing and mechanical properties of Al₂O₃ fiber-reinforced NIAI composites. 615-628A
- Microstructure and high-temperature tensile deformation of TiAl(Si) alloys made from elemental powders. 691-701A
- Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo. 703-720A

Tensile shear strength

See Shear strength

Tensile strength

- Powder metallurgy by bidimensional compression. 1087-1091A

Tensile strength, Alloying effects

- Effects of beryllium and iron additions on the microstructure and mechanical properties of A357.0 alloys. 1195-1205A

Tensile strength, Deformation effects

- Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A

Tensile strength, Environmental effects

- Embrittlement of amorphous Fe₄₀Ni₃₅Mo₄B₁₈ alloy by electrolytic hydrogen. 197-201A
- The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A

Tensile strength, Heating effects

- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
- Dissolution of iron intermetallics in Al-Si alloys through non-equilibrium heat treatment. 2161-2173A
- Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Tensile behavior of Al₂O₃/FeAl+B and Al₂O₃/FeCrAlY composites. 2719-2731A

Tensile strength, High temperature effects

- Microstructural evolution and mechanical properties of AC8A/Al₂O₃ short-fiber composites after thermal exposure at 150-350°C. 143-158A
- An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications. 3211-3224A

Tensile strength, Impurity effects

- Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A

Tensile strength, Microstructural effects

- Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
- Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
- Communication: development of high-strength aluminum alloys by mesoscopic structure control. 1597-1599A
- Quantification of the Mg₂Si β' and β'' phases in AlMgSi alloys by transmission electron microscopy. 1931-1937A
- Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
- Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A

Tensile strength, Radiation effects

- Electron beam surface modification of a porous bronze-graphite composite. 1297-1304A

Tensile strength, Stress effects

- Ductile fracture processes in 7075 aluminum. 407-415A
- Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2457-2467A
- Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2521-2526A
- Mechanical behavior and failure micromechanisms of Al/Al₂O₃ composites under cyclic deformation. 3131-3141A

Tensile strength, Temperature effects

- Temperature-dependence mechanism of tensile strength of Si-Ti-C-O fiber-aluminum matrix composites. 647-652A

Tensile stress

- Study of creep crack growth in 2618 and 8009 aluminum alloys. 315-328A
- Study on the relationship between intermediate-temperature embrittlement and triaxial stress induced by the ellipsoidal graphite in hot-rolled ferritic spheroidal graphite cast iron. 1101-1106A
- High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy. 1113-1121A
- Nanometer-scale crack initiation and propagation behavior of Fe₃Al-based intermetallic alloy. 1461-1469A
- Elevated temperature creep and fracture properties of the 62Cu-35Au-3Ni braze alloy. 1471-1482A
- Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys". 1607A
- Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy. 2611-2615A
- Short crack growth behavior in a particulate-reinforced aluminum alloy composite. 3177-3182A

Tensile tests

See Tension tests

Tensile yield strength

See Yield strength

Tension tests

- The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A

Ternary systems

- Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of CaNiSi₂O₆. 2311-2315A

Ternary systems, Phase transformations

Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system.

2007-2025A

Ternary systems, Phases (state of matter)

The isothermal section at 500°C of the Y-La-Mg ternary system.

5-10A

Phase equilibria and transformations in a Ti-Zr-Si system.

243-257A

Phase stability and microstructure of Al-Ti-Fe near Al₃Ti.

1029-1033A

Ternary systems, Physical properties

Derivation and consistency of the partial functions of the ternary system involving interaction coefficients.

495-502B

Tertiary displacements

See Displacements (lattice)

Texture

Texture evolution induced by strain path changes in low carbon steel sheets.

601-613A

X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading.

629-632A

Magnetic anisotropy predictions from texture measurements using a selected-depth technique.

1535-1542A

Near-threshold fatigue crack growth in 8090 Al-Li alloy.

2973-2982A

Texture, Cooling effects

Grain texture evolution during the columnar growth of dendritic alloys.

1543-1551A

Texture, Deformation effects

Microstructure and texture evolution of aluminum during hot and cold rolling.

31-40A

Fracture process of a low carbon low alloy steel relevant to Charpy toughness at ductile-brittle fracture transition region.

391-399A

Microstructure and crystallographic texture of strip-cast and hot-rolled austenitic stainless steel.

991-998A

Quantifying recrystallization nucleation and growth kinetics of cold-worked copper by microstructural analysis.

2227-2235A

A combined model of oriented nucleation and selective growth for the recrystallization of interstitial-free steels.

2399-2406A

Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes.

2707-2718A

Texture, Temperature effects

High strain, high-strain-rate behavior of tantalum.

2493-2501A

Thawing

See Melting

Thermal capacity

See Specific heat

Thermal conductivity

Transition and equilibrium processes in metal-ceramic particle systems.

3021-3025A

Thermal conductivity, Deformation effects

Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy.

371-381A

Thermal conductivity, Radiation effects

Electron beam surface modification of a porous bronze-graphite composite.

1297-1304A

Thermal cycling

Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding.

3277-3293A

Thermal diffusivity

Thermodynamic properties of magnesium phosphate (Mg₃P₂O₈)—correction of data in recent compilations.

225-227A

Relationship between flow direction and dendritic growth rate in NH₄CH₂O.

227-229A

Thermal diffusivity, Deformation effects

Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy.

371-381A

Thermal endurance

See Thermal resistance

Thermal expansion

Design of multiscalar metallic multilayer composites for high strength, high toughness, and low CTE mismatch.

1805-1813A

Thermal expansion, Heating effects

Tensile behavior of Al₂O₃/FeAl-B and Al₂O₃/FeCrAlY composites.

2719-2731A

Thermal expansion, Stress effects

NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior.

2833-2847A

Thermal fatigue, Stress effects

Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers.

883-895A

Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite.

1167-1181A

Thermal resistance

The effect of thermal contact resistance on the solidification process of a pure metal.

2341-2348A

Thermal resistivity

See Thermal conductivity

Thermal stability

Discussion of "thermodynamic stability of metallurgical coke relative to graphite" and author's reply.

655-658B

Thermal stability, Stress effects

Microstructural characterization of Ni₃Al processed by reactive atomization and deposition.

817-827A

Thermal stability, Temperature effects

High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy.

2197-2206A

Thermal stresses

Study of creep crack growth in 2618 and 8009 aluminum alloys.

315-328A

Interfaces in continuous filament-reinforced Al₂O₃/NiAl composites.

897-903A

Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite. A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint.

1167-1181A

Thermal fracture endurance of cast irons with application study of pig iron ingot molds.

1207-1219A

Internal friction in AlCu-Al₂O₃ metal-matrix composites. Correction to "Study of Creep Crack Growth in 2618 and 8009 Aluminum Alloys".

1431-1440A

Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures.

1457-1460A

Constitutive modeling for CdTe single crystals.

1607A

NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior.

2469-2478A

Communication: the grain boundary migration in silver induced by thermal strain.

2687-2697A

An approach to the design of composites for service at elevated and nonsteady temperatures.

2833-2847A

Effect of thermal residual stresses on fatigue crack opening and propagation behavior in an Al/SiC₂ metal matrix composite.

3048-3049A

Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding.

3091-3106A

Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding.

3191-3198A

Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding.

3277-3293A

Thermit brazing

Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics.

1499-1505A

Thermochemistry

Simultaneous optimization of thermochemical data for liquid iron alloys containing carbon, nitrogen, titanium, manganese, sulfur, and phosphorus.

467-484B

Thermocycling

See Thermal cycling

Thermodynamics

See also Enthalpy

Free energy

A thermodynamic study of the system CaO+Al₂O₃+Fe₂O₃ at 1673K.

257-264B

Viscosity of PbO-SiO₂ melts.

281-287B

The equilibrium oxygen pressure over the Cr-Y₂O₃-YCrO₃ coexistence measured with the galvanic cell using stabilized ZrO₂ solid electrolyte.

289-294B

Extensions of a structural model for binary silicate systems. Derivation and consistency of the partial functions of the ternary system involving interaction coefficients.

305-315B

Thermoanalysis of the combined Fe₃O₄-reduction and CH₄-reforming processes.

495-502B

Thermodynamics of Na₂O in the molten CaO-CaF₂-SiO₂ system.

509-515B

Thermodynamics of inclusion formation in Fe-Cr-Ti-N alloys. On the thermodynamic behavior of cadmium in Tellurium-saturated HgTe-CdTe and CdSe-CdTe solid alloys.

553-556B

A rigorous equation of state for solids, liquids, and gases. Discussion of "thermodynamic stability of metallurgical coke relative to graphite" and author's reply.

563-567B

Activities of phosphorus in liquid nickel-phosphorus alloys saturated with solid nickel.

569-575B

Correction to "Viscosity of PbO-SiO₂ Melts".

577-580B

Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron.

783-787B

Thermodynamic properties of the MgAl₂O₄-MnAl₂O₄ spinel solid solution.

891B

Investigations on the system sodium-gold. Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics.

991-995B

Thermodynamic assessment of the CaO-MgO-SiO₂ system. Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of CaNiSi₂O₆.

1013-1017B

Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites.

1025-1027A

Thermodynamic assessment of the CaO-MgO-SiO₂ system. Phase equilibria in the system NiO-CaO-SiO₂ and Gibbs energy of formation of CaNiSi₂O₆.

1499-1505A

Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites.

2293-2310A

Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites.

2311-2315A

Analysis of elastothermodynamic damping in particle-reinforced metal-matrix composites.

2773-2783A

Thermoelectric properties

See also Shape memory

Experimental investigation of thermomechanical effects during direct chill and electromagnetic casting of aluminum alloys. Analysis of elastohydrodynamic damping in particle-reinforced metal-matrix composites.

821-829B

2773-2783A

Thermoelectric properties, Stress effects

A mesoscale study on the thermodynamic effect of stress on martensitic transformation.

267-278A

NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior.

2833-2847A

Thermogravimetric analysisThermoanalysis of the combined Fe_3O_4 -reduction and CH_4 -reforming processes.

509-515B

Thermomechanical properties

See Thermoelectric properties

Thermomechanical treatment

Influence of subsolvus thermomechanical processing on the low-cycle fatigue properties of HAYNES 230 alloy.

673-689A

Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels.

1093-1099A

Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen.

1141-1151A

Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys.

1153-1166A

Modeling microstructural development during the forging of Waspaloy.

1795-1803A

Thermostability

See Thermal stability

Thin films, Synthesis

The synthesis of nickel aluminides by multilayer self-propagating combustion.

603-610B

Time temperature transformation curves

See TTT curves

Tin, Alloying elements

The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study.

2207-2217A

Tin, Binary systems

Eutectic spacing selection in the lead-tin eutectic system.

471-476A

Tin, Brazing

Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics.

1499-1505A

Tin, Casting

Study of meniscus behavior and surface properties during casting in a high-frequency magnetic field.

353-360B

Tin, Physical properties

An analysis for spreading kinetics of liquid metals on solids.

1307-1311A

Tin, Reactions (chemical)

Solubilities of molybdenum in liquid tin.

654-655B

Tin base alloys, Mechanical properties

Communication: study of cooperative grain boundary sliding by using macroscopic metal lines.

747-750A

Creep-fatigue life prediction of in situ composite solders.

3265-3275A

Tin base alloys, Microstructure

Microstructural development in undercooled lead-tin eutectic alloys.

2699-2706A

Tin base alloys, Reactions (chemical)

Effect of aging on fatigue crack growth at Sn-Pb/Cu interfaces.

2677-2685A

Titanium

Materials technology and the materials industry: a critical transition.

1343-1352A

Titanium, Alloying elements

Effect of alloying elements on metadynamic recrystallization in HSLA steels.

181-190A

Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron.

991-995B

Titanium, Coating

The kinetics of multilayered titanium-silicide coatings grown by the pack cementation method.

777-791A

Titanium, DiffusionLengthening kinetics of (0110) γ -TiH precipitates in α -Ti in the temperature range of 25-80°C.

2219-2226A

Titanium, Powder technology

Combustion synthesis in the Ti-C-Ni-Mo system. I. Micromechanisms.

3001-3009A

Combustion synthesis in the Ti-C-Ni-Mo system. II. Analysis.

3011-3019A

Titanium, Ternary systems

Phase equilibria and transformations in a Ti-Zr-Si system.

243-257A

Phase stability and microstructure of Al-Ti-Fe near Al_3Ti .

1029-1033A

Titanium base alloys, Composite materials

Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure.

159-166A

Cracking mechanisms in thermally cycled Ti-6Al-4V reinforced with SiC fibers.

883-895A

Fiber fracture during processing of continuous fiber, metal-matrix composites using the foil/fiber/foil technique.

1129-1139A

Thermal fatigue of a SiC/Ti-15Mo-2.7Nb-3Al-2Si composite.

1167-1181A

Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy.

1595-1597A

Oxidation of ductile particle reinforced Ti-48Al composite.

1835-1845A

Interactions between SiC fibers and a titanium alloy during infrared liquid infiltration.

1885-1894A

Fatigue crack growth of SM-1240/TIMETAL-21S metal matrix composites at elevated temperatures.

2469-2478A

The transverse creep deformation and failure characteristics of SCS-6/Ti-6Al-4V metal matrix composites at 482°C.

2733-2744A

An evaluation of fiber-reinforced titanium matrix composites for advanced high-temperature aerospace applications.

3211-3224A

Materials characterization of silicon carbide reinforced titanium (TiSCS-6) metal matrix composites. I. Tensile and fatigue behavior.

3225-3247A

Materials characterization of silicon carbide reinforced titanium (TiSCS-6) metal matrix composites. II. Theoretical modeling of fatigue behavior.

3249-3256A

Titanium base alloys, Heat treatmentCommunication: microstructural stability of the (α + β) solution-treated and quenched near- α titanium alloy Ti-5.8Al-4Sn-3.5Zr-0.70Nb-0.50Mo-0.35Si-0.06C.

2751-2755A

Titanium base alloys, Mechanical properties

Fracture toughness of gamma-base titanium aluminides.

305-313A

Microstructure and high-temperature tensile deformation of TiAl(Si) alloys made from elemental powders.

691-701A

Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo.

703-720A

Renewal creep theory.

829-843A

Damping characteristics of $\text{Ti}_{50}\text{Ni}_{49.5}\text{Fe}_{0.5}$ and $\text{Ti}_{50}\text{Ni}_{40}\text{Cu}_{10}$ ternary shape memory alloys.

851-858A

High-temperature low-cycle fatigue and lifetime prediction of Ti-24Al-11Nb alloy.

1113-1121A

Aqueous environmental crack propagation in high-strength beta titanium alloys.

1257-1271A

Evidence of shear ligament toughening in TiAl-base alloys.

1407-1418A

An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides.

2275-2291A

Shock consolidation of mechanically alloyed amorphous Ti-Si powders.

2565-2569A

Creep deformation in near- γ TiAl. I. The influence of microstructure on creep deformation in Ti-49Al-1V.

2947-2959A

Creep deformation in near- γ TiAl. II. Influence of carbon on creep deformation in Ti-48Al-1V-0.3C.

2961-2972A

Titanium base alloys, Metal working

Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen.

1141-1151A

Titanium base alloys, Microstructure

Compatibility of deformation in two-phase Ti-Al alloys: dependence on microstructure and orientation relationships.

1745-1756A

Titanium base alloys, Phase transformationsOn the decomposition of β phase in some rapidly quenched titanium-eutectoid alloys.

1367-1377A

Titanium base alloys, Powder technology

Structure of mechanically alloyed Ti-Al-Nb powders.

1379-1387A

Modeling the hot consolidation of ceramic and metal powders.

2041-2051A

Dynamic consolidation of metastable nanocrystalline powders.

2571-2578A

Communication: direct evidence for combustion reaction on TiNi/TiC composites formation by mechanical alloying.

2755-2759A

Titanium base alloys, Rolling

Deformation and microstructure development during hot-pack rolling of a near-gamma titanium aluminide alloy.

371-381A

Titanium base alloys, Welding

Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625.

437-446A

Titanium carbide, Composite materials

Studies on addition of inclusions to molten aluminum using a novel technique.

103-110B

Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure.

159-166A

Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite.

1395-1405A

Communication: quantitative analysis of interfacial chemistry in TiC/Ti composite using electron-energy-loss spectroscopy.

1595-1597A

In situ synthesis of TiC particulate-reinforced aluminum matrix composites.

1877-1884A

NiTi and NiTi-TiC composites. I. Transformation and thermal cycling behavior.

2833-2847A

Micromechanics effects in creep of metal-matrix composites.

3081-3089A

- The effect of a particle reinforcement on the creep behavior of single-phase aluminum. 3107-3118A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. II. Behavior at 150°C. 3155-3162A
- Titanium compounds**
See also Titanium carbide
- Titanium compounds, Composite materials**
Microstructure of the $Ti_3Al(Nb)/TiB$ composite produced by combustion synthesis. 3037-3043A
- Modeling the minimum creep rate of discontinuous lamellar-reinforced composites. 3257-3264A
- Titanium compounds, Forming**
Communication: intermetallic sheets synthesized from elemental titanium, aluminum, and niobium foils. 2759-2763A
- Titanium compounds, Mechanical properties**
Microstructure and high-temperature tensile deformation of $TiAl(Si)$ alloys made from elemental powders. 691-701A
- Tool steels**
Materials technology and the materials industry: a critical transition. 1343-1352A
- Torsional modulus**
See Shear modulus
- Torsional strength**
See Shear strength
- Total heat**
See Enthalpy
- Toughness**
See also Fracture toughness
- Toughness, Alloying effects**
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire $NiAl$ composites. 2175-2184A
- Toughness, Deformation effects**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1093-1099A
- Toughness, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Toughness, Microstructural effects**
Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
- Transgranular corrosion, Environmental effects**
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Transgranular fracture, Environmental effects**
Aqueous environmental crack propagation in high-strength beta titanium alloys. 1257-1271A
- Transgranular fracture, Stress effects**
Nanometer-scale crack initiation and propagation behavior of Fe_3Al -based intermetallic alloy. 1461-1469A
- Transgranular fracture, Temperature effects**
An investigation of the fatigue and fracture behavior of manganese-containing gamma titanium aluminides. 2275-2291A
- Transmission electron microscopy**
Interface microstructures in the diffusion bonding of a titanium alloy Ti 6242 to an Inconel 625. 437-446A
- Interfaces in continuous filament-reinforced $Al_2O_3/NiAl$ composites. 897-903A
- Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Characterization and analysis of low-temperature superplasticity in 8090 Al-Li alloys. 1153-1166A
- L-J phase in a $Cu_{22}Mn_{10}Al$ alloy. 1353-1365A
- Defect structures and nonbasal slip of C36 laves phase $MgNi_2$ in a two-phase alloy. 1441-1447A
- Microstructural study of the interface in laser-clad Ni-Al bronze on aluminum alloy AA333 and its relation to cracking. 1519-1533A
- Quantification of the Mg_2Si β' and β'' phases in $AlMgSi$ alloys by transmission electron microscopy. 1931-1937A
- Electron diffraction study of aging processes in Fe-1.83 wt.% carbon martensite at room temperature. 2001-2005A
- The effect of trace additions of tin on precipitation in Al-Cu alloys: an atom probe field ion microscopy study. 2207-2217A
- Lengthening kinetics of (0110) $\gamma-TiH$ precipitates in $\alpha-Ti$ in the temperature range of 25-80°C. 2219-2226A
- Hot explosive consolidation of tungsten-titanium alloys. 2407-2414A
- Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2545-2553A
- Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2555-2563A
- Communication: direct evidence for combustion reaction on $TiNi/TiC$ composites formation by mechanical alloying. 2755-2759A
- Microstructure of the $Ti_3Al(Nb)/TiB$ composite produced by combustion synthesis. 3037-3043A
- Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Transport properties**
The role of migration in shrinking-core leaching reactions controlled by pore transport. 901-910B
- Transport properties, Stress effects**
Mass transport at interfaces in single component systems. 1917-1929A
- Triaxial stress**
See Axial stress
- Tribology, Stress effects**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
- TTT curves**
Growth kinetics of grain boundary allotriomorphs of proeutectoid ferrite in Fe-C-Mn- X_2 alloys. 561-580A
- Tungsten, Alloying elements**
Influence of chromium and tungsten alloying on the fiber-matrix interfacial shear strength in cast and directionally solidified sapphire $NiAl$ composites. 2175-2184A
- Tungsten base alloys, Forming**
Hot explosive consolidation of tungsten-titanium alloys. 2407-2414A
- Tungsten base alloys, Mechanical properties**
A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
- Tungsten base alloys, Powder metallurgy**
Microstructure of the gravitationally settled region in a liquid-phase sintered dilute tungsten heavy alloy. 279-288A
- Tungsten base alloys, Powder technology**
A mathematical model for gravity-induced distortion during liquid-phase sintering. 653-659A
- Correction to "A Mathematical Model for Gravity-Induced Distortion During Liquid-Phase Sintering". 1909A
- Mechanical properties of molybdenum alloyed liquid phase-sintered tungsten-based composites. 2187-2189A
- Microstructural anomalies in a W-Ni alloy liquid phase sintered under microgravity conditions. 2484-2486A
- Turbulence**
Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection. 241-247B
- Turbulent flow**
Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection. 241-247B
- Extension of the k- ϵ model for the numerical simulation of the melt flow in induction crucible furnaces. 529-536B
- Tuyeres**
Bubble overlap in multipoint gas-injection systems. 1147-1156B
- Twinning**
Multiple twins of $^2-Al_{13}Co_4$ showing fivefold symmetry. 757-763A
- Twinning, Cooling effects**
Novel oxide-dispersion-strengthened copper alloys from rapidly solidified precursors. I. Microstructural Development. 859-871A
- Twinning, Radiation effects**
Effects of laser-shock processing on the microstructure and surface mechanical properties of Hadfield manganese steel. 1507-1517A
- Twinning, Stress effects**
Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- Ultimate shear strength**
See Shear strength
- Ultimate tensile strength**
See Tensile strength
- Ultrasonic testing**
Resonance apparatus for damping measurements. 2819-2823A
- Undercooling**
See Supercooling
- Uranium, Extraction**
Simulation of in situ uraninite leaching. II. The effects of ore grade and deposit porosity. 687-694B
- Simulation of in situ uraninite leaching. III. The effects of solution concentration. 695-701B
- Uranium base alloys, Mechanical properties**
A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A

- Vacancies (crystal defects)**
See Lattice vacancies
- Vacancies (lattice)**
See Lattice vacancies
- Vanadium, Alloying elements**
Deformation and microstructure in L1₀ type Ti-Al-V alloys. 113-131A
Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron. 991-995B
Pearlite phase transformation in silicon and vanadium steel. 1617-1631A
- Vanadium, Extraction**
Kinetics of chlorination and carbochlorination of vanadium pentoxide. 711-718B
- Vanadium, Recovering**
Recovery of cobalt, nickel, molybdenum, and vanadium from unroasted spent hydrorefining catalysts by selective chlorination. 41-50B
- Vaporizing**
See also Sublimation
Mathematical model of chalcocite particle combustion. 719-729B
Two-wavelength pyrometry study of the combustion of sulfide minerals. II. The influence of oxygen concentration on pyrite combustion. 943-958B
Temperatures in the keyhole. 1029-1033B
- Velocity measurement**
Velocity and turbulence measurements in a cylindrical bath subject to centric bottom gas injection. 241-247B
- Vickers hardness**
See Diamond pyramid hardness
- Viscoelasticity, Stress effects**
Viscoelastic spectra of Cd_{0.67}Mg_{0.33} in torsion and bending. 2035-2039A
- Viscosity**
Viscosity of PbO-SiO₂ melts. 281-287B
Correction to "Viscosity of PbO-SiO₂ Melts". 891B
Viscosity of copper slags from chalcocite concentrate smelting. 1217-1223B
- Viscosity, Temperature effects**
Natural convection in the Hale-Shaw cell of horizontal Bridgman solidification. 745-748B
- Viscous flow**
Modeling of supersolidus liquid phase sintering. II. Densification. 2423-2430A
- Voids, Stress effects**
Ductile fracture processes in 7075 aluminum. 407-415A
Void formation during oxidation of the ODS alloy MA 6000. 915-924A
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
- Volatility**
A new method for measuring activities in slags containing a volatile component. 651-654B
- Volatilizing**
See Vaporizing
- Voltage**
See Electric potential
- Voltage drop**
See Electric potential
- Voltage measurement**
See Electrical measurements
- Water**
See also Salt water
- Water, Environment**
Critical analysis of alloy 600 stress corrosion cracking mechanisms in primary water. 925-939A
- Watts bath**
See Baths
- Wear rate, Stress effects**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
- Wear resistance**
See also Abrasion resistance
- Wear resistance, Heating effects**
Layer-growth kinetics on gaseous nitriding of pure iron: evaluation of diffusion coefficients for nitrogen in iron nitrides. 57-74A
Characterization of carbonitrided layers formed on stainless steel by conversion electron Mössbauer spectrometry. 2983-2989A
- Wear resistance, Microstructural effects**
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
- Wear resistance, Stress effects**
Wear mechanisms in hybrid composites of graphite-20% SiC in A356 aluminum alloy (Al-7% Si-0.3% Mg). 85-98A
- Weathering steels**
See Structural steels
- Weld metal, Heat treatment**
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Weld metal, Phases (state of matter)**
Catalyst effects in heterogeneous nucleation of acicular ferrite. 525-534A
- Weldability, Coating effects**
Communication: the effect of phosphorus in base steel on the forming characteristics of galvanized sheet steels: new average iron content range of galvanized IFP steel. 1602-1605A
- Weldability, Heating effects**
Influence of heat treatments on microstructure, mechanical properties, and corrosion resistance of weld alloy 625. 1273-1286A
- Welded joints, Diffusion**
Numerical modeling of diffusion-controlled phase transformations in ternary systems and application to the ferrite/austenite transformation in the Fe-Cr-Ni system. 2007-2025A
- Welded joints, Heat treatment**
The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
- Welded joints, Mechanical properties**
Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayers. 203-208A
A comparative evaluation of low-cycle fatigue behavior of type 316LN base metal, 316 weld metal, and 316LN/316 weld joint. 1207-1219A
An inelastic analysis of a welded aluminum joint. 1253-1261B
Stress-assisted hydrogen attack cracking in 2.25Cr-1Mo steels at elevated temperatures. 2317-2327A
- Welded joints, Microstructure**
Microstructural changes in HSLA-100 steel thermally cycled to simulate the heat-affected zone during welding. 3277-3293A
- Welded joints, Phases (state of matter)**
The effect of niobium on the hardenability of microalloyed austenite. 21-30A
- Welding parameters**
Heat and metal transfer in gas metal arc welding using argon and helium. 383-395B
- Weldments, Corrosion**
Influence of microstructural variations in the weldment on the high-temperature corrosion of 2.25Cr-1Mo steel. 1847-1858A
Effect of ferrite transformation on the tensile and stress corrosion properties of type 316L stainless steel weld metal thermally aged at 873K. 1859-1868A
- Welds**
See Welded joints
- Wettability, Environmental effects**
Factors affecting pressure infiltration of packed SiC particulates by liquid aluminum. 983-990A
- Wetting**
Kinetics of wetting silver and copper substrates by molten 60Sn40Pb. 459-469A
An analysis for spreading kinetics of liquid metals on solids. 1307-1311A
Infiltration and wetting of alumina particulate preforms by aluminum and aluminum-magnesium alloys. 1491-1497A
Chemical thermodynamics as a predictive tool in the reactive metal brazing of ceramics. 1499-1505A
Modeling of supersolidus liquid phase sintering. I. Capillary force. 2415-2422A
- Whisker composites, Mechanical properties**
Microstructural evolution and mechanical properties of AC8A/Al₂O₃ short-fiber composites after thermal exposure at 150-350°C. 143-158A
Fatigue crack growth behavior of composites. 3199-3210A
- Whisker composites, Synthesis**
Microstructure of the Ti₃Al(Nb)/TiB composite produced by combustion synthesis. 3037-3043A
- White iron, Heat treatment**
The effect of heat treatment on the gouging abrasion resistance of alloy white cast irons. 357-370A
The influence of heat treatment on the high-stress abrasion resistance and fracture toughness of alloy white cast irons. 1785-1793A
- Wire, Heat treatment**
Recrystallization of molybdenum wire doped with potassium-silicate. 801-816A
- Wire drawing**
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A

- Wire rod, Drawing**
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
- Wolfram**
See Tungsten
- Work hardening**
See Strain hardening
- Work strengthening**
See Strain hardening
- X ray fluorescence**
Communication: application of the radioisotope excited x-ray fluorescence technique in charge optimization during thermite smelting of Fe-Ni, Fe-Cr, and Fe-Ti alloys. 1083-1085B
- X ray stress analysis**
X-ray measurement of lattice strains in textured low carbon steel under uniaxial loading. 629-632A
- Yield point, Microstructural effects**
Glasslike behavior in a nanostructured Fe/Cu alloy. 2479-2481A
- Yield strain**
See Strain
- Yield strength, Alloying effects**
Deformation and microstructure in L1₀ type Ti-Al-V alloys. 113-131A
- Yield strength, Composition effects**
The effect of niobium morphology on the fracture behavior of MoSi₂/Nb composites. 289-303A
Acoustic emission during fatigue crack propagation in SiC particle reinforced aluminum matrix composites. 3183-3190A
- Yield strength, Cooling effects**
Effect of cooling rate after hot rolling and of multistage strain aging on the drawability of low-carbon-steel wire rod. 1183-1193A
Grain structure and quench-rate effects on strength and toughness of AA7050 Al-Zn-Mg-Cu-Zr alloy plate. 2481-2484A
- Yield strength, Deformation effects**
Transformation strengthening by thermomechanical treatments in C-Mn-Ni-Nb steels. 1083-1099A
Mechanical behavior of aluminum deformed under hot-working conditions. 2895-2910A
- Yield strength, Environmental effects**
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
The effect of hydrogen on the yield and flow stress of an austenitic stainless steel. 2849-2858A
Hydrogen-enhanced localization of plasticity in an austenitic stainless steel. 2859-2871A
- Yield strength, Heating effects**
The relaxation of residual stresses with postweld heat treatment in a high-performance weld measured with neutron diffraction. 1287-1295A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2085-2101A
Mechanical properties of isothermally aged high-nitrogen stainless steel. 2579-2595A
- Yield strength, High temperature effects**
Enhanced fatigue crack growth resistance at elevated temperature in TiC/Ti-6Al-4V composite: microcrack-induced crack closure. 159-166A
- Yield strength, Impurity effects**
Effect of silicon on CGHAZ toughness and microstructure of microalloyed steels. 447-457A
- Yield strength, Microstructural effects**
Elevated temperature tensile behavior of Ti-25Al-10Nb-3V-1Mo. 703-720A
Fracture characteristics of Ti-6Al-4V and Ti-5Al-2.5Fe with refined microstructure using hydrogen. 1141-1151A
Microstructure and mechanical properties of spray-deposited Al-17Si-4.5Cu-0.6Mg wrought alloy. 1235-1247A
Recrystallization and grain growth phenomena in a particle-reinforced aluminum composite. 1395-1405A
Processing, microstructure, and mechanical behavior of cast magnesium metal matrix composites. 2445-2455A
The effect of matrix microstructure on cyclic response and fatigue behavior of particle-reinforced 2219 aluminum. I. Room temperature behavior. 3143-3154A
- Yield strength, Stress effects**
Mechanical behavior and microstructure of Au-Ni brazes. 941-948A
- A comparison of shear localization susceptibility in U-0.75 wt.% Ti and W-Ni-Fe during high strain rate deformation. 1483-1490A
Modeling the hot consolidation of ceramic and metal powders. SiC particle cracking in powder metallurgy processed aluminum matrix composite materials. 2041-2051A
Strength and ductility under dynamic loading in fine-grained IN905XL aluminum alloy. 2457-2467A
Shock-loading response of 6061-T6 aluminum metal-matrix composites. 2521-2526A
Influence of peak pressure and temperature on the structure/property response of shock-loaded tantalum and Ta-10W. 2545-2553A
2555-2563A
- Yield strength, Temperature effects**
An investigation of strain hardening and creep in an Al-6061/Al₂O₃ metal matrix composite. 633-639A
Damping characteristics of Ti₅₀Ni_{40.5}Fe_{0.5} and Ti₅₀Ni₄₀Cu₁₀ ternary shape memory alloys. 851-858A
High-performance dispersion-strengthened Cu-8 Cr-4 Nb alloy. 2197-2206A
- Yield stress**
See Yield strength
- Youngs modulus**
See Modulus of elasticity
- Yttrium, Ternary systems**
The isothermal section at 500°C of the Y-La-Mg ternary system. 5-10A
- Zinc, Binary systems**
Extended vacancy-vacancy liquid model. 2597-2610A
Computer simulations of phase decomposition in real alloy systems based on the modified Khachaturyan diffusion equation. 2617-2623A
- Zinc, Extraction**
Interfacial effects of surface-active agents under zinc pressure leach conditions. 5-12B
Electricity in the production of metals: from aluminum to zinc. 189-208B
Mathematical modeling of the zinc pressure leach process. 1035-1047B
- Zinc, Oxidation**
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. I. Comparison with past literature. 911-918B
Oxidation kinetics of zinc vapor in CO:CO₂ mixtures. II. Application of plug flow concepts. 919-924B
- Zinc base alloys, Mechanical properties**
On the characteristics of the threshold stress for superplastic flow in Zn-22%Al. 493-496A
Communication: Discussion of "effect of iron on the superplastic deformation of Zn-22% Al". Authors' reply. 1600-1602A
- Zinc base alloys, Microstructure**
Effects of tensile stress on microstructural change of eutectoid Zn-Al alloy. 2611-2615A
- Zinc ores, Extraction**
The leaching of galena in ferric sulfate media. 219-227B
- Zirconates**
Potentiometric determination of the Gibbs energies of formation of SrZrO₃ and BaZrO₃. 775-781B
- Zirconium, Alloying elements**
Effects of titanium, zirconium, vanadium, and chromium on the rate of nitrogen dissolution into molten iron. 991-995B
- Zirconium, Mechanical properties**
Influence of temperature and strain rate on slip and twinning behavior of zirconium. 2665-2675A
- Zirconium, Ternary systems**
Phase equilibria and transformations in a Ti-Zr-Si system. 243-257A
- Zirconium, Thermal properties**
Constant-pressure specific heat to hemispherical total emissivity ratio for undercooled liquid nickel, zirconium, and silicon. 503-508B
- Zirconium base alloys, Extrusion**
Evolution of microstructure during fabrication of Zr-2.5 wt.% Nb alloy pressure tubes. 2707-2718A
- Zirconium compounds**
See also Zirconates
- Zirconium compounds, Mechanical properties**
Deformation of two C36 laves phases by microhardness indentation at room temperature. 1107-1112A
- Zirconium compounds, Reactions (chemical)**
Studies on kinetics of low-temperature chlorination of ZrO₂ by gaseous carbon tetrachloride. 235-240B

